



# SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 18-Jan-2024

Revision Number 1

# Section 1: PRODUCT AND COMPANY IDENTIFICATION

| Product Name | Copper Standard Solution (Cu 1000)[CRM] |
|--------------|---|
| Product Code | 033-26191                               |
|              |   |

**Supplier** FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

**Recommended uses** For research use only

**Restrictions on use**Seek expert judgment when using for purposes other than those recommended.

# **Section 2: HAZARDS IDENTIFICATION**

**GHS** classification

Classification of the substance or mixture

Corrosive to metalsCategory 1Acute toxicity - Inhalation (Vapors)Category 3Skin corrosion/irritationCategory 1Serious eye damage/eye irritationCategory 1Specific target organ toxicity (single exposure)Category 2

Category 2 respiratory system

Specific target organ toxicity (repeated exposure)

Category 2

Category 2 respiratory system, teeth





### Hazard statements

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H331 - Toxic if inhaled

H371 - May cause damage to the following organs: respiratory system

H373 - May cause damage to the following organs through prolonged or repeated exposure: respiratory system, teeth

### **Precautionary statements-(Prevention)**

- · Use only outdoors or in a well-ventilated area
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection
- Do not eat, drink or smoke when using this product
- · Keep only in original container

### Precautionary statements-(Response)

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- · Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
- · Absorb spillage to prevent material damage

# **Precautionary statements-(Storage)**

- Store in a well-ventilated place. Keep container tightly closed
- · Store locked up
- Store in corrosive resistant/ container with a resistant inner liner

### Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

**Others** 

Other hazards Not available

### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

| Chemical Name | Weight-% | Molecular weight | ENCS    | ISHL No. | CAS RN    |
|---------------|----------|------------------|---------|----------|-----------|
| Water         | 94.903   | 18.02            | N/A     | N/A      | 7732-18-5 |
| Nitric Acid   | 5.0      | 63.01            | (1)-394 | *        | 7697-37-2 |
| Copper        | 0.097    | 63.546           | -       | N/A      | 7440-50-8 |

Note on ISHL No.:

# **Section 4: FIRST AID MEASURES**

### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

#### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

### **Protection of first-aiders**

Use personal protective equipment as required.

### Section 5: FIRE FIGHTING MEASURES

# Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

### Unsuitable extinguishing media

No information available

### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

### Special extinguishing method

No information available

# Special protective actions for fire-fighters

<sup>\*</sup> in the table means announced chemical substances.

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

### Section 6: ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

#### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

#### Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

### Recoverly, neutralization

No information available

# Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

# **Section 7: HANDLING AND STORAGE**

### Handling

#### **Technical measures**

Avoid contact with alkaline substances. Avoid contact with metal. Use with local exhaust ventilation.

#### Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

#### Safety handling precautions

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

### **Storage**

#### Safe storage conditions

Storage conditions Store away from sunlight in well-ventilated place at room temperature (under 25 °C).

Keep container tightly closed.

Safe packaging material

Polyethylene

Incompatible substances

alkaline substances, Metals

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

#### **Exposure limits**

| Chemical Name | JSOH (Japan)               | ISHL (Japan) | ACGIH               |
|---------------|----------------------------|--------------|---------------------|
| Nitric Acid   | 2ppm, 5.2mg/m <sup>3</sup> | N/A          | STEL: 4 ppm         |
| 7697-37-2     |                            |              | TWA: 2 ppm          |
| Copper        | N/A                        | N/A          | TWA: 0.2 mg/m³ fume |
| 7440-50-8     |                            |              |                     |

### Personal protective equipment

**Respiratory protection Hand protection**Gas mask for acidic gas (JIS T 8152)
chemical protective gloves (JIS T 8116)

**Eye protection** protective eyeglasses or chemical safety goggles

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

**Form** 

Colorpale blueTurbidityclearAppearanceliquid

Odor
Melting point/freezing point
Boiling point, initial boiling point and boiling range
Flammability
Evaporation rate:
no data available

Upper/lower flammability or explosive limits

no data available Upper: Lower: no data available Flash point no data available **Auto-ignition temperature:** no data available no data available **Decomposition temperature:** no data available pН Viscosity (coefficient of viscosity) no data available no data available **Dynamic viscosity** No data available Solubilities n-Octanol/water partition coefficient:(log Pow) no data available no data available Vapour pressure Specific Gravity / Relative density no data available Vapour density no data available no data available Particle characteristics

### Section 10: STABILITY AND REACTIVITY

### **Stability**

Reactivity no data available

**Chemical stability** Stable under recommended storage conditions.

**Hazardous reactions** 

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

alkaline substances, Metals

**Hazardous decomposition products** 

Nitrogen oxides (NOx), Metal oxides

# **Section 11: TOXICOLOGICAL INFORMATION**

Acute toxicity

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50       |
|---------------|-----------|-------------|-----------------------|
| Nitric Acid   | N/A       | N/A         | 334 ppm ( Rat ) 0.5 h |

| Chemical Name | Acute toxicity -oral- source information | Acute toxicity -dermal- source information | Acute toxicity -inhalation gas-<br>source information |
|---------------|--|--|---|
| Nitric Acid   | Based on the NITE GHS                    | Based on the NITE GHS                      | Based on the NITE GHS                                 |

|        | classification results. | classification results. | classification results. |
|--------|-------------------------|-------------------------|-------------------------|
| Copper | Based on the NITE GHS   | Based on the NITE GHS   | Based on the NITE GHS   |
|        | classification results. | classification results. | classification results. |

| Chemical Name   | Acute toxicity -inhalation vapor- source information | Acute toxicity -inhalation dust-<br>source information | Acute toxicity -inhalation mist-<br>source information |
|-----------------|--|--|--|
| 1 111110 7 1010 | Based on the NITE GHS                                | Based on the NITE GHS                                  | Based on the NITE GHS Classification results.          |
|                 |  |  | Based on the NITE GHS classification results.          |

### Skin irritation/corrosion

| Chemical Name | Skin corrosion/irritation source information  |
|---------------|---|
| Nitric Acid   | Based on the NITE GHS classification results. |
| Copper        | Based on the NITE GHS classification results. |

Serious eye damage/ irritation

| Chemical Name | Serious eye damage/irritation source information |
|---------------|--|
| Nitric Acid   | Based on the NITE GHS classification results.    |
| Copper        | Based on the NITE GHS classification results.    |

Respiratory or skin sensitization

| Chemical Name | Respiratory or Skin sensitization source information |
|---------------|--|
| Nitric Acid   | Based on the NITE GHS classification results.        |
| Copper        | Based on the NITE GHS classification results.        |

Reproductive cell mutagenicity

| Chemical Name | germ cell mutagencity source information      |
|---------------|---|
| Nitric Acid   | Based on the NITE GHS classification results. |
| Copper        | Based on the NITE GHS classification results. |

Carcinogenicity

| Chemical Name | Carcinogenicity source information            |
|---------------|---|
| Nitric Acid   | Based on the NITE GHS classification results. |
| Copper        | Based on the NITE GHS classification results. |

Reproductive toxicity

| Chemical Name | Reproductive toxicity source information      |  |
|---------------|---|--|
| Nitric Acid   | Based on the NITE GHS classification results. |  |
| Copper        | Based on the NITE GHS classification results. |  |

STOT-single exposure

| Chemical Name | STOT -single exposure- source information     |  |
|---------------|---|--|
| Nitric Acid   | Based on the NITE GHS classification results. |  |
| Copper        | Based on the NITE GHS classification results. |  |

STOT-repeated exposure

| o ro ropodiod expedito                               |   |  |  |  |
|--|---|--|--|--|
| Chemical Name STOT -repeated exposure- source inform |   |  |  |  |
| Nitric Acid  | Based on the NITE GHS classification results. |  |  |  |
| Copper Based on the NITE GHS classification results. |   |  |  |  |

Aspiration hazard

| Aspiration nazard |   |  |  |  |
|-------------------|---|--|--|--|
| Chemical Name     | Aspiration Hazard source information          |  |  |  |
| Nitric Acid       | Based on the NITE GHS classification results. |  |  |  |
| Copper            | Based on the NITE GHS classification results. |  |  |  |

# **Section 12: ECOLOGICAL INFORMATION**

# **Ecotoxicity**

|   | Chemical Name | Algae/aquatic plants     | Fish                     | Crustacea          |
|---|---------------|--------------------------|--------------------------|--------------------|
|   | Nitric Acid   | N/A                      | LC50 : Gambusia affinis  | N/A                |
|   |               |                          | 72 mg/L 96 h             |                    |
| Ī | Copper        | EC50:Pseudokirchneriella | LC50:Pimephales promelas | EC50:Daphnia magna |
| l |               | subcapitata              | 0.2 mg/L 96 h            | 0.03 mg/L 48 h     |

|  | 0.031 - 0.054 mg/L 96 h static<br>EC50:Pseudokirchneriella<br>subcapitata<br>0.0426 - 0.0535 mg/L 72 h<br>static | LC50:Oncorhynchus mykiss<br>0.052 mg/L 96 h<br>LC50:Cyprinus carpio<br>0.8 mg/L 96 h |  |
|--|--|--|--|
|--|--|--|--|

#### Other data

| Chemical Name | Short-term (acute) hazardous to the    | Long-term (chronic) hazardous to the   |  |
|---------------|--|--|--|
|               | aquatic environment source information | aquatic environment source information |  |
| Nitric Acid   | Based on the NITE GHS classification   | Based on the NITE GHS classification   |  |
|               | results.                               | results.                               |  |
| Copper        | Based on the NITE GHS classification   | Based on the NITE GHS classification   |  |
| , ,           | results.                               | results.                               |  |

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

# **Section 13: DISPOSAL CONSIDERATIONS**

#### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

# **Section 14: TRANSPORT INFORMATION**

ADR/RID

UN number UN2031
Proper shipping name: Nitric acid

UN classfication 8
Subsidiary hazard class

Packing group

Marine pollutant Not applicable

**IMDG** 

UN number UN2031
Proper shipping name: Nitric acid

UN classfication 8
Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

**IATA** 

UN number UN2031 Proper shipping name: Nitric acid

UN classfication 8
Subsidiary hazard class
Packing group ||

Environmentally Hazardous Not applicable

**Substance** 

# **Section 15: REGULATORY INFORMATION**

Japanese regulations

Fire Service Act **Poisonous and Deleterious Substances Control Law** 

Not applicable Not applicable

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2)

Group 3 Specified Chemical Substance, (Ordinance on Prevention of Hazards Due to

Specified Chemical Substances Art.2 Para.1, Item 6)

Regulations for the carriage

and storage of dangerous goods in ship

Corrosive Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)

**Civil Aeronautics Law** Corrosive Substances (Ordinance Art.194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

**Marine Pollution Prevention** 

Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y

Pollutant Release and Transfer Not applicable

**Register Law** (2023.4.1-)

Harmful Substances (Law Art.2, Enforcement Order Art.2, Ordinace Designating **Water Pollution Control Act** 

Wastewater Standards Art.1)

Specified substances(Law Art.2 Para.4, Enforcement Order Art.3-3)

**Export Trade Control Order Air Pollution Control Law** 

Not applicable

Hazardous Air Pollutants

| Chemical Name                    | Poisonous and Deleterious<br>Substances Control Law | Industrial Safety and Health Act<br>Substances<br>(Law Art.57-2) | Pollutant Release and Transfer<br>Register Law<br>(2023.4.1-) |
|----------------------------------|---|--|---|
| Nitric Acid<br>7697-37-2 ( 5.0 ) | -   | Applicable   | -   |

# **Section 16: OTHER INFORMATION**

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

### **Disclaimer**

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**