



# SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 11-Sep-2024

Revision Number 2.07

## Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Bis(3-aminopropyl)amine
Product Code	044-07682,048-07685

**Supplier** FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

**Recommended uses** For research use only

**Restrictions on use**Seek expert judgment when using for purposes other than those recommended.

## **Section 2: HAZARDS IDENTIFICATION**

**GHS** classification

Classification of the substance or mixture

Flammable liquids Category 4
Skin corrosion/irritation Category 1
Serious eye damage/eye irritation Category 1

### **Pictograms**



Signal word

Danger

## **Hazard statements**

H227 - Combustible liquid

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

### **Precautionary statements-(Prevention)**

- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Wear protective gloves/protective clothing/eye protection/face protection

## **Precautionary statements-(Response)**

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- · Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
- In case of fire: Use suitable extinguishing media for extinction

## **Precautionary statements-(Storage)**

Store locked up

· Store in a well-ventilated place. Keep cool

#### **Precautionary statements-(Disposal)**

• Dispose of contents/container to an approved waste disposal plant

**Others** 

Other hazards Not available

### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula (H2NCH2CH2CH2)2NH

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Bis(3-aminopropyl)amine	98.0	131.22	(2)-148	*	56-18-8

Note on ISHL No.:

## **Section 4: FIRST AID MEASURES**

#### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

#### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

#### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

### **Protection of first-aiders**

Use personal protective equipment as required.

### Section 5: FIRE FIGHTING MEASURES

#### Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

### Unsuitable extinguishing media

No information available

### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

#### Special extinguishing method

No information available

## Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

## Section 6: ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

#### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

<sup>\*</sup> in the table means announced chemical substances.

#### Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

## Recoverly, neutralization

No information available

### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

### Section 7: HANDLING AND STORAGE

### Handling

#### **Technical measures**

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

#### **Precautions**

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

## Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

#### Storage

Safe storage conditions

Storage conditions Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed.

Safe packaging material Glass

Incompatible substances Strong oxidizing agents

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

**Exposure limits** This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Personal protective equipment

Respiratory protection Protective mask

Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

**General hygiene considerations** 

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

**Form** 

Color Colorless - slightly yellow

Turbidity clear Appearance liquid

**Odor** characteristic odor

Melting point/freezing point -14 °C
Boiling point, initial boiling point and boiling range 235 °C

Flammability Combustible liquid
Evaporation rate: no data available
Flammability (solid, gas): no data available

Upper/lower flammability or explosive limits

Upper: no data available
Lower: no data available

Flash point 79 °C

Auto-ignition temperature:no data availableDecomposition temperature:no data availablepHno data availableViscosity (coefficient of viscosity)no data availableDynamic viscosityno data available

**Solubilities** water , Ethanol and acetone : Very soluble.

n-Octanol/water partition coefficient:(log Pow)
No data available
no data available
no data available
Necific Gravity / Relative density
Napour density
No data available
Particle characteristics
no data available
no data available

## **Section 10: STABILITY AND REACTIVITY**

## **Stability**

Reactivity no data available
Chemical stability May be altered by light.

**Hazardous reactions** 

None under normal processing

**Conditions to avoid** 

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

### **Hazardous decomposition products**

Carbon monooxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx)

## Section 11: TOXICOLOGICAL INFORMATION

\*NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip\_search/srhInput

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Bis(3-aminopropyl)amine	= 738 mg/kg (Rat)	103 mg/kg ( Rabbit )	= 0.03 mg/L (Rat) 4 h
			= 0.04 mg/L (Rat) 4 h

Chemical Name	Acute toxicity -oral- source	Acute toxicity -dermal- source	Acute toxicity -inhalation gas-
	information	information	source information
2.6(6 46).65)./46			Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
	vapor-source information	Source information	Source information
Bis(3-aminopropyl)amine	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

#### Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Bis(3-aminopropyl)amine	Based on the NITE GHS classification results.

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information	
Bis(3-aminopropyl)amine	Based on the NITE GHS classification results.	

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information	
Bis(3-aminopropyl)amine	Based on the NITE GHS classification results.	
Reproductive cell mutagenicity		
Chemical Name	germ cell mutagencity source information	
Bis(3-aminopropyl)amine	Based on the NITE GHS classification results.	
Carcinogenicity		
Chemical Name Carcinogenicity source information		
Bis(3-aminopropyl)amine	Based on the NITE GHS classification results.	

Reproductive toxicity

Reproductive toxicity source information	
Based on the NITE GHS classification results.	
STOT -single exposure- source information	
Based on the NITE GHS classification results.	
STOT -repeated exposure- source information	
Based on the NITE GHS classification results.	
Aspiration Hazard source information	
Based on the NITE GHS classification results.	

## **Section 12: ECOLOGICAL INFORMATION**

\*NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip\_search/srhInput

**Ecotoxicity** no data available

#### Other data

Other data		
Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information
Bis(3-aminopropyl)amine	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

## **Section 13: DISPOSAL CONSIDERATIONS**

#### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## **Section 14: TRANSPORT INFORMATION**

ADR/RID

UN number UN2269

**Proper shipping name:** 3,3'-Iminodipropylamine

UN classfication

Subsidiary hazard class

Packing group

Marine pollutant Not applicable

**IMDG** 

UN number UN2269

**Proper shipping name:** 3,3'-Iminodipropylamine

UN classfication 8

Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN2269

**Proper shipping name:** 3,3'-Iminodipropylamine

UN classfication

Subsidiary hazard class

Packing group

Environmentally Hazardous Not applicable

**Substance** 

## **Section 15: REGULATORY INFORMATION**

Japanese regulations

Fire Service Act Category IV, Class III petroleums, dangerous grade 3 water-soluble

Poisonous and Deleterious Not applicable

**Substances Control Law** 

Industrial Safety and Health Act Not applicable

Industrial Safety and Health Act ( [2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

2024~)

2024~) Industrial Safety and Health Act (

2025~)

Day lating for the

Regulations for the carriage

and storage of dangerous

goods in ship

**Civil Aeronautics Law** 

【2025.4.1~】Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

【2025.4.1~】Notifiable Substances (Law Art.57-2)

Corrosive Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)

Corrosive Substances (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc., Attached Table 1)

Pollutant Release and Transfer Not applicable

**Register Law** 

(2023.4.1-)

**Export Trade Control Order** Not applicable

## **Section 16: OTHER INFORMATION**

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip\_search/srhInput

IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards **End of Safety Data Sheet**