

SAFETY DATA SHEET

According to JIS Z 7253:2019
Revision date 20-Jan-2023
Revision Number 2.03

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	DCIP Standard
Product Code	040-17013,048-17019

Manufacturer FUJIFILM Wako Pure Chemical Corporation
1-2 Doshomachi 3-Chome
Chuo-ku, Osaka 540-8605, Japan
Phone: +81-6-6203-3741
Fax: +81-6-6203-5964

Supplier FUJIFILM Wako Pure Chemical Corporation
1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan
Phone: +81-6-6203-3741
Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses and restrictions on use For research use only

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Flammable liquids

Acute toxicity - Oral

Acute toxicity - Inhalation (Vapors)

Specific target organ toxicity (single exposure)

Category 1 liver

Category 3 Respiratory irritation

Category 4

Category 4

Category 2

Category 1, Category 3

Pictograms



Signal word

Danger

Hazard statements

H227 - Combustible liquid

H302 - Harmful if swallowed

H330 - Fatal if inhaled

H335 - May cause respiratory irritation

H370 - Causes damage to the following organs: liver

Precautionary statements-(Prevention)

- Do not breathe dust/fume/gas/mist/vapors/spray
- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Use only outdoors or in a well-ventilated area
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Wear protective gloves/protective clothing/eye protection/face protection

- Keep cool

Precautionary statements-(Response)

- IF exposed: Call a POISON CENTER or doctor/physician
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth
- In case of fire: Use CO₂, dry chemical, or foam for extinction

Precautionary statements-(Storage)

- Store in a well-ventilated place. Keep container tightly closed
- Store locked up

Precautionary statements-(Disposal)

- Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula C₆H₁₂Cl₂O

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Bis(2-chloro-1-methylethyl) ether	98.0	171.06	(2)-381,(2)-380	2-(12)-75	108-60-1

Note on ISHL No.: * in the table means announced chemical substances.

Impurities and/or Additives: Not applicable

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO₂), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full

firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminant and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recovery, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions

Container protected from light, and store tightly closed in freezer (-20°C). Packed with an inert gas. Store locked up.

Safe packaging material

Glass

Incompatible substances

Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and hand- and eye-wash facility. And display their position clearly.

Exposure limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Personal protective equipment

Respiratory protection

gas mask for organic gas

Hand protection

Protective gloves

Eye protection

protective eyeglasses or chemical safety goggles

Skin and body protection

Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form	
Color	Colorless - nearly colorless
Turbidity	clear
Appearance	liquid
Odor	Pungent odor
Melting point/freezing point	-97 °C
Boiling point, initial boiling point and boiling range	187 °C
Flammability	Combustible liquid
Evaporation rate:	no data available
Flammability (solid, gas):	no data available
Upper/lower flammability or explosive limits	
Upper:	no data available
Lower:	no data available
Flash point	85 °C
Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
pH	no data available
Viscosity (coefficient of viscosity)	no data available
Dynamic viscosity	no data available
Solubilities	water : very slightly soluble.
n-Octanol/water partition coefficient:(log Pow)	2.14 - 2.58
Vapour pressure	75Pa
Specific Gravity / Relative density	1.1 g/mL
Vapour density	6(air=1)
Particle characteristics	no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity	no data available
Chemical stability	May be altered by light.
Hazardous reactions	
None under normal processing	
Conditions to avoid	
Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark	
Incompatible materials	
Strong oxidizing agents	
Hazardous decomposition products	
Carbon monoxide (CO), Carbon dioxide (CO ₂), Halides	

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Bis(2-chloro-1-methylethyl) ether	1300 mg/kg (Rat)	3309 mg/kg (Rat)	350 ppm (Rat) 8 h

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Bis(2-chloro-1-methylethyl) ether	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Bis(2-chloro-1-methylethyl) ether	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
---------------	--

Bis(2-chloro-1-methylethyl) ether	Based on the NITE GHS classification results.			
Serious eye damage/ irritation				
Chemical Name	Serious eye damage/irritation source information			
Bis(2-chloro-1-methylethyl) ether	Based on the NITE GHS classification results.			
Respiratory or skin sensitization				
Chemical Name	Respiratory or Skin sensitization source information			
Bis(2-chloro-1-methylethyl) ether	Based on the NITE GHS classification results.			
Reproductive cell mutagenicity				
Chemical Name	germ cell mutagenicity source information			
Bis(2-chloro-1-methylethyl) ether	Based on the NITE GHS classification results.			
Carcinogenicity				
Chemical Name	Carcinogenicity source information			
Bis(2-chloro-1-methylethyl) ether	Based on the NITE GHS classification results.			
Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
Bis(2-chloro-1-methylethyl) ether 108-60-1		Group 3		
Reproductive toxicity				
Chemical Name	Reproductive toxicity source information			
Bis(2-chloro-1-methylethyl) ether	Based on the NITE GHS classification results.			
STOT-single exposure				
Chemical Name	STOT -single exposure- source information			
Bis(2-chloro-1-methylethyl) ether	Based on the NITE GHS classification results.			
STOT-repeated exposure				
Chemical Name	STOT -repeated exposure- source information			
Bis(2-chloro-1-methylethyl) ether	Based on the NITE GHS classification results.			
Aspiration hazard				
Chemical Name	Aspiration Hazard source information			
Bis(2-chloro-1-methylethyl) ether	Based on the NITE GHS classification results.			

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity No information available

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
Bis(2-chloro-1-methylethyl) ether	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Persistence and degradability Degree of decomposition: 0 % by BOD (METI Existing chemical safety inspections)
Bioaccumulative potential No information available
Mobility in soil No information available
Hazard to the ozone layer No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN2490

Proper shipping name: Dichloroisopropyl ether
UN classification 6.1
Subsidiary hazard class
Packing group II
Marine pollutant Not applicable

IMDG

UN number UN2490
Proper shipping name: Dichloroisopropyl ether
UN classification 6.1
Subsidiary hazard class
Packing group II
Marine pollutant (Sea) Not applicable
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

IATA

UN number UN2490
Proper shipping name: Dichloroisopropyl ether
UN classification 6.1
Subsidiary hazard class
Packing group II
Environmentally Hazardous Substance Not applicable

Section 15: REGULATORY INFORMATION

International Inventories

EINECS/ELINCS Listed
TSCA Listed

Japanese regulations

Fire Service Act Category IV, Class III petroleum, dangerous grade 3
Poisonous and Deleterious Substances Control Law Deleterious Substances 2nd. Grade
Industrial Safety and Health Act Not applicable
Regulations for the carriage and storage of dangerous goods in ship Toxic Substances - Poison (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)
Civil Aeronautics Law Toxic and Infectious Substances (Ordinance Art.194, MITL Notification for Air Transportation of Explosives etc., Attached Table 1)
Marine Pollution Prevention Law Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y
Pollutant Release and Transfer Register Law (~2023.3.31) Not applicable
Pollutant Release and Transfer Register Law (2023/4/1~) Not applicable
Export Trade Control Order Not applicable

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2) (~2024.3.31)	Pollutant Release and Transfer Register Law (~2023.3.31)
Bis(2-chloro-1-methylethyl) ether 108-60-1 (98.0)	Applicable	-	-

Section 16: OTHER INFORMATION

Key literature references and NITE: National Institute of Technology and Evaluation (JAPAN)

sources for data etc.

<http://www.safe.nite.go.jp/japan/db.html>
IATA dangerous Goods Regulations
RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS
Dictionary of Synthetic Organic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.
Chemical Dictionary, Kyouritsu Publishing Co., Ltd.
etc

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z7252(2019). *JIS: Japanese Industrial Standards

End of Safety Data Sheet