



SAFETY DATA SHEET

According to JIS Z 7253:2019 **Revision date** 22-Feb-2024 Revision Number 2.05

Category 2

Section 1: PRODUCT AND COMPANY IDENTIFICATION

| Product Name | Dimethyl Sulfoxide |
|---|---|
| Product Code | 042-17095 |
| Supplier | FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029 |
| Emergency telephone number Recommended uses Restrictions on use | +81-6-6203-3741 / +81-3-3270-8571 For research use only Seek expert judgment when using for purposes other than those recommended. |

Section 2: HAZARDS IDENTIFICATION

GHS classification <u>Classification of the substance or mixture</u> Specific target organ toxicity (single exposure) Category 2 respiratory system

Pictograms



Warning

Hazard statements

H371 - May cause damage to the following organs: respiratory system

Precautionary statements-(Prevention)

- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product

Precautionary statements-(Response)

• IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician

- Precautionary statements-(Storage)
 - Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others Other hazards

Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture

Substance

Formula

(CH3)2SO

| Chemical Name | Weight-% | Molecular weight | ENCS | ISHL No. | CAS RN |
|---|----------|------------------|----------|----------|---------|
| Dimethyl Sulfoxide | 99.0 | 78.13 | (2)-1553 | * | 67-68-5 |
| Note on ISHL No.: * in the table means announced chemical substances. | | | | | |

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

 Safe storage conditions
 Keep container protect from light, store in well-ventilated place at room temperature (preferably cool). Keep container tightly closed.

 Safe packaging material Incompatible substances
 Glass

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

| Personal protective equipment |
|-------------------------------|
| Respiratory protection |
| Hand protection |
| Eye protection |

Protective mask chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles (JIS T 8147) Long-sleeved work clothes

Skin and body protection General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

| Form | |
|--|-------------------|
| Color | colorless |
| Turbidity | clear |
| Appearance | liquid |
| Odor | Odorless |
| Melting point/freezing point | 18 °C |
| Boiling point, initial boiling point and boiling range | 189 °C |
| Flammability | no data available |
| Evaporation rate: | no data available |
| Flammability (solid, gas): | no data available |
| Upper/lower flammability or explosive limits | |
| Upper: | 42.0 vol% |
| Lower: | 2.6 vol% |
| Flash point | 95 °C |
| Auto-ignition temperature: | 215 °C |
| Decomposition temperature: | no data available |
| рН | no data available |
| Viscosity (coefficient of viscosity) | no data available |

Dynamic viscosity Solubilities n-Octanol/water partition coefficient:(log Pow) Vapour pressure Specific Gravity / Relative density Vapour density Particle characteristics no data available water , Ethanol and acetone : Very soluble. -1.35 59.4 1.100 - 1.106 g/mL no data available no data available

Section 10: STABILITY AND REACTIVITY

Stability

 Reactivity
 no data available

 Chemical stability
 May be altered by light.

 Hazardous reactions
 None under normal processing

 Conditions to avoid
 Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

 Incompatible materials
 Strong oxidizing agents

 Hazardous decomposition products
 Carbon monooxide (CO), Carbon dioxide (CO2), Sulfur oxides (SOx)

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--------------------|----------------------|----------------------|--------------------------|
| Dimethyl Sulfoxide | 14,500 mg/kg (Rat) | 40,000 mg/kg (Rat) | >5,330 mg/m³ (Rat) 4 h |
| | | | |

| Chemical Name | Acute toxicity -oral- source information | Acute toxicity -dermal- source information | Acute toxicity -inhalation gas- source information |
|------------------|---|--|---|
| Dimotry Carestac | | | Based on the NITE GHS classification results. |

| Chemical Name | Acute toxicity -inhalation | Acute toxicity -inhalation dust- | Acute toxicity -inhalation mist- |
|---------------|----------------------------|----------------------------------|--|
| | vapor- source information | source information | source information |
| 2 | | | Based on the NITE GHS classification results. |

Skin irritation/corrosion

| Chemical Name | Skin corrosion/irritation source information |
|-----------------------------------|--|
| Dimethyl Sulfoxide | Based on the NITE GHS classification results. |
| Serious eye damage/ irritation | |
| Chemical Name | Serious eye damage/irritation source information |
| Dimethyl Sulfoxide | Based on the NITE GHS classification results. |
| Respiratory or skin sensitization | |
| Chemical Name | Respiratory or Skin sensitization source information |
| Dimethyl Sulfoxide | Based on the NITE GHS classification results. |
| Reproductive cell mutagenicity | |
| Chemical Name | germ cell mutagencity source information |
| Dimethyl Sulfoxide | Based on the NITE GHS classification results. |
| Carcinogenicity | |
| Chemical Name | Carcinogenicity source information |
| Dimethyl Sulfoxide | Based on the NITE GHS classification results. |

Reproductive toxicity

| Chemical Name | Reproductive toxicity source information |
|--------------------|---|
| Dimethyl Sulfoxide | Based on the NITE GHS classification results. |

STOT-single exposure

| Chemical Name | STOT -single exposure- source information | |
|------------------------|---|--|
| Dimethyl Sulfoxide | Based on the NITE GHS classification results. | |
| STOT-repeated exposure | | |
| Chemical Name | STOT -repeated exposure- source information | |
| Dimethyl Sulfoxide | Based on the NITE GHS classification results. | |
| Aspiration hazard | | |
| Chemical Name | Aspiration Hazard source information | |
| Dimethyl Sulfoxide | Based on the NITE GHS classification results. | |

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|--------------------|----------------------|------|----------------|
| Dimethyl Sulfoxide | N/A | N/A | EC50 : Artemia |
| - | | | 6830 mg/L 24 h |

Other data

| Chemical Name | Short-term (acute) hazardous to the | Long-term (chronic) hazardous to the | |
|--------------------|--|--|--|
| | aquatic environment source information | aquatic environment source information | |
| Dimethyl Sulfoxide | Based on the NITE GHS classification | Based on the NITE GHS classification | |
| | results. | results. | |

| Persistence and degradability | No information available |
|-------------------------------|--------------------------|
| Bioaccumulative potential | No information available |
| Mobility in soil | No information available |
| Hazard to the ozone layer | No information available |

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations. Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

| ADR/RID UN number Proper shipping name: UN classfication Subsidiary hazard class | Not regulated - |
|---|--|
| Packing group Marine pollutant | Not applicable |
| IMDG UN number Proper shipping name: UN classfication Subsidiary hazard class | Not regulated - |
| Packing group Marine pollutant (Sea) Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | Not applicable No information available |
| IATA | Not regulated |

UN number -Proper shipping name: UN classfication Subsidiary hazard class Packing group Environmentally Hazardous Not applicable Substance

Section 15: REGULATORY INFORMATION

| Japanese regulations Fire Service Act Poisonous and Deleterious Substances Control Law | Category IV, Class III petroleums, dangerous grade 3 water-soluble Not applicable |
|---|--|
| Industrial Safety and Health Act | t Not applicable |
| Industrial Safety and Health Act (| [2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1) |
| <u>2024~)</u> | |
| Regulations for the carriage | Not applicable |
| and storage of dangerous goods in ship | |
| Civil Aeronautics Law | Not applicable |
| Pollutant Release and Transfer | Not applicable |
| Register Law (2023.4.1-) | |
| Export Trade Control Order | Not applicable |

Section 16: OTHER INFORMATION

| Key literature references and sources for data etc. | NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc |
|---|--|
| Record of SDS revisions | The following contents were revised. Regulatory information. |

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet