



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 22-Feb-2024 Revision Number 2.06

Section 1: PRODUCT AND COMPANY IDENTIFICATION

| Product Name | Dimethylamine Solution (abt.50%) | |
|---|---|--|
| Product Code | 048-17156,048-17151 | |
| Supplier | FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029 | |
| Emergency telephone number Recommended uses Restrictions on use | +81-6-6203-3741 / +81-3-3270-8571 For research use only Seek expert judgment when using for purposes other than those recommended. | |

Section 2: HAZARDS IDENTIFICATION

GHS classification <u>Classification of the substance or mixture</u> Flammable liquids Acute toxicity - Oral Skin corrosion/irritation Serious eye damage/eye irritation Skin sensitization Specific target organ toxicity (single exposure) Category 1 respiratory system Category 3 Narcotic effects Specific target organ toxicity (repeated exposure) Category 1 respiratory system Acute aquatic toxicity Chronic aquatic toxicity

Category 2 Category 4 Category 1 Category 1 Category 1 Category 1, Category 3

Category 1

Category 2 Category 3

Pictograms



Hazard statements

- H225 Highly flammable liquid and vapor
- H314 Causes severe skin burns and eye damage
- H318 Causes serious eye damage
- H302 Harmful if swallowed
- H336 May cause drowsiness or dizziness
- H317 May cause an allergic skin reaction
- H401 Toxic to aquatic life
- H412 Harmful to aquatic life with long lasting effects
- H370 Causes damage to the following organs: respiratory system
- H372 Causes damage to the following organs through prolonged or repeated exposure: respiratory system

Precautionary statements-(Prevention)

- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wear protective gloves/protective clothing/eye protection/face protection
- · Contaminated work clothing should not be allowed out of the workplace
- Use only outdoors or in a well-ventilated area
- · Avoid release to the environment
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Keep container tightly closed
- · Ground/bond container and receiving equipment
- · Use explosion-proof electrical/ ventilating / lighting / equipment
- · Use only non-sparking tools
- Take precautionary measures against static discharge

Keep cool

Precautionary statements-(Response)

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor/physician

- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- · Wash contaminated clothing before reuse
- If skin irritation or rash occurs: Get medical advice/attention
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- · Call a POISON CENTER or doctor/physician if you feel unwell
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth
- Do NOT induce vomiting
- · In case of fire: Use suitable extinguishing media for extinction

Precautionary statements-(Storage)

- Store locked up
- Store in a well-ventilated place. Keep container tightly closed
- Precautionary statements-(Disposal)
 - · Dispose of contents/container to an approved waste disposal plant

Others

Other hazards

Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

| Chemical Name | Weight-% | Molecular weight | ENCS | ISHL No. | CAS RN |
|---|----------------------------|------------------|---------|----------|----------|
| Dimethylamine | 50w/w | 45.08 | (2)-134 | 公表 | 124-40-3 |
| Water | 50 18.02 N/A N/A 7732-18-5 | | | | |
| late on ISHI No · · · · · · · · · · · · · · · · · · | | | | | |

Note on ISHL No.:

in the table means announced chemical substances

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

<u>Storage</u>

| Safe storage conditions Storage conditions | Keep container protect from light, store |
|--|---|
| - | in well-ventilated place at room temperature (preferably cool). Keep container tightly closed. Store locked up. |
| Safe packaging material Incompatible substances | Glass Strong oxidizing agents |

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

| Chemical Name | JSOH (Japan) | ISHL (Japan) | ACGIH |
|---------------|--------------------------------|--------------|--------------|
| Dimethylamine | TWA: 2 ppm OEL | N/A | STEL: 15 ppm |
| 124-40-3 | TWA: 3.7 mg/m ³ OEL | | TWA: 5 ppm |

| Chemical Name | Concentration standard value set by the Minister of Health, Labor and Welfare (8hr) | Concentration standard value set by the Minister of Health, Labor and Welfare (Short-Term) |
|---------------------------|---|--|
| Dimethylamine 124-40-3 | 2 ppm | N/A |

Personal protective equipment

Respiratory protection Hand protection Eye protection Skin and body protection gas mask for organic gas (JIS T 8152) chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles (JIS T 8147) Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color Turbidity Appearance Odor Melting point/freezing point Boiling point, initial boiling point and boiling range Flammability **Evaporation rate:** Flammability (solid, gas): Upper/lower flammability or explosive limits Upper: Lower: Flash point Auto-ignition temperature: **Decomposition temperature:** pН Viscosity (coefficient of viscosity) **Dynamic viscosity Solubilities** n-Octanol/water partition coefficient:(log Pow) Vapour pressure Specific Gravity / Relative density Vapour density Particle characteristics

Colorless - nearly colorless clear liquid characteristic odor -92 °C 7 °C Highly flammable liquid and vapor no data available no data available

14.4% 2.8% -20 °C 400 °C no data available basic no data available no data available water and Ethanol Miscible at any arbitrary ratio . no data available no data available 0.86 no data available no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivityno data availableChemical stabilityMay be altered by light.Hazardous reactionsNote and a processing

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx)

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---------------|-----------------|------------------|---------------------------|
| Dimethylamine | 698 mg/kg (Rat) | 3900 mg/kg (Rat) | 4,700 mL/m3 (rat) 4h(gas) |

| information information source information Dimethylamine Based on the NITE GHS Based on the NITE GHS Based on the NITE GHS classification results classification results classification results classification results | Chemical Name | Acute toxicity -oral- source | Acute toxicity -dermal- source | Acute toxicity -inhalation gas- |
|--|---------------|------------------------------|--------------------------------|---------------------------------|
| | | information | information | source information |
| classification results. classification results. classification results. | Dimethylamine | Based on the NITE GHS | Based on the NITE GHS | Based on the NITE GHS |
| | , , | classification results. | classification results. | classification results. |

| Chemical Name | Acute toxicity -inhalation | Acute toxicity -inhalation dust- | Acute toxicity -inhalation mist- |
|---------------|----------------------------|----------------------------------|----------------------------------|
| | vapor- source information | source information | source information |
| Dimethylamine | Based on the NITE GHS | Based on the NITE GHS | Based on the NITE GHS |
| - | classification results. | classification results. | classification results. |

Skin irritation/corrosion

| Chemical Name | Skin corrosion/irritation source information |
|-----------------------------------|--|
| Dimethylamine | Based on the NITE GHS classification results. |
| Serious eye damage/ irritation | |
| Chemical Name | Serious eye damage/irritation source information |
| Dimethylamine | Based on the NITE GHS classification results. |
| Respiratory or skin sensitization | |
| Chemical Name | Respiratory or Skin sensitization source information |
| Dimethylamine | Based on the NITE GHS classification results. |
| Reproductive cell mutagenicity | |
| Chemical Name | germ cell mutagencity source information |
| Dimethylamine | Based on the NITE GHS classification results. |
| Carcinogenicity | |
| Chemical Name | Carcinogenicity source information |
| Dimethylamine | Based on the NITE GHS classification results. |
| - · · · | · |
| Reproductive toxicity | |
| A A A A A | Dense destine textility service information |

| Chemical Name | Reproductive toxicity source information |
|------------------------|---|
| Dimethylamine | Based on the NITE GHS classification results. |
| STOT-single exposure | |
| Chemical Name | STOT -single exposure- source information |
| Dimethylamine | Based on the NITE GHS classification results. |
| STOT-repeated exposure | |
| Chemical Name | STOT -repeated exposure- source information |
| Dimethylamine | Based on the NITE GHS classification results. |
| Aspiration hazard | |
| Chemical Name | Aspiration Hazard source information |
| Dimethylamine | Based on the NITE GHS classification results. |

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|---------------|----------------------------|--------------------------|---------------------------|
| Dimethylamine | EC50 : Pseudokirchneriella | LC50:Oncorhynchus mykiss | EC50:Daphnia magna Straus |
| | subcapitata 62 mg/L 96h | 111 - 125 mg/L 96 h | 88.7 mg/L 48 h |
| | | LC50:Poecilia reticulata | |
| | | 127 - 349 mg/L 96 h | |
| | | LC50:Oncorhynchus mykiss | |
| | | 120 mg/L 96 h | |
| | | LC50:Poecilia reticulata | |
| | | 210 mg/L 96 h | |
| | | LC50:Brachydanio rerio | |
| | | 396 mg/L 96 h | |

Other data

| Chemical Name | Short-term (acute) hazardous to the | Long-term (chronic) hazardous to the |
|---------------|--|--|
| | aquatic environment source information | aquatic environment source information |
| Dimethylamine | Based on the NITE GHS classification | Based on the NITE GHS classification |
| | results. | results. |

Persistence and degradability Bioaccumulative potential Mobility in soil Hazard to the ozone layer No information available No information available No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations. **Contaminated container and contaminated packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

| ADR/RID UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group Marine pollutant | UN1160 Dimethylamine aqueous solution 3 8 II Not applicable |
|--|--|
| IMDG UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group Marine pollutant (Sea) Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | UN1160 Dimethylamine aqueous solution 3 8 II Not applicable No information available |
| IATA UN number Proper shipping name: | UN1160 Dimethylamine, aqueous solution |

| UN classfication | 3 |
|----------------------------------|----------------|
| Subsidiary hazard class | 8 |
| Packing group | II |
| Environmentally Hazardous | Not applicable |
| Substance | |

Section 15: REGULATORY INFORMATION

| Ja | panese regulations | |
|----|--|--|
| | Fire Service Act | Category IV, Class I petroleums, dangerous grade 2 water-soluble |
| | Poisonous and Deleterious | Deleterious Substances 3rd. Grade |
| | Substances Control Law | |
| | Industrial Safety and Health Act | Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57) |
| | | Notifiable Substances (Law Art.57-2) |
| | | Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1 Item 4) |
| | Industrial Safety and Health Act (2024~) | [2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1) |
| | Act on the Evaluation of | Priority Assessment Chemical Substances (Law Article 2, Para.5) |
| | Chemical Substances and | |
| | Regulation of Their | |
| | Manufacture, etc | |
| | | |
| | Regulations for the carriage | Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding |
| | and storage of dangerous | Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1) |
| | and storage of dangerous goods in ship | Transport by Ship and Storage, Attached Table 1) |
| | and storage of dangerous | Transport by Ship and Storage, Attached Table 1) Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of |
| | and storage of dangerous goods in ship | Transport by Ship and Storage, Attached Table 1) Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc., Attached Table 1) |
| | and storage of dangerous goods in ship Civil Aeronautics Law | Transport by Ship and Storage, Attached Table 1) Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of |
| | and storage of dangerous goods in ship Civil Aeronautics Law Marine Pollution Prevention | Transport by Ship and Storage, Attached Table 1) Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc., Attached Table 1) Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y |
| | and storage of dangerous goods in ship Civil Aeronautics Law Marine Pollution Prevention Law | Transport by Ship and Storage, Attached Table 1) Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc., Attached Table 1) Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y |
| | and storage of dangerous goods in ship Civil Aeronautics Law Marine Pollution Prevention Law Pollutant Release and Transfer | Transport by Ship and Storage, Attached Table 1) Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc., Attached Table 1) Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y Class 1 |
| | and storage of dangerous goods in ship Civil Aeronautics Law Marine Pollution Prevention Law Pollutant Release and Transfer Register Law | Transport by Ship and Storage, Attached Table 1) Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc., Attached Table 1) Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y |
| | and storage of dangerous goods in ship Civil Aeronautics Law Marine Pollution Prevention Law Pollutant Release and Transfer Register Law (2023.4.1-) Class 1 - No. Export Trade Control Order | Transport by Ship and Storage, Attached Table 1) Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc., Attached Table 1) Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y Class 1 218 Appendix 1 Export licensed items |
| | and storage of dangerous goods in ship Civil Aeronautics Law Marine Pollution Prevention Law Pollutant Release and Transfer Register Law (2023.4.1-) Class 1 - No. | Transport by Ship and Storage, Attached Table 1) Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc., Attached Table 1) Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y Class 1 218 |

| Chemical Name | Poisonous and Deleterious Substances Control Law | Industrial Safety and Health Act Substances (Law Art.57-2) | Pollutant Release and Transfer Register Law (2023.4.1-) |
|----------------------------------|---|--|---|
| Dimethylamine 124-40-3(50w/w) | Applicable | Applicable | Applicable |

Section 16: OTHER INFORMATION

| Key literature references and sources for data etc. | NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc |
|---|--|
| Record of SDS revisions | The following contents were revised. Regulatory information. |

Record of SDS revisions Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material

designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet