



# SAFETY DATA SHEET

According to JIS Z 7253:2019 Issue Date 17-Apr-2025 Revision Number 5.06

## Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Dibutyltin(IV) Dilaurate
Product Code	040-17172,044-17175

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

**Recommended uses** For research use only

**Restrictions on use**Seek expert judgment when using for purposes other than those recommended.

## **Section 2: HAZARDS IDENTIFICATION**

#### **GHS** classification

Classification of the substance or mixture

Acute toxicity - OralCategory 3Acute toxicity - Inhalation (Dusts/Mists)Category 2Skin corrosion/irritationCategory 2Serious eye damage/eye irritationCategory 2AGerm cell mutagenicityCategory 2Reproductive ToxicityCategory 1BSpecific target organ toxicity (repeated exposure)Category 1

Category 1 liver

Acute aquatic toxicity
Chronic aquatic toxicity
Category 1
Category 1

### **Pictograms**



## Signal word

Danger

#### **Hazard statements**

- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H301 Toxic if swallowed
- H330 Fatal if inhaled
- H341 Suspected of causing genetic defects
- H360 May damage fertility or the unborn child
- H410 Very toxic to aquatic life with long lasting effects
- H400 Very toxic to aquatic life
- H372 Causes damage to the following organs through prolonged or repeated exposure: liver

## **Precautionary statements-(Prevention)**

- · Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood

- Use personal protective equipment as required
- · Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- · Avoid release to the environment

### **Precautionary statements-(Response)**

- IF exposed or concerned: Get medical advice/attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF ON SKIN: Wash with plenty of soap and water
- If skin irritation occurs: Get medical advice/attention
- Take off contaminated clothing and wash before reuse
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- Rinse mouth
- Collect spillage

### Precautionary statements-(Storage)

· Store locked up

## Precautionary statements-(Disposal)

Dispose of contents/container to an approved waste disposal plant

**Others** 

Other hazards Not available

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

**Formula** [CH3(CH2)10COO]2Sn[(CH2)3CH3]2

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Dibutvltin(IV) Dilaurate	97.0 - 103.0	631.56	(2)-2330	*	77-58-7

Note on ISHL No.:

## **Section 4: FIRST AID MEASURES**

### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

## Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

## Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

### Protection of first-aiders

Use personal protective equipment as required.

## **Section 5: FIRE FIGHTING MEASURES**

### Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

### Unsuitable extinguishing media

No information available

<sup>\*</sup> in the table means announced chemical substances.

#### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## Special extinguishing method

No information available

### Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

## Section 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

## Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

#### Recoverly, neutralization

No information available

### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

## **Section 7: HANDLING AND STORAGE**

#### Handling

#### **Technical measures**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use with local exhaust ventilation. Use with local exhaust ventilation.

#### **Precautions**

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

#### Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

## **Storage**

#### Safe storage conditions

Storage conditions Store away from sunlight in well-ventilated place at room temperature (preferably cool).

Keep container tightly closed.

Safe packaging material

Glass

Incompatible substances

Strong oxidizing agents

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

### **Exposure limits**

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Dibutyltin(IV) Dilaurate	N/A	N/A	STEL: 0.2 mg/m <sup>3</sup> Sn
77-58-7			TWA: 0.1 mg/m <sup>3</sup> Sn
			Skin

Chemical Name	Concentration standard value set by the Minister of Health, Labor and Welfare (8hr)	Concentration standard value set by the Minister of Health, Labor and Welfare (Short-Term)
DibutyItin(IV) Dilaurate 77-58-7	0.1 mg/m³(as Sn)	N/A

Personal protective equipment

Respiratory protection Protective mask

Hand protection chemical protective gloves (JIS T 8116)

**Eye protection** protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

**General hygiene considerations** 

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

**Form** 

Color Colorless - slightly yellow

Turbidity clear Appearance liquid

Odorno data availableMelting point/freezing point22 - 24 °CBoiling point, initial boiling point and boiling rangeno data availableFlammabilityno data available

Evaporation rate: no data available no data available no data available

Upper/lower flammability or explosive limits

Upper:
Lower:
no data available
no data available
rower:
no data available
242 °C / 468 °F
Auto-ignition temperature:
no data available
no data available
pH
no data available

**Dynamic viscosity**Solubilities
no data available
water: insoluble. Ethanol, ether, acetone: freely soluble.

n-Octanol/water partition coefficient:(log Pow)

No data available

vapour pressure

no data available

Specific Gravity / Relative density 1.049 -1.059 g/m L (20°C)

Vapour densityno data availableParticle characteristicsno data available

**Section 10: STABILITY AND REACTIVITY** 

**Stability** 

Reactivity no data available

Chemical stability Stable under recommended storage conditions.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

### **Hazardous decomposition products**

Carbon monooxide (CO), Carbon dioxide (CO2), Metal oxides

# **Section 11: TOXICOLOGICAL INFORMATION**

\*NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip\_search/srhInput

**Acute toxicity** 

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Dibutyltin(IV) Dilaurate	175 mg/kg (Rat).	>2000 mg/kg (Rabbit)	0.075 mg/L ( Mouse ) 4 h
	243 mg/kg (Rat)		

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Dibaty itin (11) Dilatinate			Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation   Acute toxicity -inhalation dust-		Acute toxicity -inhalation mist-
	vapor- source information	source information	source information
Dibutyltin(IV) Dilaurate	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
, , ,	classification results.	classification results.	classification results.

### Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Dibutyltin(IV) Dilaurate	Based on the NITE GHS classification results.
Serious eve damage/ irritation	

Chemical Name	Serious eye damage/irritation source information
Dibutyltin(IV) Dilaurate	Based on the NITE GHS classification results.

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
Dibutyltin(IV) Dilaurate	Based on the NITE GHS classification results.

Reproductive cell mutagenicity

Chemical Name	germ cell mutagencity source information
Dibutyltin(IV) Dilaurate	Based on the NITE GHS classification results.
Carcinogenicity	

Carcinogenicity

Chemical Name	Carcinogenicity source information
Dibutyltin(IV) Dilaurate	Based on the NITE GHS classification results.

Reproductive toxicity

Cnemical Name	Reproductive toxicity source information	
Dibutyltin(IV) Dilaurate	Based on the NITE GHS classification results.	
STOT-single exposure		
Chemical Name	STOT -single exposure- source information	
Dibutyltin(IV) Dilaurate	Based on the NITE GHS classification results.	
STOT-repeated exposure		
Chemical Name	STOT -repeated exposure- source information	

	Chemical Name	S101 -repeated exposure- source information	
	Dibutyltin(IV) Dilaurate	Based on the NITE GHS classification results.	
Aspiration hazard			

Chemical Name	Aspiration Hazard source information
Dibutyltin(IV) Dilaurate	Based on the NITE GHS classification results.

## **Section 12: ECOLOGICAL INFORMATION**

\*NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip\_search/srhInput

## **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Dibutyltin(IV) Dilaurate	N/A	LC50 : Olyzias latipes	LC50 : Daphnia magna
·		2 mg/L 48 h	0.66 mg/L 48 h

#### Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the	
	aquatic environment source information	aquatic environment source information	
Dibutyltin(IV) Dilaurate	Based on the NITE GHS classification	Based on the NITE GHS classification	
	results.	results.	

Persistence and degradability Degree of decomposition. 50 % by BOD (METI Existing chemical safety inspections)

Bioaccumulative potential Mobility in soil

No information available
No information available

Hazard to the ozone layer No information available

## Section 13: DISPOSAL CONSIDERATIONS

### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

### Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## **Section 14: TRANSPORT INFORMATION**

ADR/RID

UN number UN2788

Proper shipping name: Organotin compound, liquid, n.o.s. (Dibutyltin(IV) Dilaurate)

UN classification 6.1

Subsidiary hazard class

**IMDG** 

UN number UN2788

**Proper shipping name:** Organotin compound, liquid, n.o.s. (Dibutyltin(IV) Dilaurate)

UN classfication 6.1
Subsidiary hazard class P
Packing group II
Marine pollutant (Sea) Yes

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

**IATA** 

UN number UN2788

**Proper shipping name:** Organotin compound, liquid, n.o.s. (Dibutyltin(IV) Dilaurate)

UN classification 6.

Subsidiary hazard class

Packing group II Yes

Substance

## Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Category IV, Class IV petroleums, dangerous grade 3

Poisonous and Deleterious Not applicable

**Substances Control Law** 

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2)

Regulations for the carriage Toxic Substances - Poison (Ordinance Art.3, Ministry of Transportation Ordinance

and storage of dangerous Regarding Transport by Ship and Storage, Attached Table 1)

goods in ship

Civil Aeronautics Law Toxic and Infectious Substances (Ordinance Art. 194, MITL Nortification for Air

Marine pollutants (P and PP substances)

Transportation of Explosives etc., Attached Table 1)

**Marine Pollution Prevention** 

\_aw

Pollutant Release and Transfer Class 1

Register Law (2023.4.1-)

**Class 1 - No.** 664

Air Pollution Control Law Hazardous Air Pollutants

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Dibutyltin(IV) Dilaurate 77-58-7 ( 97.0 - 103.0 )	-	Applicable	Applicable

## **Section 16: OTHER INFORMATION**

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip\_search/srhInput

IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions Disclaimer The following contents were revised. Exposure controls/personal protection.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**