



# SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 15-Feb-2024 Revision Number 0.13

## Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	2-Diethylaminoethyl Methacrylate
Product Code	049-17902,043-17905
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029
Emergency telephone number Recommended uses Restrictions on use	+81-6-6203-3741 / +81-3-3270-8571 For research use only Seek expert judgment when using for purposes other than those recommended.

## Section 2: HAZARDS IDENTIFICATION

GHS classification <u>Classification of the substance or mixture</u> Acute toxicity - Oral Acute toxicity - Inhalation (Dusts/Mists) Skin corrosion/irritation Serious eye damage/eye irritation Skin sensitization Reproductive Toxicity Specific target organ toxicity (single exposure) Category 2 respiratory system

Category 4 Category 4 Category 1 Category 1 Category 1 Category 1B Category 2





#### Hazard statements

- H314 Causes severe skin burns and eye damage
- H318 Causes serious eye damage
- H302 Harmful if swallowed
- H332 Harmful if inhaled
- H360 May damage fertility or the unborn child
- H317 May cause an allergic skin reaction
- H371 May cause damage to the following organs: respiratory system

## Precautionary statements-(Prevention)

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Use only outdoors or in a well-ventilated area
- · Contaminated work clothing should not be allowed out of the workplace
- Wear protective gloves

- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product

#### Precautionary statements-(Response)

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- · Immediately call a POISON CENTER or doctor/physician
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- · If skin irritation or rash occurs: Get medical advice/attention
- · Wash contaminated clothing before reuse
- Call a POISON CENTER or doctor/physician if you feel unwell
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth
- Do NOT induce vomiting

#### Precautionary statements-(Storage)

Store locked up

#### Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

#### Others

Other hazards

Not available

Substance

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture

Formula

#### CH2:C(CH3)COOCH2CH2N(C2H5)2

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
2-Diethylaminoethyl Methacrylate	95.0	185.26	(2)-1048	*	105-16-8
Hydroquinone monomethyl ether	0.05	124.14	(3)-567	*	150-76-5
Note on ISHL No.:	* in the	table means announ	ced chemical substa	ances.	

Note on ISHL No .:

Impurities and/or Additives:

(stabilizer), p-Methoxyphenol approx. 500 ppm

## Section 4: FIRST AID MEASURES

#### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

#### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

#### Eve contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Indestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

#### **Protection of first-aiders**

Use personal protective equipment as required.

## Section 5: FIRE FIGHTING MEASURES

#### Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

#### Unsuitable extinguishing media

No information available

#### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

### Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

## Section 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

#### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

## Recoverly, neutralization

## No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

## Section 7: HANDLING AND STORAGE

#### Handling

#### **Technical measures**

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

#### Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

#### Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

#### **Storage**

## Safe storage conditions Storage conditions Storage conditions Keep container protect from light, store in well-ventilated place at room temperature (preferably cool). Keep container tightly closed. Safe packaging material Incompatible substances Glass

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits			
Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH

Hydroguinone monomethyl	N/A	N/A	TWA: 5 mg/m <sup>3</sup>
ether			Ũ
150-76-5			

#### Personal protective equipment Respiratory protection

Hand protection

Eye protection

Protective mask chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles (JIS T 8147) Long-sleeved work clothes

Colorless - slightly yellow

#### Skin and body protection General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

#### Form Color Turbidity Appearance Odor Melting point/freezing point Boiling point, initial boiling point and boiling range Flammability **Evaporation rate:** Flammability (solid, gas): Upper/lower flammability or explosive limits Upper: Lower: Flash point Auto-ignition temperature: **Decomposition temperature:** рΗ Viscosity (coefficient of viscosity) **Dynamic viscosity** Solubilities n-Octanol/water partition coefficient:(log Pow) Vapour pressure Specific Gravity / Relative density Vapour density Particle characteristics

clear liquid characteristic odor no data available no data available Combustible liquid no data available no data available no data available no data available 94 °C no data available Ethanol and acetone : soluble . water : sparingly soluble . no data available no data available 0.916 - 0.923 g/mL no data available no data available

## Section 10: STABILITY AND REACTIVITY

#### Stability

 Reactivity
 no data available

 Chemical stability
 May be altered by light.

 Hazardous reactions
 None under normal processing

 Conditions to avoid
 Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

 Incompatible materials
 Strong oxidizing agents

 Hazardous decomposition products
 Carbon monooxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx)

## Section 11: TOXICOLOGICAL INFORMATION

#### Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-Diethylaminoethyl	300 - 2,000 mg/kg ( Rat )	N/A	1.8 mg/L (Rat)
Methacrylate			4 h aerosol
Hydroquinone monomethyl	1600 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	N/A
ether			

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
2 Biolitylannioodityl modilaolylato			Based on the NITE GHS classification results.
			Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
2 Biodrynaminostary moundory aco			Based on the NITE GHS classification results.
			Based on the NITE GHS classification results.

### Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
2-Diethylaminoethyl Methacrylate	Based on the NITE GHS classification results.
Hydroquinone monomethyl ether	Based on the NITE GHS classification results.
Serious eye damage/ irritation	
Chemical Name	Serious eye damage/irritation source information
2-Diethylaminoethyl Methacrylate	Based on the NITE GHS classification results.
Hydroquinone monomethyl ether	Based on the NITE GHS classification results.
Respiratory or skin sensitization	
Chemical Name	Respiratory or Skin sensitization source information
2-Diethylaminoethyl Methacrylate	Based on the NITE GHS classification results.
Hydroquinone monomethyl ether	Based on the NITE GHS classification results.
Reproductive cell mutagenicity	
Chemical Name	germ cell mutagencity source information
2-Diethylaminoethyl Methacrylate	Based on the NITE GHS classification results.
Hydroquinone monomethyl ether	Based on the NITE GHS classification results.
Carcinogenicity	
Chemical Name	Carcinogenicity source information
2-Diethylaminoethyl Methacrylate	Based on the NITE GHS classification results.
Hydroquinone monomethyl ether	Based on the NITE GHS classification results.

#### Reproductive toxicity

Chemical Name	Reproductive toxicity source information
2-Diethylaminoethyl Methacrylate	Based on the NITE GHS classification results.
Hydroquinone monomethyl ether	Based on the NITE GHS classification results.
STOT-single exposure	
Chemical Name	STOT -single exposure- source information
2-Diethylaminoethyl Methacrylate	Based on the NITE GHS classification results.
Hydroquinone monomethyl ether	Based on the NITE GHS classification results.
STOT-repeated exposure	
Chemical Name	STOT -repeated exposure- source information
2-Diethylaminoethyl Methacrylate	Based on the NITE GHS classification results.
Hydroquinone monomethyl ether	Based on the NITE GHS classification results.
Aspiration hazard	
Chemical Name	Aspiration Hazard source information
2-Diethylaminoethyl Methacrylate	Based on the NITE GHS classification results.
Hydroquinone monomethyl ether	Based on the NITE GHS classification results.

## Section 12: ECOLOGICAL INFORMATION

#### Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
2-Diethylaminoethyl Methacrylate	N/A	LC50 : Oryziax latipes >100 mg/L 96 h	EC50 : Daphnia magna 362 mg/L 48 h
Hydroquinone monomethyl ether	N/A	N/A	EC50 : Daphnia magna 2.2 mg/L 48 h

#### Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
2-Diethylaminoethyl Methacrylate		Based on the NITE GHS classification
	results.	results.
Hydroquinone monomethyl ether	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability	N
Bioaccumulative potential	N
Mobility in soil	N
Hazard to the ozone layer	N

No information available No information available No information available No information available

## Section 13: DISPOSAL CONSIDERATIONS

#### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations. **Contaminated container and contaminated packaging** 

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## Section 14: TRANSPORT INFORMATION

ADR/RID UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group Marine pollutant	UN1760 Corrosive liquid, n.o.s. (2-Diethylaminoethyl Methacrylate) 8 III Not applicable
IMDG	
UN number	UN1760
Proper shipping name:	Corrosive liquid, n.o.s. (2-Diethylaminoethyl Methacrylate)
UN classfication	8
Subsidiary hazard class	
Packing group	 Nationalizable
Marine pollutant (Sea)	Not applicable No information available
Transport in bulk according to Annex II of MARPOL 73/78 and	No information available
the IBC Code	
IATA	
UN number	UN1760
Proper shipping name:	Corrosive liquid, n.o.s. (2-Diethylaminoethyl Methacrylate)
UN classfication	8
Subsidiary hazard class	
Packing group	
Environmentally Hazardous	Not applicable

Substance

#### Section 15: REGULATORY INFORMATION Japanese regulations Category IV, Class III petroleums, dangerous grade 3 **Fire Service Act Poisonous and Deleterious** Not applicable **Substances Control Law** Industrial Safety and Health Act Not applicable Industrial Safety and Health Act ( [2024.4.1~] Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57) <u>2024~)</u> [2024.4.1~] Notifiable Substances (Law Art.57-2) [2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1) **Regulations for the carriage** Corrosive Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding and storage of dangerous Transport by Ship and Storage, Attached Table 1) goods in ship **Civil Aeronautics Law** Corrosive Substances (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc., Attached Table 1) Pollutant Release and Transfer Not applicable **Register Law** (2023.4.1-)**Export Trade Control Order** Not applicable Industrial Safety and Health Law Chemical Name in Regulation Weight % Law Name Notifiable Substances (Law Art.57-2) 2-(diethylamino)ethyl 95.0 2024/4/1 methacrylate

## Section 16: OTHER INFORMATION

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc
Record of SDS revisions	The following contents were revised. Regulatory information.

#### Record of SDS revisions Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

End of Safety Data Sheet