



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 22-Feb-2024 Revision Number 2.05

Category 2

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Dimethyl Sulfoxide, Dehydrated
Product Code	040-18032
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan
	Phone: +81-6-6203-3741 Fax: +81-6-6203-2029
Emergency telephone number	+81-6-6203-3741 / +81-3-3270-8571
Recommended uses	For research use only
Restrictions on use	Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification <u>Classification of the substance or mixture</u> Specific target organ toxicity (single exposure) Category 2 respiratory system

Pictograms



Warning

Hazard statements

H371 - May cause damage to the following organs: respiratory system

Precautionary statements-(Prevention)

- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product

Precautionary statements-(Response)

• IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician

- Precautionary statements-(Storage)
 - Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others Other hazards

Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture

Substance

Formula

(CH3)2SO

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Dimethyl Sulfoxide	99.0	78.13	(2)-1553	*	67-68-5
Note on ISHI No.:	* in the	table means annour	ced chemical substa	inces.	

Note on ISHL NO.: "In the table means annoul

Substances Remarks:

The product contains zeolite (microgranular) as a dehydrating agent.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

and and

the

0,	with high temperature objects, spark, and strong oxidizing agents. To cut with care and ctive goggles to ampoule time of the opening (Cutting method to check the label). Use
Precautions	
Do not rough handling containers scattering. Not to generate steam then gargle. In places other than contaminated protective equipme handling area. Safety handling precautions Take necessary action to avoid s	s, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and and dust in vain. Seal the container after use. After handling, wash hands and face, and those specified, should not be smoking or eating and drinking. Should not be brought ent and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the tatic electricity discharge (which might cause ignition of organic vapors). Use personal . Avoid contact with skin, eves or clothing.
Storage	
Safe storage conditions	
Storage conditions	Keep container protect from light, store in well-ventilated place at room temperature (preferably cool). Keep container tightly closed.
Safe packaging material Incompatible substances	Ampoule Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Personal protective equipment

Respiratory protection Protective mask Hand protection chemical protective gloves (JIS T 8116) Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147) Long-sleeved work clothes Skin and body protection

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form	
Color	colorless
Turbidity	clear
Appearance	liquid
Odor	Odorless
Melting point/freezing point	18 °C
Boiling point, initial boiling point and boiling range	189 °C
Flammability	no data available
Evaporation rate:	no data available
Flammability (solid, gas):	no data available
Upper/lower flammability or explosive limits	
Upper:	42.0vol%
Lower:	2.6vlo%
Flash point	95 °C
Auto-ignition temperature:	215 °C
Decomposition temperature:	no data available

pH Viscosity (coefficient of viscosity) Dynamic viscosity Solubilities n-Octanol/water partition coefficient:(log Pow) Vapour pressure Specific Gravity / Relative density Vapour density Particle characteristics no data available no data available no data available water , Ethanol and acetone : Very soluble. -1.35 59.4 1.10 g/mL no data available no data available

Section 10: STABILITY AND REACTIVITY

Stability

 Reactivity
 no data available

 Chemical stability
 May be altered by light.

 Hazardous reactions
 None under normal processing

 Conditions to avoid
 Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

 Incompatible materials
 Strong oxidizing agents

 Hazardous decomposition products
 Carbon monooxide (CO), Carbon dioxide (CO2), Sulfur oxides (SOx)

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Dimethyl Sulfoxide	14,500 mg/kg(Rat)	40,000 mg/kg (Rat)	>5,330 mg/m ³ (Rat) 4 h

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Dimethyl Sulfoxide	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
-	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Dimethyl Sulfoxide	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information	
Dimethyl Sulfoxide	Based on the NITE GHS classification results.	
Serious eye damage/ irritation		
Chemical Name	Serious eye damage/irritation source information	
Dimethyl Sulfoxide	Based on the NITE GHS classification results.	
Respiratory or skin sensitization		
Chemical Name	Respiratory or Skin sensitization source information	
Dimethyl Sulfoxide	Based on the NITE GHS classification results.	
Reproductive cell mutagenicity		
Chemical Name	germ cell mutagencity source information	
Dimethyl Sulfoxide	Based on the NITE GHS classification results.	
Carcinogenicity		
Chemical Name	Carcinogenicity source information	
Dimethyl Sulfoxide	Based on the NITE GHS classification results.	

Reproductive toxicity

Chemical Name	Reproductive toxicity source information
Dimethyl Sulfoxide	Based on the NITE GHS classification results.
STOT-single exposure	
Chemical Name	STOT -single exposure- source information
Dimethyl Sulfoxide	Based on the NITE GHS classification results.
STOT-repeated exposure	
Chemical Name	STOT -repeated exposure- source information
Dimethyl Sulfoxide	Based on the NITE GHS classification results.
Aspiration hazard	
Chemical Name	Aspiration Hazard source information
Dimethyl Sulfoxide	Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Dimethyl Sulfoxide	N/A	N/A	EC50 : Artemia
-			6830 mg/L 24 h

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information
Dimethyl Sulfoxide	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available No information available No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations. **Contaminated container and contaminated packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group	Not regulated -
Marine pollutant	Not applicable
IMDG UN number Proper shipping name: UN classfication Subsidiary hazard class	Not regulated -
Packing group Marine pollutant (Sea) Transport in bulk according to Annex II of MARPOL 73/78 and	Not applicable No information available

the IBC Code	
ΙΑΤΑ	Not regulated
UN number	-
Proper shipping name:	
UN classfication	
Subsidiary hazard class	
Packing group	
Environmentally Hazardous	Not applicable
Substance	

Section 15: REGULATORY INFORMATION

Japanese regulations Fire Service Act Poisonous and Deleterious Substances Control Law	Category IV, Class III petroleums, dangerous grade 3 water-soluble Not applicable
Industrial Safety and Health Act	
Industrial Safety and Health Act (2024~)	[2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)
Regulations for the carriage	Not applicable
and storage of dangerous goods in ship	
Civil Aeronautics Law	Not applicable
Pollutant Release and Transfer	Not applicable
Register Law (2023.4.1-)	
Export Trade Control Order	Not applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc

Record of SDS revisions The following contents were revised. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet