



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 22-Feb-2024 Revision Number 2.05

Section 1: PRODUCT AND COMPANY IDENTIFICATION

| Product Name | 1,2-Dichloroethane Standard |
|--|--|
| Product Code | 045-18381 |
| Supplier | FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029 |
| Emergency telephone number Recommended uses | +81-6-6203-3741 / +81-3-3270-8571 For research use only |
| Restrictions on use | Reference material (as defined in Japanese Industrial Standards (JIS) Q0030) Seek expert judgment when using for purposes other than those recommended. |

Section 2: HAZARDS IDENTIFICATION

| GHS classification | |
|--|---|
| Classification of the substance or mixture | |
| Flammable liquids | Category 2 |
| Acute toxicity - Oral | Category 4 |
| Acute toxicity - Inhalation (Vapors) | Category 3 |
| Serious eye damage/eye irritation | Category 2B |
| Carcinogenicity | Category 1B |
| Specific target organ toxicity (single exposure) | Category 1, Category 3 |
| Category 1 central nervous system, respiratory system, cardiovascular system, tract | blood system, liver, kidneys, Digestive |
| Category 3 Narcotic effects | |
| Specific target organ toxicity (repeated exposure) | Category 1, Category 2 |
| Category 1 nervous system, liver, cardiovascular system, thyroid gland | |
| Category 2 blood system, kidneys | |
| Acute aquatic toxicity | Category 3 |
| Pictograms | |

pgi



Signal word

Hazard statements

- H225 Highly flammable liquid and vapor
- H320 Causes eye irritation
- H302 Harmful if swallowed
- H331 Toxic if inhaled
- H350 May cause cancer
- H336 May cause drowsiness or dizziness
- H402 Harmful to aquatic life

H370 - Causes damage to the following organs: central nervous system, respiratory system, cardiovascular system, blood system, liver, kidneys, Digestive tract

H372 - Causes damage to the following organs through prolonged or repeated exposure: nervous system, liver, cardiovascular system, thyroid gland

H373 - May cause damage to the following organs through prolonged or repeated exposure: blood system, kidneys

Precautionary statements-(Prevention)

· Obtain special instructions before use

- · Do not handle until all safety precautions have been read and understood
- · Use personal protective equipment as required
- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product
- · Use only outdoors or in a well-ventilated area
- · Do not breathe dust/fume/gas/mist/vapors/spray
- Avoid release to the environment
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Keep container tightly closed · Ground/bond container and receiving equipment
- · Use explosion-proof electrical/ ventilating / lighting / equipment
- · Use only non-sparking tools
- Take precautionary measures against static discharge
- Keep cool

Precautionary statements-(Response)

· IF exposed: Call a POISON CENTER or doctor/physician

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- · If eye irritation persists: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- · Call a POISON CENTER or doctor/physician
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth
- · In case of fire: Use suitable extinguishing media for extinction

Precautionary statements-(Storage)

- Store locked up
- · Store in a well-ventilated place. Keep container tightly closed
- **Precautionary statements-(Disposal)**

· Dispose of contents/container to an approved waste disposal plant

Others Other hazards

Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula

C2H4Cl2

| Chemical Name | Weight-% | Molecular weight | ENCS | ISHL No. | CAS RN |
|---|----------|------------------|--------|-----------|----------|
| 1,2-Dichloroethane | 99.5 | 98.96 | (2)-54 | 2-(13)-23 | 107-06-2 |
| Note on ISHL No.: * in the table means announced chemical substances. | | | | | |

in the table means announced chemical substances.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eve contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixture with air Vapors may form explosive mixtures with air

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. To cut with care and wear protective gloves and protective goggles to ampoule time of the opening (Cutting method to check the label). Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions

Keep container protect from light tightly closed. Store in a cool (2-10 °C) place.

Safe packaging material Incompatible substances

Ampoule Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

| Chemical Name | JSOH (Japan) | ISHL (Japan) | ACGIH |
|--------------------------------|--|------------------|-------------|
| 1,2-Dichloroethane 107-06-2 | TWA: 10 ppm OEL TWA: 40 mg/m³ OEL ISHL/ACL: 10 ppm | ISHL/ACL: 10 ppm | TWA: 10 ppm |

Personal protective equipment

Respiratory protection Hand protection Eye protection Skin and body protection gas mask for organic gas (JIS T 8152) chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles (JIS T 8147) Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color Turbidity Appearance Odor Melting point/freezing point Boiling point, initial boiling point and boiling range Flammability **Evaporation rate:** Flammability (solid, gas): Upper/lower flammability or explosive limits Upper: Lower: Flash point Auto-ignition temperature: **Decomposition temperature:** рΗ Viscosity (coefficient of viscosity) Dynamic viscosity Solubilities n-Octanol/water partition coefficient:(log Pow) Vapour pressure Specific Gravity / Relative density Vapour density **Particle characteristics**

colorless clear liquid characteristic odor -36 °C 84 °C Highly flammable liquid and vapor no data available no data available 16 vol%

6.2 vol% 14 °C 440 °C no data available no data available no data available Ethanol , acetone : Very soluble. water : slightly soluble . no data available no data available 1.251-1.261g/mL 3.35 no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available Chemical stability May be altered by light. Hazardous reactions None under normal processing Conditions to avoid Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark Incompatible materials Strong oxidizing agents Hazardous decomposition products Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Halides

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--------------------|-----------------|---------------------|--------------------|
| 1,2-Dichloroethane | 670 mg/kg (Rat) | 2800 mg/kg (Rabbit) | 1000 ppm (Rat) 4 h |

| Chemical Name | Acute toxicity -oral- source information | Acute toxicity -dermal- source information | Acute toxicity -inhalation gas- source information |
|---------------|---|--|---|
| ., | | | Based on the NITE GHS classification results. |

| Chemical Name | Acute toxicity -inhalation vapor- source information | Acute toxicity -inhalation dust- source information | Acute toxicity -inhalation mist- source information |
|--------------------|---|--|--|
| 1,2-Dichloroethane | | Based on the NITE GHS | Based on the NITE GHS |
| | classification results. | classification results. | classification results. |

Skin irritation/corrosion

| Chemical Name | Skin corrosion/irritation source information |
|-----------------------------------|--|
| 1,2-Dichloroethane | Based on the NITE GHS classification results. |
| Serious eye damage/ irritation | |
| Chemical Name | Serious eye damage/irritation source information |
| 1,2-Dichloroethane | Based on the NITE GHS classification results. |
| Respiratory or skin sensitization | |
| Chemical Name | Respiratory or Skin sensitization source information |
| 1,2-Dichloroethane | Based on the NITE GHS classification results. |
| Reproductive cell mutagenicity | |
| Chemical Name | germ cell mutagencity source information |
| 1,2-Dichloroethane | Based on the NITE GHS classification results. |
| Carcinogenicity | |
| Chemical Name | Carcinogenicity source information |
| 1,2-Dichloroethane | Based on the NITE GHS classification results. |

| Chemical Name | NTP | IARC | ACGIH | JSOH (Japan) |
|------------------------|-------------|---|-----------------------|----------------|
| 1,2-Dichloroethane | Reasonably | Group 2A | - | Group 2B |
| 107-06-2 | Anticipated | Group 2B | | |
| Reproductive toxicity | | | | |
| Chemical Name | | Reproducti | ve toxicity source | information |
| 1,2-Dichloroethane | | Based on the NITE G⊦ | IS classification res | ults. |
| STOT-single exposure | | | | |
| Chemical Name | | STOT -single exposure- source information | | |
| 1,2-Dichloroethane | | Based on the NITE GHS classification results. | | |
| STOT-repeated exposure | | | | |
| Chemical Name | | STOT -repeate | ed exposure- sour | ce information |
| 1,2-Dichloroethane | | Based on the NITE GHS classification results. | | |
| Aspiration hazard | | | | |
| Chemical Name | | Aspiratio | n Hazard source in | nformation |
| 1,2-Dichloroethane | | Based on the NITE GHS classification results. | | ults. |
| | | | | |

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|--------------------|---------------------------------|------------------------------|-----------------------|
| 1,2-Dichloroethane | EC50:Desmodesmus | LC50:Pimephales promelas | LC50 : Artemia salina |
| | subspicatus | 110 - 123 mg/L 96 h | 12.8 mg/L 48 h |
| | 166 mg/L 96 h | LC50:Lepomis macrochirus 230 | |
| | static EC50:Pseudokirchneriella | - 710 mg/L 96 h | |
| | subcapitata | LC50:Oncorhynchus mykiss | |
| | 433 mg/L 96 h | 225 mg/L 96 h | |

Other data

| Chemical Name | Short-term (acute) hazardous to the | Long-term (chronic) hazardous to the |
|--------------------|--|--|
| | aquatic environment source information | aquatic environment source information |
| 1,2-Dichloroethane | Based on the NITE GHS classification | Based on the NITE GHS classification |
| | results. | results. |

Persistence and degradability Bioaccumulative potential Mobility in soil Hazard to the ozone layer Degree of decomposition: 0 % by BOD (METI Existing chemical safety inspections) No information available No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

| ADR/RID UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group Marine pollutant | UN1184 Ethylene dichloride 3 6.1 II Not applicable |
|---|---|
| IMDG | |
| UN number | UN1184 |
| Proper shipping name: | Ethylene dichloride |
| UN classfication | 3 |
| Subsidiary hazard class | 6.1 |
| Packing group | 11 |
| Marine pollutant (Sea) | Not applicable |
| Transport in bulk according to | No information available |
| Annex II of MARPOL 73/78 and | |
| the IBC Code | |
| UN number | UN1184 |
| Proper shipping name: | Ethylene dichloride |
| UN classfication | 3 |
| Subsidiary hazard class | 6.1 |
| Packing group | II |
| Environmentally Hazardous Substance | Not applicable |

Section 15: REGULATORY INFORMATION

| Japanese regulations | | | |
|---------------------------------------|---|--|--|
| Fire Service Act | Category IV, Class I petroleums, dangerous grade 2 | | |
| Poisonous and Deleterious | Not applicable | | |
| Substances Control Law | | | |
| Industrial Safety and Health Act | t Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57) | | |
| | Notifiable Substances (Law Art.57-2) | | |
| | Group 2 Specified Chemical Substance | | |
| | Substances with Health Hazards Prevention Guideline(Carcinogenicity Substance) | | |
| | Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1 | | |
| | Item 4) Marking Equipment Evolution Standards, Administrative Control Levels (Level Art CE 2) | | |
| | Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2, | | |
| Industrial Safety and Health Act (| Para.1) [2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1) | | |
| 2024~) | | | |
| Act on the Evaluation of | Priority Assessment Chemical Substances (Law Article 2, Para.5) | | |
| Chemical Substances and | | | |
| Regulation of Their | | | |
| Manufacture, etc | | | |
| Regulations for the carriage | Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding | | |
| and storage of dangerous | Transport by Ship and Storage, Attached Table 1) | | |
| goods in ship | | | |
| Civil Aeronautics Law | Flammable Liquids (Ordinance Art. 194, MITL Nortification for Air Transportation of | | |
| | Explosives etc., Attached Table 1) | | |
| Marine Pollution Prevention | Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y | | |
| Law Pollutant Release and Transfer | | | |
| Register Law | | | |
| (2023.4.1-) | | | |
| Class 1 - No. | 157 | | |
| Water Pollution Control Act | Harmful Substances (Law Art.2, Enforcement Order Art.2, Ordinace Designating | | |
| | Wastewater Standards Art.1) | | |
| Export Trade Control Order | Appendix 2 Export Approval Item | | |
| Air Pollution Control Law | Priority Chemical Substances | | |
| Soil Contamination Control Lav | Soil Contamination Control LawDesignated Hazardous Substances | | |
| | | | |

| Chemical Name | Poisonous and Deleterious Substances Control Law | Industrial Safety and Health Act Substances (Law Art.57-2) | Pollutant Release and Transfer Register Law (2023.4.1-) |
|---|---|--|---|
| 1,2-Dichloroethane 107-06-2 (99.5) | - | Applicable | Applicable |

Section 16: OTHER INFORMATION

| Key literature references and sources for data etc. | NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc |
|--|---|
| Record of SDS revisions Disclaimer This SDS is according to JIS 7 7253 | The following contents were revised. Regulatory information. |
| Disclaimer | Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc |

knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet