

## SAFETY DATA SHEET

According to JIS Z 7253:2019  
Issue Date 29-May-2025  
Revision Number 2.05

## Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Bis(2-ethoxyethyl) Ether
Product Code	043-23152,047-23155

**Supplier** FUJIFILM Wako Pure Chemical Corporation  
1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan  
Phone: +81-6-6203-3741  
Fax: +81-6-6203-2029

**Emergency telephone number** +81-6-6203-3741 / +81-3-3270-8571

**Recommended uses** For research use only

**Restrictions on use** Seek expert judgment when using for purposes other than those recommended.

## Section 2: HAZARDS IDENTIFICATION

## GHS classification

## Classification of the substance or mixture

## Flammable liquids

Category 4

## Serious eye damage/eye irritation

Category 2A

## Pictograms



## Signal word

Warning

## Hazard statements

H227 - Combustible liquid

H319 - Causes serious eye irritation

## Precautionary statements-(Prevention)

- Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

## Precautionary statements-(Response)

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- In case of fire: Use suitable extinguishing media for extinction

## Precautionary statements-(Storage)

- Store in a well-ventilated place. Keep cool

## Precautionary statements-(Disposal)

- Dispose of contents/container to an approved waste disposal plant

## Others

## Other hazards

Not available

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula (C<sub>2</sub>H<sub>5</sub>OCH<sub>2</sub>CH<sub>2</sub>)<sub>2</sub>O

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Bis(2-ethoxyethyl) ether	95.0	162.23	(7)-1321,(2)-433	*	112-36-7

Note on ISHL No.: \* in the table means announced chemical substances.

## Section 4: FIRST AID MEASURES

### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

### Protection of first-aiders

Use personal protective equipment as required.

## Section 5: FIRE FIGHTING MEASURES

### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>), Foam, Extinguishing powder, Sand

### Unsuitable extinguishing media

No information available

### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

### Special extinguishing method

No information available

### Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

## Section 6: ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

### Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

### Methods and materials for contaminant and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

### Recovery, neutralization

No information available

### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

## Section 7: HANDLING AND STORAGE

### Handling

#### Technical measures

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use with local exhaust ventilation. Use with local exhaust ventilation.

#### Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

#### Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

### Storage

#### Safe storage conditions

##### Storage conditions

Keep container protect from light, store in well-ventilated place at room temperature (preferably cool). Keep container tightly closed.

##### Safe packaging material

Glass

#### Incompatible substances

Strong oxidizing agents

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and hand- and eye-wash facility. And display their position clearly.

### Exposure limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

### Personal protective equipment

#### Respiratory protection

Protective mask

#### Hand protection

chemical protective gloves ( JIS T 8116 )

#### Eye protection

protective eyeglasses or chemical safety goggles (JIS T 8147)

#### Skin and body protection

Long-sleeved work clothes

### General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

### Form

#### Color

Colorless - nearly colorless

#### Turbidity

clear

#### Appearance

liquid

### Odor

characteristic odor

### Melting point/freezing point

no data available

### Boiling point, initial boiling point and boiling range

188 °C

### Flammability

Combustible liquid

### Evaporation rate:

no data available

### Flammability (solid, gas):

no data available

### Upper/lower flammability or explosive limits

#### Upper:

no data available

#### Lower:

no data available

Flash point	71 °C
Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
pH	no data available
Viscosity (coefficient of viscosity)	no data available
Dynamic viscosity	no data available
Solubilities	water , Ethanol and acetone : Very soluble.
n-Octanol/water partition coefficient:(log Pow)	no data available
Vapour pressure	no data available
Specific Gravity / Relative density	0.906 -0.912 g/m L (20 °C)
Vapour density	no data available
Particle characteristics	no data available

## Section 10: STABILITY AND REACTIVITY

### Stability

Reactivity	no data available
Chemical stability	May be altered by light.

### Hazardous reactions

May form explosive peroxides.

### Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

### Incompatible materials

Strong oxidizing agents

### Hazardous decomposition products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

## Section 11: TOXICOLOGICAL INFORMATION

\*NITE: National Institute of Technology and Evaluation (JAPAN)

[https://www.chem-info.nite.go.jp/en/chem/chrip/chrip\\_search/srhInput](https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput)

### Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Bis(2-ethoxyethyl) ether	4970 mg/kg ( Rat )	6070 mg/kg ( Rabbit )	N/A

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Bis(2-ethoxyethyl) ether	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Bis(2-ethoxyethyl) ether	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

### Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Bis(2-ethoxyethyl) ether	Based on the NITE GHS classification results.

### Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information
Bis(2-ethoxyethyl) ether	Based on the NITE GHS classification results.

### Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
Bis(2-ethoxyethyl) ether	Based on the NITE GHS classification results.

### Reproductive cell mutagenicity

Chemical Name	germ cell mutagenicity source information
Bis(2-ethoxyethyl) ether	Based on the NITE GHS classification results.

### Carcinogenicity

Chemical Name	Carcinogenicity source information
Bis(2-ethoxyethyl) ether	Based on the NITE GHS classification results.

**Reproductive toxicity**

Chemical Name	Reproductive toxicity source information
Bis(2-ethoxyethyl) ether	Based on the NITE GHS classification results.

**STOT-single exposure**

Chemical Name	STOT -single exposure- source information
Bis(2-ethoxyethyl) ether	Based on the NITE GHS classification results.

**STOT-repeated exposure**

Chemical Name	STOT -repeated exposure- source information
Bis(2-ethoxyethyl) ether	Based on the NITE GHS classification results.

**Aspiration hazard**

Chemical Name	Aspiration Hazard source information
Bis(2-ethoxyethyl) ether	Based on the NITE GHS classification results.

## Section 12: ECOLOGICAL INFORMATION

\*NITE: National Institute of Technology and Evaluation (JAPAN)

[https://www.chem-info.nite.go.jp/en/chem/chrip/chrip\\_search/srhInput](https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput)

**Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Bis(2-ethoxyethyl) ether	N/A	LC50 : Cyprinidae > 100 mg/L 96 h	LC50 : Copepoda > 100 mg/L 96 h

**Other data**

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
Bis(2-ethoxyethyl) ether	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

<b>Persistence and degradability</b>	No information available
<b>Bioaccumulative potential</b>	No information available
<b>Mobility in soil</b>	No information available
<b>Hazard to the ozone layer</b>	No information available

## Section 13: DISPOSAL CONSIDERATIONS

**Waste from residues**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated container and contaminated packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## Section 14: TRANSPORT INFORMATION

<b>ADR/RID</b>	Not regulated
UN number	-
Proper shipping name:	
UN classification	
Subsidiary hazard class	
Packing group	
Marine pollutant	Not applicable
<b>IMDG</b>	Not regulated
UN number	-
Proper shipping name:	
UN classification	
Subsidiary hazard class	

Packing group	
Marine pollutant (Sea)	Not applicable
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available
IATA	Not regulated
UN number	-
Proper shipping name:	
UN classification	
Subsidiary hazard class	
Packing group	
Environmentally Hazardous Substance	Not applicable

## Section 15: REGULATORY INFORMATION

### Japanese regulations

Fire Service Act	Category IV, Class III petroleum, dangerous grade 3 water-soluble
Poisonous and Deleterious Substances Control Law	Not applicable
Industrial Safety and Health Act	Not applicable
Industrial Safety and Health Act (2026~)	<u>【2026.4.1~】 Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)</u> <u>【2026.4.1~】 Notifiable Substances (Law Art.57-2)</u>
Regulations for the carriage and storage of dangerous goods in ship	Not applicable
Civil Aeronautics Law	Not applicable
Pollutant Release and Transfer Register Law (2023.4.1-)	Not applicable

### Industrial Safety and Health Law

Law Name	Chemical Name in Regulation	Weight %	Scheduled enforcement date
Notifiable Substances (Law Art.57-2)	Diethylene glycol diethyl ether	95.0	2026/4/1

## Section 16: OTHER INFORMATION

### Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)  
[https://www.chem-info.nite.go.jp/en/chem/chrip/chrip\\_search/srhInput](https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput)  
 IATA dangerous Goods Regulations  
 RTECS: Registry of Toxic Effects of Chemical Substances  
 Japan Industrial Safety and Health Association GHS Model SDS  
 Dictionary of Synthetic Organic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.  
 Chemical Dictionary, Kyouritsu Publishing Co., Ltd.  
 etc

### Record of SDS revisions

The following contents were revised. Product and company identification. Fire fighting measures. Exposure controls/personal protection. Physical and chemical properties. Stability and reactivity. Toxicological information. Ecological information. Regulatory information.

### Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

End of Safety Data Sheet