



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 29-Nov-2022

Revision Number 2.04

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	1-Decanol	
Product Code	046-24921,048-24925	
Manufacturer	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741	
Supplier	Fax: +81-6-6203-5964 FUJIFILM Wako Pure Chemical Corporation	

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number Recommended uses and restrictions on use +81-6-6203-3741 / +81-3-3270-8571

For research use only

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Flammable liquidsCategory 4Skin corrosion/irritationCategory 2Serious eye damage/eye irritationCategory 2ASpecific target organ toxicity (single exposure)Category 3

Category 3 Respiratory irritation

Acute aquatic toxicity
Chronic aquatic toxicity
Category 1
Category 2

Pictograms





Signal word

Warning

Hazard statements

H227 - Combustible liquid

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

H411 - Toxic to aquatic life with long lasting effects

H400 - Very toxic to aquatic life

Precautionary statements-(Prevention)

- · Wash face, hands and any exposed skin thoroughly after handling
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Use only outdoors or in a well-ventilated area
- · Avoid release to the environment

- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- · Wear protective gloves/protective clothing/eye protection/face protection
- Keep cool

Precautionary statements-(Response)

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF ON SKIN: Wash with plenty of soap and water
- If skin irritation occurs: Get medical advice/attention
- Take off contaminated clothing and wash before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- In case of fire: Use CO2, dry chemical, or foam for extinction
- Collect spillage

Precautionary statements-(Storage)

- · Store in a well-ventilated place. Keep container tightly closed
- Store locked up

Precautionary statements-(Disposal)

Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula CH3(CH2)9OH

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
1-Decanol	95.0	158.28	(2)-217	*	112-30-1

Note on ISHL No.: * in the table means announced chemical substances.

Impurities and/or Additives: Not applicable

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed.

Safe packaging material Glass

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Personal protective equipment

Respiratory protection Protective mask Hand protection Protective gloves

Eye protection protective eyeglasses or chemical safety goggles

Long-sleeved work clothes

Skin and body protection

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color Colorless - nearly colorless

Turbidity clear Appearance liquid

Odor characteristic odor

Melting point/freezing point 7 °C Boiling point, initial boiling point and boiling range 230 °C

Flammability Combustible liquid Evaporation rate: no data available Flammability (solid, gas): no data available

Upper/lower flammability or

explosive limits

Upper:no data availableLower:no data available

Flash point 82.2 °C

Auto-ignition temperature:no data availableDecomposition temperature:no data availablepHno data availableViscosity (coefficient of viscosity)no data availableDynamic viscosityno data available

Solubilities Ethanol , acetone : Very soluble. water : slightly soluble .

n-Octanol/water partition coefficient:(log Pow)
No data available
no data available
no data available
Necific Gravity / Relative density
Napour density
No data available
Particle characteristics
no data available
no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available
Chemical stability May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2)

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
1-Decanol	> 2000 mg/kg (Rat)	> 1000 mg/kg (Rabbit) > 2000 mg/kg (Rat)	N/A

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
1-Decanol	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

germ cell mutagencity source information

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
. Doddilo.			Based on the NITE GHS classification results.

Chemical Name	Skin corrosion/irritation source information
1-Decanol	Based on the NITE GHS classification results.
Serious eye damage/ irritation	
Chemical Name	Serious eye damage/irritation source information

Chemical Name	Serious eye damage/irritation source information
1-Decanol	Based on the NITE GHS classification results.
Despiratory or alsia consistentian	

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
1-Decanol	Based on the NITE GHS classification results.

Reproductive cell mutagenicity **Chemical Name**

1-Decanol	Based on the NITE GHS classification results.	
Carcinogenicity		
61 1 111		
Chemical Name	Carcinogenicity source information	

Reproductive toxicity

Chemical Name	Reproductive toxicity source information
1-Decanol	Based on the NITE GHS classification results.

STOT-single exposure

Chemical Name	STOT -single exposure- source information
1-Decanol	Based on the NITE GHS classification results.

STOT-repeated exposure

Chemical Name	5101 -repeated exposure- source information
1-Decanol	Based on the NITE GHS classification results.
Aspiration hazard	

Chemical Name	Aspiration Hazard source information	
1-Decanol	Based on the NITE GHS classification results.	

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
1-Decanol	EC50 : Pseudokirchneriella	LC50:Pimephales promelas	EC50:Daphnia magna
	subcapitata 0.56mg/L 96 h	2.2 - 2.5 mg/L 96 h	3 mg/L 48 h
	,	LC50:Lepomis macrochirus	· ·
		4.12 - 6.2 mg/L 96 h	
		LC50:Oncorhynchus mykiss	
		5.6 ma/L 96 h	

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source	Long-term (chronic) hazardous to the aquatic environment source	
	information	information	
1-Decanol	Based on the NITE GHS classification	Based on the NITE GHS classification	
	results.	results.	

Persistence and degradability Bioaccumulative potential Mobility in soil Hazard to the ozone layer

No information available No information available No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN3082 **UN** number

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (1-Decanol)

UN classfication Subsidiary hazard class

Packing group Ш Marine pollutant Yes

IMDG

UN number UN3082

Environmentally hazardous substance, liquid, n.o.s. (1-Decanol) Proper shipping name:

UN classfication

Subsidiary hazard class

Packing group Ш Marine pollutant (Sea) Yes

No information available Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN3082 **UN** number

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (1-Decanol)

UN classfication

Subsidiary hazard class

Ш Packing group **Environmentally Hazardous** Yes

Substance

Section 15: REGULATORY INFORMATION

International Inventories

EINECS/ELINCS Listed **TSCA** Listed

Japanese regulations

Fire Service Act Category IV, Class III petroleums, dangerous grade 3

Poisonous and Deleterious Not applicable

Substances Control Law

Industrial Safety and Health Act Not applicable

Act on the Evaluation of Priority Assessment Chemical Substances (Law Article 2, Para.5)

Chemical Substances and Regulation of Their Manufacture, etc

Regulations for the carriage

Noxious Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

and storage of dangerous Transport by Ship and Storage, Attached Table 1) goods in ship

Civil Aeronautics Law Misellaneous Dangerous Substances and Articles (Ordinance Art.194, MITL Nortification

for Air Transportation of Explosives etc., Attached Table 1)

Marine Pollution Prevention Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y

Pollutant Release and Transfer Class 1

Register Law

 $(\sim 2023.3.31)$

257 Class 1 - No. Pollutant Release and Transfer Class 1

Register Law (2023/4/1~)

<u>Class 1 - No.</u> <u>257</u>

Export Trade Control Order Not applicable

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2) (~2024.3.31)	Pollutant Release and Transfer Register Law (~2023.3.31)
1-Decanol 112-30-1 (95.0)	-	-	Applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z7252(2019). *JIS: Japanese Industrial Standards

End of Safety Data Sheet