



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 10-May-2023 Revision Number 2.04

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	N,N-Diethyl-m-toluamide
Product Code	045-26211
Manufacturer	FUJIFILM Wako Pure Chemical Corporation
	1-2 Doshomachi 3-Chome
	Chuo-ku, Osaka 540-8605, Japan
	Phone: +81-6-6203-3741
	Fax: +81-6-6203-5964
Supplier	FUJIFILM Wako Pure Chemical Corporation
	1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan
	Phone: +81-6-6203-3741
	Fax: +81-6-6203-2029
Emergency telephone number	+81-6-6203-3741 / +81-3-3270-8571
Recommended uses	For research use only
Restrictions on use	Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification <u>Classification of the substance or mixture</u> Skin corrosion/irritation Serious eye damage/eye irritation Specific target organ toxicity (single exposure) Category 3 Narcotic effects Acute aquatic toxicity Chronic aquatic toxicity

Category 2 Category 2B Category 3

Category 3 Category 3

Pictograms



Warning

Hazard statements

- H315 Causes skin irritation
- H320 Causes eye irritation
- H336 May cause drowsiness or dizziness
- H402 Harmful to aquatic life
- H412 Harmful to aquatic life with long lasting effects

Precautionary statements-(Prevention)

- · Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection
- Avoid breathing dust/fume/gas/mist/vapors/spray
- · Use only outdoors or in a well-ventilated area
- Avoid release to the environment

Precautionary statements-(Response)

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- · If eye irritation persists: Get medical advice/attention
- IF ON SKIN: Wash with plenty of soap and water
- If skin irritation occurs: Get medical advice/attention
- Take off contaminated clothing and wash before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell

Precautionary statements-(Storage)

• Store in a well-ventilated place. Keep container tightly closed

Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others Other hazards

Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula

CH3C6H4CON(C2H5)2

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
N,N-Diethyl-m-toluamide	95.0	191.27	(3)-1321	4-(7)-1095	134-62-3
Note on ISHL No.:	Io.: * in the table means announced chemical substances.				

Impurities and/or Additives:

Not applicable

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

 Storage conditions
 Keep container protect from light, store in well-ventilated place at room temperature (preferably cool). Keep container tightly closed.

 Safe packaging material Incompatible substances
 Glass

 Strong oxidizing agents
 Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

Eye protection

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits This product, as supplied, exposure limits establishe Personal protective equipment Personal protective equipment

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Respiratory protection Hand protection

Protective mask chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles Long-sleeved work clothes

Skin and body protection General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form Color Colorless - yellow Turbidity clear Appearance liauid no data available Odor Melting point/freezing point no data available Boiling point, initial boiling point and boiling range no data available Flammability no data available Evaporation rate: no data available Flammability (solid, gas): no data available Upper/lower flammability or explosive limits no data available Upper: Lower: no data available Flash point Auto-ignition temperature: no data available Decomposition temperature: no data available pН no data available Viscosity (coefficient of viscosity) no data available **Dynamic viscosity** no data available Solubilities insoluble . n-Octanol/water partition coefficient:(log Pow) no data available Vapour pressure no data available Specific Gravity / Relative density

no data available no data available no data available > 110 °C / 230 °F no data available Ethanol , acetone : Very soluble. water : practically insoluble,or insoluble . no data available no data available

Section 10: STABILITY AND REACTIVITY

Stability

Vapour density

Particle characteristics

 Reactivity
 no data available

 Chemical stability
 May be altered by light.

 Hazardous reactions
 None under normal processing

 Conditions to avoid
 Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

 Incompatible materials
 Strong oxidizing agents

 Hazardous decomposition products
 Carbon monooxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx)

 Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
N,N-Diethyl-m-toluamide	> 2000 mg/kg (Rat)	3180 mg/kg (Rabbit)	5860 mg/m³ (Rat)4 h
			6000 mg/m ³ (Rat)4 h

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
			Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust-	Acute toxicity -inhalation mist-
	vapor- source information	source information	source information
right Dietaily: In tertaumate			Based on the NITE GHS classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
N,N-Diethyl-m-toluamide	Based on the NITE GHS classification results.
Serious eye damage/ irritation	
Chemical Name	Serious eye damage/irritation source information
N,N-Diethyl-m-toluamide	Based on the NITE GHS classification results.
Respiratory or skin sensitization	
Chemical Name	Respiratory or Skin sensitization source information
N,N-Diethyl-m-toluamide	Based on the NITE GHS classification results.
Reproductive cell mutagenicity	
Chemical Name	germ cell mutagencity source information
N,N-Diethyl-m-toluamide	Based on the NITE GHS classification results.
Carcinogenicity	
Chemical Name	Carcinogenicity source information
N,N-Diethyl-m-toluamide	Based on the NITE GHS classification results.

Reproductive toxicity

Chemical Name	Reproductive toxicity source information
N,N-Diethyl-m-toluamide	Based on the NITE GHS classification results.
STOT-single exposure	
Chemical Name	STOT -single exposure- source information
N,N-Diethyl-m-toluamide	Based on the NITE GHS classification results.
STOT-repeated exposure	
Chemical Name	STOT -repeated exposure- source information
N,N-Diethyl-m-toluamide	Based on the NITE GHS classification results.
Aspiration hazard	· · · ·
Chemical Name	Aspiration Hazard source information
N,N-Diethyl-m-toluamide	Based on the NITE GHS classification results.
	÷

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
N,N-Diethyl-m-toluamide	N/A	LC50 : Oncorhynchus mykiss	EC50 : Daphnia magna
		71.25 mg/L 96 h	74 mg/L 48 h

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
,,		Based on the NITE GHS classification results.

Persistence and degradability	No information available
Bioaccumulative potential	No information available
Mobility in soil	No information available
Hazard to the ozone layer	No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

Not regulated

UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group Marine pollutant	- Not applicable
IMDG	Not regulated
UN number	-
Proper shipping name: UN classfication	
Subsidiary hazard class	
Packing group	
Marine pollutant (Sea)	Not applicable
Transport in bulk according to	
Annex II of MARPOL 73/78 and	
the IBC Code	
ΙΑΤΑ	Not regulated
UN number	-
Proper shipping name:	
UN classfication	
Subsidiary hazard class	
Packing group Environmentally Hazardous	Not applicable
Substance	
Cupotanoo	

Section 15: REGULATORY INFORMATION

International Inventories	
EINECS/ELINCS	Listed
TSCA	Listed
Japanese regulations	
Fire Service Act	Category IV, Class III petroleums, dangerous grade 3
Poisonous and Deleterious	Not applicable
Substances Control Law	
Industrial Safety and Health Ac	tNot applicable
Regulations for the carriage	Not applicable
and storage of dangerous	
goods in ship	
Civil Aeronautics Law	Not applicable
Pollutant Release and Transfer	Not applicable
Register Law	
(2023.4.1-)	
Export Trade Control Order	Not applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.
	Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless

specified in the text. GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet