



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 26-Feb-2024 Revision Number 1.07

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	5w/v%Dichlorodimethylsilane Toluene Solution	
Product Code	045-26375	
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029	
Emergency telephone number Recommended uses Restrictions on use	+81-6-6203-3741 / +81-3-3270-8571 For research use only Seek expert judgment when using for purposes other than those recommended.	

Section 2: HAZARDS IDENTIFICATION

GHS classification Classification of the substance or mixture **Flammable liquids** Acute toxicity - Inhalation (Vapors) Skin corrosion/irritation Serious eye damage/eye irritation **Reproductive Toxicity** Specific target organ toxicity (single exposure) Category 1 central nervous system Category 3 Respiratory irritation, Narcotic effects Specific target organ toxicity (repeated exposure) Category 1 central nervous system, kidneys Aspiration hazard Acute aquatic toxicity Chronic aquatic toxicity **Pictograms** Signal word Danger **Hazard statements** H225 - Highly flammable liquid and vapor H314 - Causes severe skin burns and eye damage H318 - Causes serious eye damage H332 - Harmful if inhaled H360 - May damage fertility or the unborn child H335 - May cause respiratory irritation

- H336 May cause drowsiness or dizziness
- H304 May be fatal if swallowed and enters airways
- H401 Toxic to aquatic life
- H412 Harmful to aquatic life with long lasting effects

Category 2 Category 4 Category 1 Category 1 Category 1A Category 1, Category 3

Category 1

Category 1 Category 2 Category 3

- H370 Causes damage to the following organs: central nervous system
- H372 Causes damage to the following organs through prolonged or repeated exposure: central nervous system, kidneys

Precautionary statements-(Prevention)

- Obtain special instructions before use
- · Do not handle until all safety precautions have been read and understood
- · Use personal protective equipment as required
- · Use only outdoors or in a well-ventilated area
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product
- · Avoid release to the environment
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Keep container tightly closed
- Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- Use only non-sparking tools
- Take precautionary measures against static discharge
- Keep cool

Precautionary statements-(Response)

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- Immediately call a POISON CENTER or doctor/physician
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- Do NOT induce vomiting
- Rinse mouth
- · In case of fire: Use suitable extinguishing media for extinction

Precautionary statements-(Storage)

- Store locked up
- Store in a well-ventilated place. Keep container tightly closed
- Precautionary statements-(Disposal)

Dispose of contents/container to an approved waste disposal plant

Others Other hazards

Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Toluene	95	92.14	(3)-2,(3)-60	*	108-88-3
Dichlorodimethylsilane	5.40	129.06	(2)-2041	*	75-78-5

Note on ISHL No.: * in the table means announced chemical substances.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditionsKeep container protect from light tightly closed. Store in a cool (2-10 °C) place. Packed
with an inert gas.Safe packaging materialGlass

Incompatible substances

Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Toluene	TWA: 50 ppm OEL	ISHL/ACL: 20 ppm	TWA: 20 ppm
108-88-3	TWA: 188 mg/m ³ OEL		
	Skin		
	ISHL/ACL: 20 ppm		

Personal protective equipment

Respiratory protection Hand protection Eye protection Skin and body protection gas mask for organic gas (JIS T 8152) chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles (JIS T 8147) Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Form	
Color	colorless
Turbidity	clear
Appearance	liquid
Odor	characteristic odor
Melting point/freezing point	no data available
Boiling point, initial boiling point and boiling range	no data available
Flammability	Highly flammable liquid and vapor
Evaporation rate:	no data available
Flammability (solid, gas):	no data available
Upper/lower flammability or explosive limits	
Upper:	no data available
Lower:	no data available
Flash point	-7 °C
Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
рН	no data available
Viscosity (coefficient of viscosity)	no data available
Dynamic viscosity	no data available
Solubilities	hexane , toluene : at the rate of any miscible . water , Ethanol :
	decomposes.
n-Octanol/water partition coefficient:(log Pow)	no data available
Vapour pressure	no data available
Specific Gravity / Relative density	1.07
Vapour density	no data available
Particle characteristics	no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity Chemical stability Hazardous reactions no data available May be altered by light.

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Silicon compounds, Halides

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Toluene	5000 mg/kg(Rat)	12000 mg/kg(Rat)	7460 ppm (Rat) 4 h (vapor)
Dichlorodimethylsilane	5660 µL/kg (Rat) 800 mg/kg (Rat)	N/A	930 ppm (Rat)4 h

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
			Based on the NITE GHS classification results.
2.0			Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
			Based on the NITE GHS classification results.
Dicincroannourylonano			Based on the NITE GHS classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information	
Toluene	Based on the NITE GHS classification results.	
Dichlorodimethylsilane	Based on the NITE GHS classification results.	
Serious eye damage/ irritation		
Chemical Name	Serious eye damage/irritation source information	
Toluene	Based on the NITE GHS classification results.	
Dichlorodimethylsilane	Based on the NITE GHS classification results.	
Respiratory or skin sensitization	·	
Chemical Name	Respiratory or Skin sensitization source information	
Toluene	Based on the NITE GHS classification results.	
Dichlorodimethylsilane	Based on the NITE GHS classification results.	
Reproductive cell mutagenicity		
Chemical Name	germ cell mutagencity source information	
Toluene	Based on the NITE GHS classification results.	
Dichlorodimethylsilane	Based on the NITE GHS classification results.	
Carcinogenicity		
Chemical Name	Carcinogenicity source information	
Toluene	Based on the NITE GHS classification results.	
Dichlorodimethylsilane	Based on the NITE GHS classification results.	
Chamical Nama		

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
Toluene	-	Group 3	-	-
108-88-3				
Denne des time terrisites				

Reproductive toxicity

Chemical Name	Reproductive toxicity source information
Toluene	Based on the NITE GHS classification results.
Dichlorodimethylsilane	Based on the NITE GHS classification results.
STOT-single exposure	
Chemical Name	STOT -single exposure- source information
Toluene	Based on the NITE GHS classification results.
Dichlorodimethylsilane	Based on the NITE GHS classification results.
STOT-repeated exposure	
Chemical Name	STOT -repeated exposure- source information
Toluene	Based on the NITE GHS classification results.
Dichlorodimethylsilane	Based on the NITE GHS classification results.
Aspiration hazard	
Chemical Name	Aspiration Hazard source information
Toluene	Based on the NITE GHS classification results.
Dichlorodimethylsilane	Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Toluene	EC50:Pseudokirchneriella	LC50:Pimephales promelas	EC50:Ceriodaphnia dubia
	subcapitata	15.22 - 19.05 mg/L 96 h	3.78 mg/L 48 h
	433 mg/L 96 h		

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information
Toluene	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.
Dichlorodimethylsilane	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available No information available No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations. Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID			
UN number	UN2924 Flammable liquid, corrosive, n.o.s. (Mixture of Toluene and Dichlorodimethylsilane.)		
Proper shipping name:			
UN classfication	3		
Subsidiary hazard class	8		
Packing group			
Marine pollutant	Not applicable		
IMDG			
UN number	UN2924		

Proper shipping name: UN classfication Subsidiary hazard class Packing group Marine pollutant (Sea) Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Flammable liquid, corrosive, n.o.s. (Mixture of Toluene and Dichlorodimethylsilane.) 3 8 II Not applicable No information available
IATA	10,000,0
UN number	UN2924
Proper shipping name:	Flammable liquid, corrosive, n.o.s. (Mixture of Toluene and Dichlorodimethylsilane.)
UN classfication	3
Subsidiary hazard class	8
Packing group	11
Environmentally Hazardous Substance	Not applicable

Section 15: REGULATORY INFORMATION

Japanese regulations Fire Service Act Poisonous and Deleterious Substances Control Law Industrial Safety and Health Act	Category IV, Class I petroleums, dangerous grade 2 Not applicable Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57) Notifiable Substances (Law Art.57-2) Class 2 Organic Solvents (Enforcement Order Attached Table No.6-2, Ordinance on
	Prevention of Organic Solvent Poisoning Art.1, Para.1, Item 5) Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1 Item 4) Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2, Para.1)
Industrial Safety and Health Act (2024~)	[2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)
Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc	Priority Assessment Chemical Substances (Law Article 2, Para.5)
Regulations for the carriage and storage of dangerous goods in ship	Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)
Civil Aeronautics Law	Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc., Attached Table 1)
Marine Pollution Prevention Law Pollutant Release and Transfer Register Law (2023.4.1-)	Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y Dangerous Substances
Class 1 - No. Water Pollution Control Act Export Trade Control Order Narcotics and Psychotropics Control Law	300 Specified substances(Law Art.2 Para.4, Enforcement Order Art.3-3) Appendix 2 Export Approval Item
Air Pollution Control Law Offensive Odor Control Law	Priority Chemical Substances Specified Offensive Odor Substances

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Toluene 108-88-3 (95)	-	Applicable	Applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc
Record of SDS revisions	The following contents were revised. Regulatory information.

Disclaimer

vere revisea. egulatory

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet