



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 14-Mar-2024

Revision Number 2.07

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Diisobutyl Phthalate-d4 Standard
Product Code	048-26941

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Reproductive Toxicity
Acute aquatic toxicity
Chronic aquatic toxicity

Category 1B Category 1 Category 3







Signal word

Danger

Hazard statements

H360 - May damage fertility or the unborn child

H400 - Very toxic to aquatic life

H412 - Harmful to aquatic life with long lasting effects

Precautionary statements-(Prevention)

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- · Use personal protective equipment as required
- Avoid release to the environment

Precautionary statements-(Response)

- IF exposed or concerned: Get medical advice/attention
- Collect spillage

Precautionary statements-(Storage)

Store locked up

Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula C16H18D4O4

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Diisobutyl Phthalate-d4	98.0	282.37	(3)-1303	*	358730-88-8

Note on ISHL No.:

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eve contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

^{*} in the table means announced chemical substances.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions Keep container protect from light tightly closed. Store in a cool (2-10 °C) place.

Safe packaging material Glass

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Personal protective equipment

Respiratory protection Protective mask

Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Data except for the appearance is described as a non-labeled compound.

Form

Color Colorless - pale yellow

Turbidity clear Appearance liquid

Odor no data available

Melting point/freezing point -50 °C
Boiling point, initial boiling point and boiling range 320 °C

Flammability no data available
Evaporation rate: no data available
Flammability (solid, gas): no data available

Upper/lower flammability or explosive limits

Upper: no data available

Lower: no data available

Flash point 180 °C

no data available **Auto-ignition temperature: Decomposition temperature:** no data available no data available pН Viscosity (coefficient of viscosity) no data available Dynamic viscosity no data available **Solubilities** hexane: soluble. no data available n-Octanol/water partition coefficient:(log Pow) Vapour pressure no data available Specific Gravity / Relative density 1.036-1.046 g/mL Vapour density no data available **Particle characteristics** no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available

Chemical stability Stable under recommended storage conditions. May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2)

Section 11: TOXICOLOGICAL INFORMATION

Data as deuterium compound has not been obtained. The data of non-labeled compound is described.

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Diisobutyl Phthalate	>5,000 mg/kg (Rat)	>10,000 mg/kg (Marmot)	N/A

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Diisobutyl Phthalate	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
_	classification results.	classification results.	classification results.

Chemical Name	•	•	Acute toxicity -inhalation mist-
	vapor- source information	source information	source information
Diisobutyl Phthalate	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
•	classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Diisobutyl Phthalate	Based on the NITE GHS classification results.

Serious eye damage/ irritation
Chemical Name

Diisobutyl Phthalate	Based on the NITE GHS classification results.	
Respiratory or skin sensitization		
Chemical Name	Respiratory or Skin sensitization source information	

Diisobutyl Phthalate
Reproductive cell mutagenicity

toproductive con matagementy		
Chemical Name	germ cell mutagencity source information	
Diisobutyl Phthalate	Based on the NITE GHS classification results.	

Serious eye damage/irritation source information

Based on the NITE GHS classification results.

Carcinogenicity

Chemical Name	Carcinogenicity source information
Diisobutyl Phthalate	Based on the NITE GHS classification results.

Reproductive toxicity

Chemical Name	Reproductive toxicity source information
Diisobutyl Phthalate	Based on the NITE GHS classification results.

STOT-single exposure

Chemical Name	STOT -single exposure- source information
Diisobutyl Phthalate	Based on the NITE GHS classification results.

STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information
Diisobutyl Phthalate	Based on the NITE GHS classification results.

Aspiration hazard

Chemical Name	Aspiration Hazard source information
Diisobutyl Phthalate	Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

Data as deuterium compound has not been obtained. The data of non-labeled compound is described.

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Diisobutyl Phthalate	EC50:Desmodesmus subspicatus	LC50:Pimephales promelas 0.9mg/L 96h	EC50:Daphnia magna 7.4 mg/L 24 h
	1 mg/L 72 h		

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the aquatic environment source information
		Based on the NITE GHS classification
	results.	results.

Persistence and degradability Bioaccumulative potential Mobility in soil

Hazard to the ozone layer

No information available No information available No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN3082

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (Diisobutyl Phthalate-d4)

UN classfication Subsidiary hazard class

Packing group III
Marine pollutant Yes

IMDG

UN3082 **UN** number

Environmentally hazardous substance, liquid, n.o.s. (Diisobutyl Phthalate-d4) Proper shipping name:

UN classfication

Subsidiary hazard class

Packing group Ш Marine pollutant (Sea) Yes

No information available Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN3082

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (Diisobutyl Phthalate-d4)

UN classfication

Subsidiary hazard class

Ш **Packing group Environmentally Hazardous** Yes

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Category IV, Class III petroleums, dangerous grade 3 **Fire Service Act**

Poisonous and Deleterious Not applicable

Substances Control Law

Industrial Safety and Health Act Not applicable

Industrial Safety and Health Act (

【2024.4.1~】 Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

【2024.4.1~】 Notifiable Substances (Law Art.57-2) Noxious Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Regulations for the carriage

and storage of dangerous

Law Name

Notifiable Substances (Law Art.57-2)

goods in ship **Civil Aeronautics Law** Transport by Ship and Storage, Attached Table 1)

Weight %

98.0

Misellaneous Dangerous Substances and Articles (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc., Attached Table 1)

Pollutant Release and Transfer Class 2

Register Law (2023.4.1-)

Class 2 - No. 799

Export Trade Control Order Appendix 1 Export licensed items

Industrial Safety and Health Law

Chemical Name in Regulation

diisobutyl phthalate

Chemical Name	Poisonous and Deleterious	Industrial Safety and Health Act	Pollutant Release and Transfer
	Substances Control Law	Substances	Register Law

Chemical Name	Poisonous and Deleterious	Industrial Safety and Health Act	Pollutant Release and Transfer
	Substances Control Law	Substances	Register Law
		(Law Art.57-2)	(2023.4.1-)
Diisobutyl Phthalate-d4 358730-88-8 (98.0)	-	-	Applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

2024/4/1

etc

Record of SDS revisions

The following contents were revised. Composition/information on ingredients. Handling and storage. Physical and chemical properties. Transport information. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet