



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 26-Feb-2024

Revision Number 1.09

Section 1: PRODUCT AND COMPANY IDENTIFICATION

| Product Name | Dimethyl Sulfide-Borane Tetrahydrofuran Solution |
|--------------|--|
| Product Code | 041-27411 |

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Flammable liquids Pyrophoric liquids Substances and mixtures which, in contact Category 2 Category 1

with water, emit flammable gases

Acute toxicity - OralCategory 4Acute toxicity - Inhalation (Vapors)Category 4Skin corrosion/irritationCategory 2Serious eye damage/eye irritationCategory 2ACarcinogenicityCategory 2Reproductive ToxicityCategory 2

Specific target organ toxicity (single exposure) Category 1, Category 3

Category 1 central nervous system

Category 3 Respiratory irritation, Narcotic effects

Specific target organ toxicity (repeated exposure)

Category 1

Category 1 central nervous system, respiratory system, liver

Pictograms



Hazard statements

H225 - Highly flammable liquid and vapor

H250 - Catches fire spontaneously if exposed to air

H261 - In contact with water releases flammable gases

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H302 - Harmful if swallowed

H332 - Harmful if inhaled

H351 - Suspected of causing cancer

H361 - Suspected of damaging fertility or the unborn child

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H370 - Causes damage to the following organs: central nervous system

H372 - Causes damage to the following organs through prolonged or repeated exposure: central nervous system, respiratory system, liver

Precautionary statements-(Prevention)

- · Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- · Use only outdoors or in a well-ventilated area
- · Keep container tightly closed
- · Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- · Use only non-sparking tools
- Take precautionary measures against static discharge
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- · Do not allow contact with air
- · Keep away from any possible contact with water, because of violent reaction and possible flash fire
- · Handle under inert gas. Protect from moisture
- Keep cool

Precautionary statements-(Response)

- IF exposed: Call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- If skin irritation occurs: Get medical advice/attention
- · Take off contaminated clothing and wash before reuse
- IF ON SKIN: Immerse in cool water/wrap in wet bandages
- · Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth
- In case of fire: Use suitable extinguishing media for extinction

Precautionary statements-(Storage)

- Store in a well-ventilated place. Keep container tightly closed
- · Store locked up
- Store in a dry place

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

| Chemical Name | Weight-% | Molecular weight | ENCS | ISHL No. | CAS RN |
|---------------------------------|----------|------------------|--------|-----------|------------|
| Tetrahydrofuran | 82 | 72.11 | (5)-53 | * | 109-99-9 |
| Borane dimethyl sulfide complex | 18 | 75.97 | N/A | 2-(3)-561 | 13292-87-0 |

Note on ISHL No.:

Section 4: FIRST AID MEASURES

^{*} in the table means announced chemical substances.

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eve contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Extinguishing powder, DRY sand

Unsuitable extinguishing media

Water

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Could form a flammable gas by contact with water and moisture. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions Keep container protect from light tightly closed. Store in a cool (2-10 °C) place. Packed

with an inert gas.

Safe packaging material Glass Incompatible substances Water

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

| Chemical Name | JSOH (Japan) | ISHL (Japan) | ACGIH |
|---------------------------------|--------------------------------|------------------|---------------|
| Tetrahydrofuran TWA: 50 ppm OEL | | ISHL/ACL: 50 ppm | STEL: 100 ppm |
| 109-99-9 | TWA: 148 mg/m ³ OEL | | TWA: 50 ppm |
| Skin | | | Skin |
| | ISHL/ACL: 50 ppm | | |

Personal protective equipment

Respiratory protection gas mask for organic gas (JIS T 8152) **Hand protection** chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

ColorColorless - pale brownTurbidityclear ~ slightly muddy

Appearance liquid

Odor characteristic odor
Melting point/freezing point no data available
Boiling point, initial boiling point and boiling range no data available

Flammability Highly flammable liquid and vapor

Evaporation rate:Flammability (solid, gas):
no data available

Upper/lower flammability or explosive limits

Upper:
Lower:
no data available
no data available
rlash point
no data available
pH
no data available
no data available
no data available
no data available

Viscosity (coefficient of viscosity) no data available

Dynamic viscosity no data available

Solubilities water, Ethanol, ether: freely soluble. Reacts violently with

water

n-Octanol/water partition coefficient:(log Pow) no data available Vapour pressure no data available Specific Gravity / Relative density Vapour density Particle characteristics

0.855 g/mL no data available no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available Chemical stability May be altered by light.

Hazardous reactions

Reacts violently with water

Conditions to avoid

Extremes of temperature and direct sunlight, Moisture

Incompatible materials

Water

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Sulfur oxides (SOx), Boron oxide

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|-----------------|--------------------|-------------|-----------------------|
| Tetrahydrofuran | 2000 mg/kg (Rat) | N/A | 18187 ppm (Rat) 4 h |

| Chemical Name | , | _ | Acute toxicity -inhalation gas- |
|-----------------|-------------------------|-------------------------|---------------------------------|
| | information | information | source information |
| Tetrahydrofuran | Based on the NITE GHS | Based on the NITE GHS | Based on the NITE GHS |
| _ | classification results. | classification results. | classification results. |

| Chemical Name | Acute toxicity -inhalation vapor- source information | Acute toxicity -inhalation dust- source information | Acute toxicity -inhalation mist- source information |
|-----------------|--|--|--|
| Tetrahydrofuran | Based on the NITE GHS | Based on the NITE GHS | Based on the NITE GHS |
| , | classification results. | classification results. | classification results. |

Skin irritation/corresion

| Chemical Name | Skin corrosion/irritation source information |
|-----------------|---|
| Tetrahydrofuran | Based on the NITE GHS classification results. |

Serious eye damage/irritation

| Chemical Name | Serious eye damage/irritation source information | | |
|-----------------|--|--|--|
| Tetrahydrofuran | Based on the NITE GHS classification results. | | |

Respiratory or skin sensitization

| Chemical Name | Respiratory or Skin sensitization source information | | |
|-----------------|--|--|--|
| Tetrahydrofuran | Based on the NITE GHS classification results. | | |

Reproductive cell mutagenicity

| Chemical Name | germ cell mutagencity source information |
|-----------------|---|
| Tetrahydrofuran | Based on the NITE GHS classification results. |
| Carcinogenicity | |
| Chemical Name | Carcinogenicity source information |

| Chemical Name | caroniogoniony course information | |
|-----------------|---|--|
| Tetrahydrofuran | Based on the NITE GHS classification results. | |
| | | |

| Chemical Name | NTP | IARC | ACGIH | JSOH (Japan) |
|-----------------|-----|------|-------|--------------|
| Tetrahydrofuran | - | - | A3 | - |
| 109-99-9 | | | | |

Reproductive toxicity

| noproductive toxicity | | | | |
|-----------------------|---|--|--|--|
| Chemical Name | Reproductive toxicity source information | | | |
| Tetrahydrofuran | Based on the NITE GHS classification results. | | | |

STOT-single exposure

| Chemical Name | STOT -single exposure- source information | | | |
|------------------------|---|--|--|--|
| Tetrahydrofuran | Based on the NITE GHS classification results. | | | |
| STOT-repeated exposure | | | | |
| Chemical Name | STOT -repeated exposure- source information | | | |
| Tetrahydrofuran | Based on the NITE GHS classification results. | | | |
| Aspiration hazard | | | | |
| Chemical Name | Aspiration Hazard source information | | | |

Section 12: ECOLOGICAL INFORMATION

Based on the NITE GHS classification results.

Ecotoxicity

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|-----------------|----------------------------|-----------------------|----------------------|
| Tetrahydrofuran | LC50 : Pimephales Promelas | LC50 : Fathead minnow | EC50 : Daphnia magna |
| | 2160 mg/L 96 h | 2160 mg/L 96 h | 5930 mg/L 48 h |

Other data

| Chemical Name | Short-term (acute) hazardous to the | Long-term (chronic) hazardous to the | |
|-----------------|---------------------------------------|--|--|
| | aquatic environment source informatio | n aquatic environment source information | |
| Tetrahydrofuran | Based on the NITE GHS classification | Based on the NITE GHS classification | |
| | results. | results. | |

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Tetrahydrofuran

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN3399

Proper shipping name: ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE

(Dimethyl Sulfide-Borane Tetrahydrofuran Solution)

UN classfication 4.3 Subsidiary hazard class 3 Packing group II

Marine pollutant Not applicable

IMDG

UN number UN3399

Proper shipping name: ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE

(Dimethyl Sulfide-Borane Tetrahydrofuran Solution)

UN classfication 4.3 Subsidiary hazard class 3 Packing group II

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN3399 **UN** number

ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE Proper shipping name:

(Dimethyl Sulfide-Borane Tetrahydrofuran Solution)

UN classfication Subsidiary hazard class 3 Ш Packing group

Environmentally Hazardous Not applicable

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Category III, substances containing metalhydrides, dangerous grade 2

Poisonous and Deleterious Not applicable **Substances Control Law**

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2)

Class 2 Organic Solvents (Enforcement Order Attached Table No.6-2, Ordinance on

Prevention of Organic Solvent Poisoning Art.1, Para.1, Item 5)

Priority Assessment Chemical Substances (Law Article 2, Para.5)

Ordinance Regarding Transport by Ship and Storage, Attached Table 1)

Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Z

Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1

Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2,

Flammable Solids - Dangerous When Wet (Ordinance Art.3, Ministry of Transportation

Flammable Solids - Dangerous When Wet (Ordinance Art.194, MITL Nortification for Air

Para.1) [2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

Industrial Safety and Health Act (

2024~) Act on the Evaluation of

Chemical Substances and

Regulation of Their

Manufacture, etc

Regulations for the carriage

and storage of dangerous

goods in ship

Civil Aeronautics Law

Marine Pollution Prevention

I aw

Pollutant Release and Transfer Class 1

Register Law (2023.4.1-)

Class 1 - No.

Water Pollution Control Act Harmful Substances (Law Art.2, Enforcement Order Art.2, Ordinace Designating

Transportation of Explosives etc., Attached Table 1)

Wastewater Standards Art.1)

Export Trade Control Order

Not applicable

Air Pollution Control Law Hazardous Air Pollutants

Soil Contamination Control LawDesignated Hazardous Substances

| Chemical Name | Poisonous and Deleterious Substances Control Law | Industrial Safety and Health Act Substances (Law Art.57-2) | Pollutant Release and Transfer Register Law (2023.4.1-) |
|---|---|--|---|
| Tetrahydrofuran 109-99-9 (82) | - | Applicable | Applicable |
| Borane dimethyl sulfide complex 13292-87-0 (18) | - | - | Applicable |

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet