



# SAFETY DATA SHEET

According to JIS Z 7253:2019 **Revision date** 26-Feb-2024 Revision Number 3.08

### Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Dichloromethane
Product Code	041-28055
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029
Emergency telephone number Recommended uses Restrictions on use	+81-6-6203-3741 / +81-3-3270-8571 For research use only Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

Category 4
Category 2
Category 2A
Category 1A
Category 2
Category 1, Category 3
Category 1
Category 3
Category 3

**Pictograms** 



Signal word

Danger

#### Hazard statements

H315 - Causes skin irritation

- H319 Causes serious eye irritation
- H332 Harmful if inhaled
- H350 May cause cancer
- H361 Suspected of damaging fertility or the unborn child

H336 - May cause drowsiness or dizziness

H402 - Harmful to aquatic life

H412 - Harmful to aquatic life with long lasting effects

H370 - Causes damage to the following organs: central nervous system, respiratory system

H372 - Causes damage to the following organs through prolonged or repeated exposure: central nervous system, liver, Male reproductive organ

#### **Precautionary statements-(Prevention)**

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- · Use personal protective equipment as required
- Use only outdoors or in a well-ventilated area
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Do not eat, drink or smoke when using this product
- Avoid release to the environment

### Precautionary statements-(Response)

• IF exposed: Call a POISON CENTER or doctor/physician

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- · If eye irritation persists: Get medical advice/attention
- · IF ON SKIN: Wash with plenty of soap and water
- If skin irritation occurs: Get medical advice/attention
- Take off contaminated clothing and wash before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

Precautionary statements-(Storage)

Store locked up

• Store in a well-ventilated place. Keep container tightly closed

#### Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

#### Others Other hazards

Not available

### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

#### Formula

CH2Cl2

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Dichloromethane	99.5	84.93	(2)-36	*	75-09-2
Methanol	0.2 - 0.5	32.04	(2)-201	*	67-56-1

Note on ISHL No.:

\* in the table means announced chemical substances.

Impurities and/or Additives:

Stabilizer: Methanol 0.2 - 0.5 %

### Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

#### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

#### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

#### Protection of first-aiders

Use personal protective equipment as required.

### Section 5: FIRE FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

### Section 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

#### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

### Section 7: HANDLING AND STORAGE

#### Handling

#### **Technical measures**

Avoid contact with strong bases. Avoid contact with strong oxidizing agents. Use with local exhaust ventilation. Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

#### Safety handling precautions

Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity) Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

### Storage

Safe storage conditions	
Storage conditions	Keep container protect from light, store
	in well-ventilated place at room temperature (preferably cool). Keep container tightly closed.
Safe packaging material	Glass
Incompatible substances	Strong oxidizing agents, Strong bases

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and hand-

and eye-wash facility. And display their position clearly.

#### Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Dichloromethane 75-09-2	Ceiling: 100 ppm Ceiling: 347 mg/m <sup>3</sup> TWA: 173 mg/m <sup>3</sup> OEL Skin ISHL/ACL: 50 ppm	ISHL/ACL: 50 ppm	TWA: 50 ppm
Methanol 67-56-1	TWA: 200 ppm OEL TWA: 260 mg/m <sup>3</sup> OEL Skin ISHL/ACL: 200 ppm	200ppm	TWA 200ppm(260mg/m <sup>3</sup> ) STEL 250ppm

#### Personal protective equipment Respiratory protection

Hand protection

Eye protection

Protective mask chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles (JIS T 8147) Long-sleeved work clothes

#### Skin and body protection General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

#### Form

Form	
Color	colorless
Turbidity	clear
Appearance	liquid
Odor	characteristic odor
Melting point/freezing point	-97 °C
Boiling point, initial boiling point and boiling range	40 °C
Flammability	no data available
Evaporation rate:	no data available
Flammability (solid, gas):	no data available
Upper/lower flammability or explosive limits	
Upper:	no data available
Lower:	no data available
Flash point	no data available
Auto-ignition temperature:	556 °C
Decomposition temperature:	no data available
рН	no data available
Viscosity (coefficient of viscosity)	no data available
Dynamic viscosity	no data available
Solubilities	Ethanol, Diethyl ether: Very soluble. water: sparingly soluble.
n-Octanol/water partition coefficient:(log Pow)	1.25
Vapour pressure	47.4 kPa
Specific Gravity / Relative density	1.315 - 1.330 g/mL
Vapour density	2.9 (air = 1)
Particle characteristics	no data available

### Section 10: STABILITY AND REACTIVITY

### Stability

Reactivity Chemical stability no data available May be altered by light.

#### 

Section 11: TOXICOLOGICAL INFORMATION

#### Acute toxicity

Addie texiony			
Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Dichloromethane	2120 mg/kg (Rat Male)	N/A	18,371 ppm ( Rat ) 4 h
Methanol	1400 mg/kg ( Human )	15800 mg/kg ( Rabbit )	>31500 ppm ( Rat ) 4 h
			(vapor)

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Dicitionentatio			Based on the NITE GHS classification results.
Methanol	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Diomoromotinano			Based on the NITE GHS classification results.
			Based on the NITE GHS classification results.

#### Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Dichloromethane	Based on the NITE GHS classification results.
Methanol	Based on the NITE GHS classification results.
Serious eye damage/ irritation	
Chemical Name	Serious eye damage/irritation source information
Dichloromethane	Based on the NITE GHS classification results.
Methanol	Based on the NITE GHS classification results.
Respiratory or skin sensitization	
Chemical Name	Respiratory or Skin sensitization source information
Dichloromethane	Based on the NITE GHS classification results.
Methanol	Based on the NITE GHS classification results.
Reproductive cell mutagenicity	
Chemical Name	germ cell mutagencity source information
Dichloromethane	Based on the NITE GHS classification results.
Methanol	Based on the NITE GHS classification results.
Carcinogenicity	
Chemical Name	Carcinogenicity source information
Dichloromethane	Based on the NITE GHS classification results.
Methanol	Based on the NITE GHS classification results.

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
Dichloromethane	Reasonably	Group 2A	A3	Group 2A
75-09-2	Anticipated			
Reproductive toxicity				
Chemical Name	Reproducti	ve toxicity source i	nformation	
Dichloromethane		Based on the NITE GHS classification results.		lts.
Methanol		Based on the NITE GH	IS classification resu	lts.

#### STOT-single exposure

Chemical Name	STOT -single exposure- source information
Dichloromethane	Based on the NITE GHS classification results.
Methanol	Based on the NITE GHS classification results.
STOT-repeated exposure	
Chemical Name	STOT -repeated exposure- source information
Dichloromethane	Based on the NITE GHS classification results.
Methanol	Based on the NITE GHS classification results.
Aspiration hazard	
Chemical Name	Aspiration Hazard source information
Dichloromethane	Based on the NITE GHS classification results.
Methanol	Based on the NITE GHS classification results.

## Section 12: ECOLOGICAL INFORMATION

#### Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Dichloromethane	N/A	N/A	EC50:Daphnia magna
			27 mg/L 48 h
Methanol	N/A	LC50 : Lepomis macrochirus	LC50 : Artemia
		15400 mg/L 96 h	1340 mg/L 96 h

#### Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
Dichloromethane	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.
Methanol	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability	No information available
Bioaccumulative potential	No information available
Mobility in soil	No information available
Hazard to the ozone layer	No information available

# Section 13: DISPOSAL CONSIDERATIONS

#### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations. **Contaminated container and contaminated packaging** 

Disposal should be in accordance with applicable regional, national and local laws and regulations.

### Section 14: TRANSPORT INFORMATION

#### ADR/RID UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group

Marine pollutant

UN1593 Dichloromethane 6.1 III Not applicable

### IMDG

UN number	
Proper shipping name:	
UN classfication	

# UN1593 Dichloromethane

6.1

Subsidiary hazard class Packing group Marine pollutant (Sea) Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	III Not applicable No information available
IATA UN number Proper shipping name:	UN1593 Dichloromethane
UN classfication	6.1
Subsidiary hazard class Packing group	
Environmentally Hazardous Substance	Not applicable
So	ction 15: REGULATORY INFORMATION
Japanese regulations	
Fire Service Act	Not applicable
Poisonous and Deleterious	Not applicable
Substances Control Law	
Industrial Safety and Health Act	t Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)
	Notifiable Substances (Law Art.57-2) Group 2 Specified Chemical Substance
	Mutagens - Existing Chemicals
	Substances with Health Hazards Prevention Guideline(Carcinogenicity Substance) Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2, Para.1)
Industrial Safety and Health Act (	[2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)
2024~)	
Act on the Evaluation of Chemical Substances and Regulation of Their	Priority Assessment Chemical Substances (Law Article 2, Para.5)
Manufacture, etc Regulations for the carriage and storage of dangerous	Toxic Substances - Poison (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)
goods in ship	
Civil Aeronautics Law	Toxic and Infectious Substances (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc., Attached Table 1)
Marine Pollution Prevention Law	Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y
Pollutant Release and Transfer	Class 1
Register Law (2023.4.1-)	
Class 1 - No.	186
Water Pollution Control Act	Harmful Substances (Law Art.2, Enforcement Order Art.2, Ordinace Designating Wastewater Standards Art.1)
Export Trade Control Order	Not applicable
Air Pollution Control Law	Priority Chemical Substances, Specified Substances
Soil Contamination Control Lav	vDesignated Hazardous Substances

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Dichloromethane 75-09-2 ( 99.5 )	-	Applicable	Applicable
Methanol 67-56-1(0.2 - 0.5)	-	Applicable	-

### Section 16: OTHER INFORMATION

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc
Record of SDS revisions	The following contents were revised. Regulatory information.

#### **Record of SDS revisions** Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

End of Safety Data Sheet