



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 26-Feb-2024

Revision Number 2.07

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	1,4-Dioxane
Product Code	042-28345

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Flammable liquids

Acute toxicity - Inhalation (Vapors)

Skin corrosion/irritation

Category 2

Category 2

Category 2

Serious eye damage/eye irritation Category 2A Carcinogenicity Category 1B

Specific target organ toxicity (single exposure) Category 1, Category 3

Category 1 central nervous system
Category 3 Respiratory irritation, Narcotic effects

Specific target organ toxicity (repeated exposure)

Category 1, Category 2

Category 1 kidneys, liver, central nervous system
Category 2 respiratory system





Signal word

Danger

Hazard statements

H225 - Highly flammable liquid and vapor

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H350 - May cause cancer

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H370 - Causes damage to the following organs: central nervous system

H372 - Causes damage to the following organs through prolonged or repeated exposure: kidneys, liver, central nervous system

H373 - May cause damage to the following organs through prolonged or repeated exposure: respiratory system

Precautionary statements-(Prevention)

- · Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- · Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product
- · Use only outdoors or in a well-ventilated area
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- · Keep container tightly closed
- · Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- · Use only non-sparking tools
- Take precautionary measures against static discharge
- · Keep cool

Precautionary statements-(Response)

- IF exposed: Call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- If skin irritation occurs: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- · Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- In case of fire: Use suitable extinguishing media for extinction

Precautionary statements-(Storage)

- · Store in a well-ventilated place. Keep container tightly closed
- · Store locked up

Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula C4H8O2

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
1,4-Dioxane	99.8	88.11	(5)-839	*	123-91-1

Note on ISHL No.: * in the table means announced chemical substances.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed. Packed with an inert gas.

Safe packaging material Glass

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
1,4-Dioxane	TWA: 1 ppm OEL	ISHL/ACL: 10 ppm	TWA: 20 ppm
123-91-1	TWA: 3.6 mg/m ³ OEL		Skin
	Skin		
	ISHL/ACL: 10 ppm		

Personal protective equipment

Respiratory protection gas mask for organic gas (JIS T 8152) **Hand protection** gas mask for organic gas (JIS T 8152) chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

ColorcolorlessTurbidityclearAppearanceliquid

Odor characteristic odor

Melting point/freezing point 11 °C Boiling point, initial boiling point and boiling range 101 °C

Flammability Highly flammable liquid and vapor

Evaporation rate:no data available
Flammability (solid, gas):
no data available

Upper/lower flammability or explosive limits

Upper: 22 vol%
Lower: 2 vol%
Flash point 12 °C
Auto-ignition temperature: 180 °C
Decomposition temperature: no data

Decomposition temperature:no data availablepHno data availableViscosity (coefficient of viscosity)no data availableDynamic viscosityno data available

Solubilities water and Ethanol : Very soluble.

n-Octanol/water partition coefficient:(log Pow) -0.42 Vapour pressure 38.7

Specific Gravity / Relative density 1.031 - 1.036 g/mL

Vapour density 3.03

Particle characteristics no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available

Chemical stability Generates the peroxides with oxygen in the air. May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2)

Section 11: TOXICOLOGICAL INFORMATION

•						
Δ	CI.	ıte	tΛ	VI	cit	\ /

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
1,4-Dioxane	5170 mg/kg (Rat)	2100 mg/kg (Rat)	9158 ppm (Rat) 4 h

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
1,4-Dioxane			Based on the NITE GHS
,	classification results.	classification results.	classification results.

Chemical Name	*	·	Acute toxicity -inhalation mist-
	vapor- source information	source information	source information
1,4-Dioxane	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
·	classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
1,4-Dioxane	Based on the NITE GHS classification results.

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information	
1,4-Dioxane	Based on the NITE GHS classification results.	

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
1,4-Dioxane	Based on the NITE GHS classification results.

Reproductive cell mutagenicity

Chemical Name	germ cell mutagencity source information
1,4-Dioxane	Based on the NITE GHS classification results.

Carcinogenicity

Chemical Name	Carcinogenicity source information
1,4-Dioxane	Based on the NITE GHS classification results.

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
1,4-Dioxane	Reasonably	Group 2B	A3	Group 2B
123-91-1	Anticipated	1		

Reproductive toxicity

Chemical Name	Reproductive toxicity source information	
1,4-Dioxane	Based on the NITE GHS classification results.	

STOT-single exposure

Chemical Name	STOT -single exposure- source information	
1,4-Dioxane	Based on the NITE GHS classification results.	
CTOT reported expenses		

STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information	
1,4-Dioxane	Based on the NITE GHS classification results.	

Aspiration hazard

Chemical Name	Aspiration Hazard source information	
1,4-Dioxane	Based on the NITE GHS classification results.	

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
1,4-Dioxane	ErC50 : Pseudokirchneriella subcapitata	LC50 : Oryzias latipes var. > 100 mg/L 96 h	EC50 : Daphnia magna > 1000 mg/L 48 h
	> 1000 mg/L 72 h	,	, , , , , , , , , , , , , , , , , , ,

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the	
	aquatic environment source information	aquatic environment source information	
1,4-Dioxane	Based on the NITE GHS classification	Based on the NITE GHS classification	
	results.	results.	

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN1165
Proper shipping name: Dioxane
UN classfication 3

Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG

UN number UN1165
Proper shipping name: Dioxane
UN classfication 3

Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN1165
Proper shipping name: Dioxane
UN classfication 3

Subsidiary hazard class Packing group

Environmentally Hazardous Not applicable

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Category IV, Class I petroleums, dangerous grade 2 water-soluble

Poisonous and Deleterious Substances Control Law

Not applicable

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2) Group 2 Specified Chemical Substance

Substances with Health Hazards Prevention Guideline(Carcinogenicity Substance) Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1

Item 4)

Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2, 【2024.4.1~】Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

Para.1)

Industrial Safety and Health Act (

2024~)

Act on the Evaluation of **Chemical Substances and** Regulation of Their

Priority Assessment Chemical Substances (Law Article 2, Para.5)

Manufacture, etc

Regulations for the carriage

and storage of dangerous goods in ship

Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Transport by Ship and Storage, Attached Table 1)

Civil Aeronautics Law Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

Marine Pollution Prevention

Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y

Pollutant Release and Transfer Class 1

Register Law (2023.4.1-)

Class 1 - No.

Water Pollution Control Act Harmful Substances (Law Art.2, Enforcement Order Art.2, Ordinace Designating

Wastewater Standards Art.1)

Export Trade Control Order

Not applicable

Hazardous Air Pollutants **Air Pollution Control Law**

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
1,4-Dioxane 123-91-1 (99.8)	-	Applicable	Applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet