



SAFETY DATA SHEET

According to JIS Z 7253:2019 Issue Date 08-Apr-2025 Revision Number 5.09

Section 1: PRODUCT AND COMPANY IDENTIFICATION

042-31351,048-31353	
Wako Pure Chemical Corporation machi 3-Chome, Chuo-ku, Osaka 540-8605, Japan di-6-6203-3741 6-6203-2029	
3-3741 / +81-3-3270-8571 rch use only	
3	

Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Restrictions on use

Classification of the substance or mixture

CarcinogenicityCategory 1BSpecific target organ toxicity (single exposure)Category 3

Category 3 Respiratory irritation

Specific target organ toxicity (repeated exposure) Category 1

Category 1 nervous system, liver

Acute aquatic toxicity
Chronic aquatic toxicity
Category 1
Category 1





Hazard statements

H350 - May cause cancer

H335 - May cause respiratory irritation

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H372 - Causes damage to the following organs through prolonged or repeated exposure: nervous system, liver

Precautionary statements-(Prevention)

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- · Use only outdoors or in a well-ventilated area
- Avoid release to the environment

Precautionary statements-(Response)

- IF exposed or concerned: Get medical advice/attention
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Collect spillage

Precautionary statements-(Storage)

- Store locked up
- Store in a well-ventilated place. Keep container tightly closed

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula C12H10

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Biphenyl	=<100	154.21	(4)-13	*	92-52-4

Note on ISHL No.: * in the table means announced chemical substances.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions Keep container protect from light tightly closed. Store in a cool (2-10 °C) place. Packed

with an inert gas.

Glass

Safe packaging material

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Biphenyl	N/A	N/A	TWA: 0.2 ppm
92-52-4			

Chemical Name	Concentration standard value set by the Minister of Health, Labor and Welfare (8hr)	Concentration standard value set by the Minister of Health, Labor and Welfare (Short-Term)
Biphenyl 92-52-4	3 mg/m ³	N/A

Personal protective equipment

Respiratory protection Dust mask (JIS T 8151)

Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color white

Appearance crystals or crystalline powder

Odor characteristic odor
Melting point/freezing point 68 - 72 °C

Melting point/freezing point68 - 72 °CBoiling point, initial boiling point and boiling rangeno data availableFlammabilityno data availableEvaporation rate:no data availableFlammability (solid, gas):no data available

Upper/lower flammability or explosive limits

Upper: 5.8 v%Lower: 0.6 v%Flash point 113 °CAuto-ignition temperature: 540 °C

Decomposition temperature:no data availablepHno data availableViscosity (coefficient of viscosity)no data availableDynamic viscosityno data available

Solubilities acetone , Diethyl ether : freely soluble . Ethanol : soluble . water

: practically insoluble, or insoluble .

n-Octanol/water partition coefficient:(log Pow) 3.9

Vapour pressure no data available

Specific Gravity / Relative density 1.041

Vapour densityno data availableParticle characteristicsno data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available
Chemical stability May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2)

Section 11: TOXICOLOGICAL INFORMATION

*NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Biphenyl	2,140 mg/kg (Rat)	2500 mg/kg (Rabbit)	N/A

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Biphenyl	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
·	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust-	Acute toxicity -inhalation mist-

Aspiration Hazard source information

Based on the NITE GHS classification results.

	vapor- source information	source information	source information
Biphenyl	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.
kin irritation/corrosion			
	cal Name		tation source information
	henyl	Based on the NITE GHS clas	ssification results.
erious eye damage/ irritation			
Chemic	cal Name		irritation source information
Bip	henyl	Based on the NITE GHS class	ssification results.
Respiratory or skin sensitizatio	n		
Chemic	cal Name		nsitization source information
Bip	henyl	Based on the NITE GHS clas	ssification results.
Reproductive cell mutagenicity			
Chemic	cal Name	germ cell mutage	ncity source information
Biphenyl		Based on the NITE GHS class	ssification results.
Carcinogenicity		·	
Chemic	cal Name		ty source information
Bip	henyl	Based on the NITE GHS class	ssification results.
Reproductive toxicity			
Chemic	cal Name	-	dicity source information
Bip	henyl	Based on the NITE GHS clas	ssification results.
STOT-single exposure			
Chemic	cal Name		sure- source information
Bip	henyl	Based on the NITE GHS class	ssification results.
STOT-repeated exposure			
Ol:!-	cal Name	STOT -repeated exi	oosure- source information
Cnemic	Sai Naille	O.O. Jopowiew exp	

Section	12: FCOI	OGICAL	INFORMATION

^{*}NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Chemical Name

Biphenyl

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Biphenyl	ErC50 : Raphidocelis	LC50 : Oryzias latipes	EC50 : Daphnia magna
	= 0.78 mg/L 72 h	= 3.9 mg/L 96 h	= 0.36 mg/L 48 h

Other data

ı	Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
ı		aquatic environment source information	aquatic environment source information
ſ	Biphenyl	Based on the NITE GHS classification	Based on the NITE GHS classification
		results.	results.

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN3077

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Diphenyl)

UN classfication

Subsidiary hazard class

Ш Packing group Marine pollutant Yes

IMDG

UN number UN3077

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Diphenyl)

UN classfication

Subsidiary hazard class

Packing group Ш Marine pollutant (Sea) Yes

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN3077

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Diphenyl)

UN classfication

Subsidiary hazard class

Packing group Ш **Environmentally Hazardous** Yes

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Not applicable **Poisonous and Deleterious** Not applicable

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2)

Substances with Health Hazards Prevention Guideline(Carcinogenicity Substance)

Substances designated by the Minister of Health, Labor and Welfare as carcinogenic(Ordinance on Industrial Safety and Health Art.577, Para.2)

Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1) Noxious Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Regulations for the carriage and storage of dangerous

Transport by Ship and Storage, Attached Table 1)

goods in ship

Civil Aeronautics Law Misellaneous Dangerous Substances and Articles (Ordinance Art.194, MITL Nortification

for Air Transportation of Explosives etc., Attached Table 1)

Marine Pollution Prevention Enforcement ordinance Appendix No. 1 Noxious liquid substance Category X

Marine pollutants (P and PP substances)

Pollutant Release and Transfer Class 1

Register Law (2023.4.1-)

Class 1 - No.

Air Pollution Control Law Hazardous Air Pollutants

Chemical Name	Poisonous and Deleterious	Industrial Safety and Health Act	Pollutant Release and Transfer
	Substances Control Law	Substances	Register Law
		(Law Art.57-2)	(2023.4.1-)
Biphenyl	-	Applicable	Applicable
92-52-4 (=<100)			

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions

The following contents were revised. Hazards identification. Toxicological information.

Ecological information. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet