



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 04-Oct-2023

Revision Number 3.04

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Diisopropyl Ether, Super Dehydrated		
Product Code	046-33191,042-33193,048-33195		
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741		

Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571 **Recommended uses** For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Flammable liquids Category 2
Specific target organ toxicity (single exposure) Category 3
Category 3 Respiratory irritation, Narcotic effects

Acute aquatic toxicity
Chronic aquatic toxicity
Category 3
Category 3

Pictograms





Signal word

Danger

Hazard statements

H225 - Highly flammable liquid and vapor

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H412 - Harmful to aquatic life with long lasting effects

H402 - Harmful to aquatic life

Precautionary statements-(Prevention)

- Avoid breathing dust/fume/gas/mist/vapors/spray
- Use only outdoors or in a well-ventilated area
- Avoid release to the environment
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- · Keep container tightly closed
- · Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- Use only non-sparking tools
- Take precautionary measures against static discharge
- Wear protective gloves/protective clothing/eye protection/face protection
- Keep cool

Precautionary statements-(Response)

- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- In case of fire: Use suitable extinguishing media for extinction

Precautionary statements-(Storage)

- Store in a well-ventilated place. Keep container tightly closed
- Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula [(CH3)2CH]2O

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Diisopropyl Ether	99.0	102.17	(2)-362	*	108-20-3

Note on ISHL No.: * in the table means announced chemical substances.

Impurities and/or Additives: Not applicable

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method

No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed. Packed with an inert gas. Glass

Safe packaging material

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Diisopropyl Ether	N/A	N/A	STEL: 310 ppm
108-20-3			TWA: 250 ppm

Personal protective equipment

Respiratory protectiongas mask for organic gas (JIS T 8152)Hand protectionchemical protective gloves (JIS T 8116)Eye protectionprotective eyeglasses or chemical safety goggles

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color colorless **Turbidity** clear liauid **Appearance**

characteristic odor Odor

-60 °C Melting point/freezing point 68 °C Boiling point, initial boiling point and boiling range

Flammability Highly flammable liquid and vapor

Evaporation rate: no data available no data available Flammability (solid, gas):

Upper/lower flammability or

explosive limits

7.9 % Upper: Lower: 1.4 % Flash point -28 °C **Auto-ignition temperature:** 405 °C

Decomposition temperature: no data available no data available рΗ Viscosity (coefficient of viscosity) no data available

Dynamic viscosity no data available

Ethanol, Diethyl ether: Very soluble. water: insoluble. **Solubilities**

n-Octanol/water partition coefficient:(log Pow) 1.52 20 kPa Vapour pressure

Specific Gravity / Relative density 0.720 - 0.730 g/mL Vapour density 3.5 (air = 1)**Particle characteristics** no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available Chemical stability May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials Strong oxidizing agents

Hazardous decomposition products

Peroxides, Carbon monooxide (CO), Carbon dioxide (CO2)

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Diisopropyl Ether	4600 mg/kg (Rat)	20 mL/kg (14516 mg/kg)	>16000 ppm (Rat)
		(Rabbit)	

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
			Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Diisopropyl Ether	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information

	Diisopropyl Ether	Based on the NITE GHS classification results.
Serious eye dama	ge/ irritation	·
	Chemical Name	Serious eye damage/irritation source information
	Diisopropyl Ether	Based on the NITE GHS classification results.
Respiratory or ski	n sensitization	·
	Chemical Name	Respiratory or Skin sensitization source information
	Diisopropyl Ether	Based on the NITE GHS classification results.
Reproductive cell	mutagenicity	·
	Chemical Name	germ cell mutagencity source information
	Diisopropyl Ether	Based on the NITE GHS classification results.
Carcinogenicity		·
	Chemical Name	Carcinogenicity source information
	Diisopropyl Ether	Based on the NITE GHS classification results.

Reproductive toxicity

Chemical Name	Reproductive toxicity source information
Diisopropyl Ether	Based on the NITE GHS classification results.
STOT-single exposure	
Chemical Name	STOT -single exposure- source information
Diisopropyl Ether	Based on the NITE GHS classification results.
STOT-repeated exposure	
Chemical Name	STOT -repeated exposure- source information
Diisopropyl Ether	Based on the NITE GHS classification results.
Aspiration hazard	
Chomical Namo	Asniration Hazard source information

Aspiration nazaru			
Chemical Name	Aspiration Hazard source information		
Diisopropyl Ether	Based on the NITE GHS classification results.		

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Diisopropyl Ether	N/A	LC50:Pimephales promelas	N/A
		91.7 mg/L 96 h	

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
Diisopropyl Ether	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN1159

Proper shipping name: diisopropyl ether

UN classfication

Subsidiary hazard class

Packing group Ш

Marine pollutant Not applicable

IMDG

UN1159 **UN** number

Proper shipping name: diisopropyl ether

UN classfication

Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN1159 **UN** number

Proper shipping name: diisopropyl ether

UN classfication

Subsidiary hazard class

Packing group

Not applicable **Environmentally Hazardous**

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Category IV, Class I petroleums, dangerous grade 2 **Fire Service Act**

Not applicable

Poisonous and Deleterious

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57,

Para.1, Enforcement Order Art.18)

Notifiable Substances (Law Art.57-2, Enforcement Oder Art.18-2 Attached Table

No.9)No.46

Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1

Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Item 4)

Regulations for the carriage

and storage of dangerous

goods in ship

Civil Aeronautics Law Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of

Transport by Ship and Storage, Attached Table 1)

Explosives etc., Attached Table 1)

Marine Pollution Prevention

I aw

Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y

Pollutant Release and Transfer Not applicable

Register Law

(2023.4.1-)

Export Trade Control Order Not applicable

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Diisopropyl Ether 108-20-3 (99.0)	-	Applicable	-

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances

Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet