



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 29-Feb-2024

Revision Number 1.08

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Dioxathion Standard(mixture of isomers)	
Product Code	049-34041	

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Acute toxicity - OralCategory 2Acute toxicity - DermalCategory 2Acute toxicity - Inhalation (Vapors)Category 2Serious eye damage/eye irritationCategory 2BSpecific target organ toxicity (single exposure)Category 1

Category 1 nervous system

Specific target organ toxicity (repeated exposure) Category 1

Category 1 nervous system

Acute aquatic toxicity
Chronic aquatic toxicity
Category 1
Category 1

Pictograms



Hazard statements

H320 - Causes eve irritation

H300 - Fatal if swallowed

H310 - Fatal in contact with skin

H330 - Fatal if inhaled

H410 - Very toxic to aquatic life with long lasting effects

H400 - Very toxic to aquatic life

H370 - Causes damage to the following organs: nervous system

H372 - Causes damage to the following organs through prolonged or repeated exposure: nervous system

Precautionary statements-(Prevention)

- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product
- · Do not get in eyes, on skin, or on clothing

- Wear protective gloves/protective clothing/eye protection/face protection
- Do not breathe dust/fume/gas/mist/vapors/spray
- Avoid release to the environment

Precautionary statements-(Response)

- IF exposed: Call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF ON SKIN: Gently wash with plenty of soap and water
- Immediately call a POISON CENTER or doctor/physician
- · Remove/Take off immediately all contaminated clothing
- · Wash contaminated clothing before reuse
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- · Rinse mouth
- Collect spillage

Precautionary statements-(Storage)

· Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula C12H26O6P2S4

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Dioxathion	95.0	456.54	N/A	N/A	78-34-2

Note on ISHL No.: * in the table means announced chemical substances.

Substances Remarks: This product is composed of isomer mixture.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity)

Storage

Safe storage conditions

Storage conditions Keep container protect from light tightly closed. Store in a cool (2-10 °C) place. Packed

with an inert gas. Store locked up.

Safe packaging material

Glass

Incompatible substances

Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Dioxathion	N/A	N/A	TWA: 0.1 mg/m³ inhalable
78-34-2			fraction and vapor
			Skin

Personal protective equipment

Respiratory protection gas mask for organic gas (JIS T 8152) **Hand protection** chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to

them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color Slight yellow - yellow

Turbidity clear
Appearance liquid

Odor no data available

Melting point/freezing point -20 °C

Boiling point, initial boiling point and boiling range no data available Flammability no data available Evaporation rate: no data available Flammability (solid, gas): no data available

Upper/lower flammability or explosive limits

no data available Upper: Lower: no data available Flash point no data available **Auto-ignition temperature:** no data available no data available **Decomposition temperature:** рΗ no data available Viscosity (coefficient of viscosity) no data available no data available Dynamic viscosity

Solubilities Ethanol , acetone : soluble . water : practically insoluble,or

insoluble .

n-Octanol/water partition coefficient:(log Pow) 3.45

Vapour pressure no data available

Specific Gravity / Relative density 1.26

Vapour densityno data availableParticle characteristicsno data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available **Chemical stability** May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Sulfur oxides (SOx), Phosphorus oxide

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Dioxathion	23 mg/kg (Rat)	235 mg/kg (Rat) 63 mg/kg (Rat)	1398 mg/m³ (Rat) 1 h

Chemical Name		•	Acute toxicity -inhalation gas-
	information	information	source information
Dioxathion	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust-	Acute toxicity -inhalation mist-
	vapor- source information	source information	source information
Dioxathion	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Dioxathion	Based on the NITE GHS classification results.
Serious eve damage/ irritation	

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information
Dioxathion	Based on the NITE GHS classification results.

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
Dioxathion	Based on the NITE GHS classification results.

Reproductive cell mutagenicity

	Chemical Name		germ cell mutagencity source information
		Dioxathion	Based on the NITE GHS classification results.
_			

Carcinogenicity

Chemical Name	Carcinogenicity source information
Dioxathion	Based on the NITE GHS classification results.

Reproductive toxicity

Chemical Name	Reproductive toxicity source information
Dioxathion	Based on the NITE GHS classification results.

STOT-single exposure

Chemical Name	STOT -single exposure- source information		
Dioxathion	Based on the NITE GHS classification results.		
STOT-repeated exposure			

STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information		
Dioxathion	Based on the NITE GHS classification results.		

Aspiration hazard

Chemical Name	Aspiration Hazard source information	
Dioxathion	Based on the NITE GHS classification results.	

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

	Chemical Name	Algae/aquatic plants	Fish	Crustacea
Ī	Dioxathion	N/A	N/A	EC50 : Daphnia magna
				0.35 ug/L 48 h

Other data

Other data					
	Chemical Name	Short-term (acute)	hazardous to the	Long-term (chronic)	hazardous to the
		aquatic environment	source information	aquatic environment	source information
	Dioxathion	Based on the NITE GH	IS classification	Based on the NITE GH	S classification
		results.		results.	

Persistence and degradability
Bioaccumulative potential
Mobility in soil

No information available
No information available
No information available

Hazard to the ozone layer No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN3278

Proper shipping name: Organophosphorus compound, toxic, liquid, n.o.s. (Dioxathion)

UN classfication 6.1

Subsidiary hazard class

Packing group II Marine pollutant Yes

IMDG

UN number UN3278

Proper shipping name: Organophosphorus compound, liquid, toxic, n.o.s. (Dioxathion)

UN classfication 6.1

Subsidiary hazard class

Packing group II
Marine pollutant (Sea) Yes

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN3278

Proper shipping name: Organophosphorus compound, liquid, toxic, n.o.s. (Dioxathion)

UN classfication 6.1

Subsidiary hazard class

Packing group II Environmentally Hazardous Yes

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Not applicable

Poisonous and Deleterious Deleterious Substances 3rd. Grade

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2)

Industrial Safety and Health Act (2024~)

Toxic Substances - Poison (Ordinance Art.3, Ministry of Transportation Ordinance

【2024.4.1~】Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

Regulations for the carriage and storage of dangerous

Regarding Transport by Ship and Storage, Attached Table 1)

goods in ship

Civil Aeronautics Law

Toxic and Infectious Substances (Ordinance Art.194, MITL Nortification for Air

Transportation of Explosives etc., Attached Table 1)

Marine Pollution Prevention Marine pollutants (P and PP substances)

∟aw

Pollutant Release and Transfer Not applicable

Register Law (2023.4.1-)

Export Trade Control Order Not applicable

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Dioxathion 78-34-2 (95.0)	Applicable	Applicable	-

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet