



# SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 26-Feb-2024 Revision Number 3.05

# Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Bromoethane
Product Code	057-00613,051-00616
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029
Emergency telephone number Recommended uses	+81-6-6203-3741 / +81-3-3270-8571 For research use only
Restrictions on use	Seek expert judgment when using for purposes other than those recommended.

# Section 2: HAZARDS IDENTIFICATION

GHS classification <u>Classification of the substance or mixture</u> Flammable liquids Acute toxicity - Oral Serious eye damage/eye irritation Carcinogenicity Reproductive Toxicity Specific target organ toxicity (single exposure) Category 1 nervous system, respiratory system Category 3 Narcotic effects Specific target organ toxicity (repeated exposure) Category 2 central nervous system

Category 4 Category 2A Category 2 Category 2 Category 1, Category 3

Category 2

Category 2

#### Pictograms



#### olgilal hola

#### **Hazard statements**

- H225 Highly flammable liquid and vapor
- H319 Causes serious eye irritation
- H302 Harmful if swallowed
- H351 Suspected of causing cancer
- H361 Suspected of damaging fertility or the unborn child
- H336 May cause drowsiness or dizziness
- H370 Causes damage to the following organs: nervous system, respiratory system
- H373 May cause damage to the following organs through prolonged or repeated exposure: central nervous system

# Precautionary statements-(Prevention)

- Obtain special instructions before use
- · Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required

- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- · Use only outdoors or in a well-ventilated area
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Keep container tightly closed
- · Ground/bond container and receiving equipment
- · Use explosion-proof electrical/ ventilating / lighting / equipment
- · Use only non-sparking tools
- Take precautionary measures against static discharge
- Keep cool

#### **Precautionary statements-(Response)**

- · IF exposed: Call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsina
- · If eye irritation persists: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- · Call a POISON CENTER or doctor/physician if you feel unwell
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- · Rinse mouth
- · In case of fire: Use suitable extinguishing media for extinction
- **Precautionary statements-(Storage)** 
  - Store in a well-ventilated place. Keep container tightly closed
  - Store locked up
- **Precautionary statements-(Disposal)** 
  - · Dispose of contents/container to an approved waste disposal plant

#### Others Other hazards

### Not available

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture

Substance

#### Formula

# C2H5Br

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Bromoethane	98.0	108.97	(9)-518	*	74-96-4
Note on ISHL No.: * in the table means announced chemical substances.					

\* in the table means announced chemical substances.

# Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

#### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

### Protection of first-aiders

Use personal protective equipment as required.

# Section 5: FIRE FIGHTING MEASURES

### Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

### Unsuitable extinguishing media

No information available

### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method

No information available

# Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

# Section 6: ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

#### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

### Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization No information available

# Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

# Section 7: HANDLING AND STORAGE

## Handling

### Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

### Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

### Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

### Storage

 

 Safe storage conditions
 Keep container protect from light, store in well-ventilated place at room temperature (preferably cool). Keep container tightly closed. Store locked up.

 Safe packaging material Incompatible substances
 Glass Strong oxidizing agents

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and hand-

and eye-wash facility. And display their position clearly.

#### Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Bromoethane	N/A	N/A	TWA: 5 ppm
74-96-4			Skin

#### Personal protective equipment

Respiratory protectiongas mask for organic gas (JIS T 8152)Hand protectionchemical protective gloves (JIS T 8116)Eye protectionprotective eyeglasses or chemical safety goggles (JIS T 8147)Skin and body protectionLong-sleeved work clothes

# General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color
Turbidity
Appearance
Odor
Melting point/freezing point
Boiling point, initial boiling point and boiling range
Flammability
Evaporation rate:
Flammability (solid, gas):
Upper/lower flammability or explosive limits
Upper:
Lower:
Flash point
Auto-ignition temperature:
Decomposition temperature:
рН
Viscosity (coefficient of viscosity)
Dynamic viscosity
Solubilities
n-Octanol/water partition coefficient:(log Pow)
Vapour pressure
Specific Gravity / Relative density
Vapour density
Particle characteristics

Colorless - slightly yellow clear liquid characteristic odor -119 °C 38 °C Highly flammable liquid and vapor no data available no data available

8.0 vol% 6.8 vol% <-20 °C no data available no data available no data available no data available ethanol, acetone : Very soluble. water : slightly soluble . 1.51 no data available 1.460 - 1.470 g/mL 3.76 no data available

# Section 10: STABILITY AND REACTIVITY

#### Stability

 Reactivity
 no data available

 Chemical stability
 May be altered by light.

 Hazardous reactions
 None under normal processing

 Conditions to avoid
 Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

 Incompatible materials
 Strong oxidizing agents

 Hazardous decomposition products
 Carbon monooxide (CO), Carbon dioxide (CO2), Halides

# Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Acute toxicity					
Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50		
Bromoethane	1350 mg/kg (Rat)	N/A	8273 ppm (Rat)4 h		
Chemical Name	Acute toxicity -oral- source	Acute toxicity -dermal- source	Acute toxicity -inhalation gas-		
	information	information	source information		
Bromoethane	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS		
	classification results.	classification results.	classification results.		
Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust	- Acute toxicity -inhalation mist-		
	vapor- source information	source information	source information		
Bromoethane	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS		
	classification results.	classification results.	classification results.		
Skin irritation/corrosion					
Chemical Name		Skin corrosion/irrita	Skin corrosion/irritation source information		
Bromoethane		Based on the NITE GHS class	Based on the NITE GHS classification results.		
Serious eye damage/ irritation					
Chemical Name		Serious eye damage/ir	Serious eye damage/irritation source information		
Bromoethane		Based on the NITE GHS class	Based on the NITE GHS classification results.		
Respiratory or skin sensitization	on				
Chemi	Chemical Name		sitization source information		
Bromoethane		Based on the NITE GHS class	Based on the NITE GHS classification results.		

Chemical Name	Skin corrosion/irritation source information
Bromoethane	Based on the NITE GHS classification results.
Serious eye damage/ irritation	
Chemical Name	Serious eye damage/irritation source information
Bromoethane	Based on the NITE GHS classification results.
Respiratory or skin sensitization	
Chemical Name	Respiratory or Skin sensitization source information
Bromoethane	Based on the NITE GHS classification results.
Reproductive cell mutagenicity	
Chemical Name	germ cell mutagencity source information
Bromoethane	Based on the NITE GHS classification results.
Carcinogenicity	
Chemical Name	Carcinogenicity source information
Bromoethane Based on the NITE GHS classification results.	

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
Bromoethane		Group 3	A3	
74-96-4				
Reproductive toxicity	~			
Chemical Name		Reproductive toxicity source information		
Bromoethane		Based on the NITE GH	IS classification res	sults.
STOT-single exposure				
Chemical Name		STOT -single exposure- source information		
Bromoethane		Based on the NITE GHS classification results.		
STOT-repeated exposure				
Chemical Name		STOT -repeate	ed exposure- sour	ce information
Bromoethane		Based on the NITE GHS classification results.		
Aspiration hazard				
Chemical Name		Aspiratio	n Hazard source i	nformation
Bromoethane		Based on the NITE GHS classification results.		sults.

# Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

No information available

# Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information
Bromoethane	Based on the NITE GHS classification	Based on the NITE GHS classification

	results.	results.
Persistence and degradability	Degree of decomposition: 33 % by E	
Bioaccumulative potential	No information available	
Mobility in soil	No information available	
Hazard to the ozone layer	No information available	
······································		
Se	ction 13: DISPOSAL CONS	IDERATIONS
Waste from residues		
Disposal should be in accordance	with applicable regional, national and	local laws and regulations.
Contaminated container and conta	minated packaging	-
Disposal should be in accordance	with applicable regional, national and	local laws and regulations.
S	ection 14: TRANSPORT INF	ORMATION
ADR/RID		
UN number	UN1891	
Proper shipping name:	Ethyl bromide	
UN classfication	6.1	
Subsidiary hazard class		
Packing group	II	
Marine pollutant	Not applicable	
IMDG		
UN number	UN1891	
Proper shipping name:	Ethyl bromide	
UN classfication	6.1	
Subsidiary hazard class		
Packing group	II	
Marine pollutant (Sea)	Not applicable	
Transport in bulk according to	No information available	
Annex II of MARPOL 73/78 and		
the IBC Code		
ΙΑΤΑ		
UN number	UN1891	
Proper shipping name:	Ethyl bromide	
UN classfication	6.1	
Subsidiary hazard class	11	
Packing group		
Environmentally Hazardous Substance	Not applicable	
Gubstande		
Se	ction 15: REGULATORY IN	FORMATION
Japanese regulations		
Fire Service Act	Category IV, Class I petroleums, dan	gerous grade 2
Poisonous and Deleterious	Deleterious Substances 2nd. Grade	
Substances Control Law		
	Harmful Substances Whose Names A	Are to be Indicated on the Label (Law Art.57)
	Notifiable Substances (Law Art.57-2)	· /
		Substance (Enforcement Order Attached Table 1

 

 Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1 Item 4)

 Industrial Safety and Health Act (

 (2024.4.1~) Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

Regulations for the carriage<br/>and storage of dangerousToxic Substances - Poison (Ordinance Art.3, Ministry of Transportation Ordinance<br/>Regarding Transport by Ship and Storage, Attached Table 1)

2024~)

goods in ship

Civil Aeronautics Law	Toxic and Infectious Substances (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc., Attached Table 1)
Pollutant Release and Transfer Register Law (2023.4.1-)	Not applicable
Export Trade Control Order	Not applicable

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Bromoethane 74-96-4 ( 98.0 )	Applicable	Applicable	-

# **Section 16: OTHER INFORMATION**

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc
Record of SDS revisions	The following contents were revised. Regulatory information.

#### **Record of SDS revisions** Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

### End of Safety Data Sheet