



SAFETY DATA SHEET

According to JIS Z 7253:2019 Issue Date 04-Jul-2025 Revision Number 2.06

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Ethyl Hexanoate
Product Code	056-00683,050-00686

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Flammable liquids Category 3
Acute aquatic toxicity Category 2
Chronic aquatic toxicity Category 2

Pictograms





Signal word

Warning

Hazard statements

H226 - Flammable liquid and vapour

H401 - Toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

Precautionary statements-(Prevention)

- · Avoid release to the environment
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- · Keep container tightly closed
- · Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- Use only non-sparking tools
- Take precautionary measures against static discharge
- Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements-(Response)

- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- In case of fire: Use suitable extinguishing media for extinction
- Collect spillage

Precautionary statements-(Storage)

• Store in a well-ventilated place. Keep cool

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula CH3(CH2)4COOC2H5

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Ethyl hexanoate	95.0	144.21	(2)-782	2-(6)-668	123-66-0

* in the table means announced chemical substances.

Note on ISHL No.:

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eve contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use with local exhaust ventilation. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions Store away from sunlight in well-ventilated place at room temperature (preferably cool).

Keep container tightly closed.

Safe packaging material

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Personal protective equipment

Respiratory protection gas mask for organic gas (JIS T 8152) **Hand protection** chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

ColorcolorlessTurbidityclearAppearanceliquid

Odor characteristic odor

Melting point/freezing point no data available

Boiling point, initial boiling point and boiling range 168 °C

Flammability Flammable liquid and vapor

Evaporation rate:no data available
Flammability (solid, gas):
no data available

Upper/lower flammability or explosive limits

Upper:no data availableLower:no data available

Flash point 56 °C

Auto-ignition temperature:no data availableDecomposition temperature:no data availablepHno data availableViscosity (coefficient of viscosity)no data availableDynamic viscosityno data available

Solubilities Ethanol and acetone: Very soluble. water: practically

insoluble,or insoluble .
no data available

n-Octanol/water partition coefficient:(log Pow)no data available **Vapour pressure**no data available

Specific Gravity / Relative density

0.868 - 0.875 g/mL (20°C)

Vapour densityno data availableParticle characteristicsno data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available

Chemical stability Stable under recommended storage conditions.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2)

Section 11: TOXICOLOGICAL INFORMATION

*NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Acute toxicity

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Ethyl hexanoate			Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Ethyl hexanoate	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
,	classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information		
Ethyl hexanoate	Based on the NITE GHS classification results.		
Serious eve damage/ irritation			

 Chemical Name
 Serious eye damage/irritation source information

 Ethyl hexanoate
 Based on the NITE GHS classification results.

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information	
Ethyl hexanoate	Based on the NITE GHS classification results.	

Reproductive cell mutagenicity

Chemical Name	germ cell mutagencity source information
Ethyl hexanoate	Based on the NITE GHS classification results.
Carcinogenicity	
Chemical Name	Carcinogenicity source information
Ethyl hexanoate	Based on the NITE GHS classification results.
Chemical Name	Reproductive toxicity source information
Reproductive toxicity Chemical Name	Reproductive toxicity source information
Ethyl hexanoate	Based on the NITE GHS classification results.
Ethyl hexanoate STOT-single exposure	Based on the NITE GHS classification results.
,	Based on the NITE GHS classification results. STOT -single exposure- source information
STOT-single exposure	

Chemical Name	STOT -repeated exposure- source information	
Ethyl hexanoate	Based on the NITE GHS classification results.	

Aspiration hazard

Chemical Name	Aspiration Hazard source information	
Ethyl hexanoate	Based on the NITE GHS classification results.	

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

	Chemical Name	Algae/aquatic plants	Fish	Crustacea
ſ	Ethyl hexanoate	N/A	LC50 : Pimephales promelas	N/A
	-		8.94 mg/L 96 h	

Other data

Chemical Name Short-term (acute) hazardous to the		Long-term (chronic) hazardous to the	
	,	aquatic environment source information	
Ethyl hexanoate E	Based on the NITE GHS classification	Based on the NITE GHS classification	
r	results.	results.	

Persistence and degradability No information available **Bioaccumulative potential** No information available Mobility in soil No information available No information available Hazard to the ozone layer

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN3272

Proper shipping name: Esters, n.o.s. (Ethyl hexanoate)

UN classfication

Subsidiary hazard class

Ш **Packing group** Marine pollutant Yes

^{*}NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

IMDG

UN3272 **UN** number

Proper shipping name: Esters, n.o.s. (Ethyl hexanoate)

UN classfication

Subsidiary hazard class

Ш Packing group Marine pollutant (Sea) Yes

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN3272 **UN** number

Proper shipping name: Esters, n.o.s. (Ethyl hexanoate)

UN classfication

Subsidiary hazard class

Ш **Packing group Environmentally Hazardous** Yes

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Category IV, Class II petroleums, dangerous grade 3

Poisonous and Deleterious Not applicable

Substances Control Law

Industrial Safety and Health Act Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1

Item 4) 【2026.4.1~】 Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Industrial Safety and Health Act (

2026~)

Regulations for the carriage

and storage of dangerous

goods in ship

Civil Aeronautics Law

Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)

【2026.4.1~】Notifiable Substances (Law Art.57-2)

Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

Pollutant Release and Transfer Class 2

Register Law (2023.4.1-)

Class 2 - No. 812

Industrial Safety and Health Law

Law Name	Chemical Name in Regulation	Weight %	Scheduled enforcement date
Notifiable Substances (Law Art.57-2)	Ethyl hexanoate (alias: Ethyl	95.0	2026/4/1
	caproate)		

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Ethyl hexanoate 123-66-0 (95.0)	-	-	Applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions

The following contents were revised. Prodauct and company Identification. Exposure controls/personal protection. Physical and chemical properties. Ecological information. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet