



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 26-Feb-2024 Revision Number 2.04

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	1,2-Dichloroethane
Product Code	053-00877,055-00876

FUJIFILM Wako Pure Chemical Corporation **Supplier**

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

+81-6-6203-3741 / +81-3-3270-8571 **Emergency telephone number**

Recommended uses For research use only

Restrictions on use Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Category 2 Flammable liquids **Acute toxicity - Oral** Category 4 Category 3 Acute toxicity - Inhalation (Vapors) Category 2B Serious eye damage/eye irritation Carcinogenicity Category 1B

Category 1, Category 3 Specific target organ toxicity (single exposure)

Category 1 central nervous system, respiratory system, cardiovascular system, blood system, liver, kidneys, Digestive

Category 3 Narcotic effects

Specific target organ toxicity (repeated exposure)

Category 1, Category 2

Category 1 nervous system, liver, cardiovascular system, thyroid gland Category 2 blood system, kidneys

Category 3 Acute aquatic toxicity

Pictograms



Hazard statements

H225 - Highly flammable liquid and vapor

H320 - Causes eye irritation H302 - Harmful if swallowed H331 - Toxic if inhaled

H350 - May cause cancer

H336 - May cause drowsiness or dizziness

H402 - Harmful to aquatic life

H370 - Causes damage to the following organs: central nervous system, respiratory system, cardiovascular system, blood system, liver, kidneys, Digestive tract

H372 - Causes damage to the following organs through prolonged or repeated exposure: nervous system, liver,

cardiovascular system, thyroid gland

H373 - May cause damage to the following organs through prolonged or repeated exposure: blood system, kidneys

Precautionary statements-(Prevention)

- · Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- · Use only outdoors or in a well-ventilated area
- · Do not breathe dust/fume/gas/mist/vapors/spray
- · Avoid release to the environment
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- · Keep container tightly closed
- · Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- · Use only non-sparking tools
- Take precautionary measures against static discharge
- Keep cool

Precautionary statements-(Response)

- IF exposed: Call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth
- In case of fire: Use suitable extinguishing media for extinction

Precautionary statements-(Storage)

- Store locked up
- · Store in a well-ventilated place. Keep container tightly closed

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula CH2CICH2CI

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
1,2-Dichloroethane	98.0	98.96	(2)-54	2-(13)-23	107-06-2

Note on ISHL No.: * in the table means announced chemical substances.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly closed.

Safe packaging material Glass, Iron

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
1,2-Dichloroethane	TWA: 10 ppm OEL	ISHL/ACL: 10 ppm	TWA: 10 ppm
107-06-2	TWA: 40 mg/m ³ OEL		
	ISHL/ACL: 10 ppm		

Personal protective equipment

Respiratory protection gas mask for organic gas (JIS T 8152) **Hand protection** chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

ColorcolorlessTurbidityclearAppearanceliquid

Odor characteristic odor

Melting point/freezing point -36 °C
Boiling point, initial boiling point and boiling range 84 °C

Flammability Highly flammable liquid and vapor

Evaporation rate:no data available
Flammability (solid, gas):
no data available

Upper/lower flammability or explosive limits

Decomposition temperature:no data availablepHno data availableViscosity (coefficient of viscosity)no data availableDynamic viscosityno data available

Solubilities Ethanol , Diethyl ether : Very soluble . water : slightly soluble .

n-Octanol/water partition coefficient:(log Pow)no data availableVapour pressureno data availableSpecific Gravity / Relative density1.251-1.261g/ml

Vapour density 3.35

Particle characteristics no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available May be altered by light. Chemical stability

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Halides

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
1,2-Dichloroethane	670 mg/kg (Rat)	2800 mg/kg (Rabbit)	1000 ppm (Rat) 4 h

Chemical Name	Chemical Name Acute toxicity -oral- source		Acute toxicity -inhalation gas-	
	information	information	source information	
1,2-Dichloroethane	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS	
	classification results.	classification results.	classification results.	

Chemical Name	Acute toxicity -inhalation		Acute toxicity -inhalation mist-
	vapor- source information	source information	source information
1,2-Dichloroethane	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
·	classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
1,2-Dichloroethane	Based on the NITE GHS classification results.

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information
1,2-Dichloroethane	Based on the NITE GHS classification results.

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information		
1,2-Dichloroethane	Based on the NITE GHS classification results.		

Reproductive cell mutagenicity

Chemical Name	germ cell mutagencity source information		
1,2-Dichloroethane	Based on the NITE GHS classification results.		

Carcinogenicity

Chemical Name	Carcinogenicity source information
1,2-Dichloroethane	Based on the NITE GHS classification results.

	Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
ſ	1,2-Dichloroethane	Reasonably	Group 2A	-	Group 2B
	107-06-2	Anticipated	Group 2B		

Reproductive toxicity

Chemical Name	Reproductive toxicity source information		
1,2-Dichloroethane	Based on the NITE GHS classification results.		
STOT-single expection			

STOT-single exposure

Chemical Name	STOT -single exposure- source information	
1,2-Dichloroethane	Based on the NITE GHS classification results.	

STOT-repeated exposure

Chemical Name	5101 -repeated exposure- source information
1,2-Dichloroethane	Based on the NITE GHS classification results.
Aspiration hazard	

Chemical Name	Aspiration Hazard source information	
1,2-Dichloroethane	Based on the NITE GHS classification results.	

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
1,2-Dichloroethane	EC50:Desmodesmus	LC50:Pimephales promelas	LC50 : Artemia salina
	subspicatus	110 - 123 mg/L 96 h	12.8 mg/L 48 h
	166 mg/L 96 h	LC50:Lepomis macrochirus 230	-
	static EC50:Pseudokirchneriella	- 710 mg/L 96 h	
	subcapitata	LC50:Oncorhynchus mykiss	
	433 mg/L 96 h	225 mg/L 96 h	

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information
1,2-Dichloroethane	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability Degree of decomposition: 0 % by BOD (METI Existing chemical safety inspections)

Bioaccumulative potential No information available Mobility in soil No information available Hazard to the ozone layer No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN1184 **UN** number

Proper shipping name: Ethylene dichloride

UN classfication Subsidiary hazard class 6.1 Packing group

Marine pollutant Not applicable

IMDG

UN1184 **UN** number

Ethylene dichloride Proper shipping name:

UN classfication Subsidiary hazard class 6.1 Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN1184 **UN number**

Proper shipping name: Ethylene dichloride

UN classfication 3 Subsidiary hazard class 6.1 Packing group

Environmentally Hazardous

Substance

Not applicable

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Category IV, Class I petroleums, dangerous grade 2

Poisonous and Deleterious

Not applicable **Substances Control Law**

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2) Group 2 Specified Chemical Substance

Substances with Health Hazards Prevention Guideline(Carcinogenicity Substance) Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1

Item 4)

Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2,

[2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

Para.1)

Industrial Safety and Health Act (

2024~)

Act on the Evaluation of **Chemical Substances and** Regulation of Their Manufacture, etc.

Priority Assessment Chemical Substances (Law Article 2, Para.5)

Regulations for the carriage

and storage of dangerous goods in ship

Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Transport by Ship and Storage, Attached Table 1)

Civil Aeronautics Law Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

Marine Pollution Prevention Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y

Pollutant Release and Transfer Class 1

Register Law (2023.4.1-)

> 157 Class 1 - No.

Water Pollution Control Act Harmful Substances (Law Art.2, Enforcement Order Art.2, Ordinace Designating

> Wastewater Standards Art.1) Appendix 2 Export Approval Item

Export Trade Control Order Priority Chemical Substances Air Pollution Control Law Soil Contamination Control LawDesignated Hazardous Substances

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
1,2-Dichloroethane 107-06-2 (98.0)	-	Applicable	Applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions

The following contents were revised. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our

knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet