



# SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 10-May-2023

Revision Number 3.05

## Section 1: PRODUCT AND COMPANY IDENTIFICATION

<b>D</b> 1 (1)	D'. 0. 1 E 0	
Product Name	Diethyl Ether	
Product Code	058-01167,052-01165,050-01161	
Manufacturer	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome Chuo-ku, Osaka 540-8605, Japan	
Supplier	Phone: +81-6-6203-3741 Fax: +81-6-6203-5964 FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029	
Emergency telephone number Recommended uses Restrictions on use	+81-6-6203-3741 / +81-3-3270-8571 For research use only Seek expert judgment when using for purposes other than those recommended.	

## **Section 2: HAZARDS IDENTIFICATION**

**GHS** classification

Classification of the substance or mixture

Flammable liquids

Acute toxicity - Oral

Serious eye damage/eye irritation

Reproductive Toxicity

Specific target organ toxicity (single exposure)

Category 2

Category 2

Category 3

Category 3 Respiratory irritation, Narcotic effects

Specific target organ toxicity (repeated exposure) Category 1

Category 1 central nervous system









Signal word

Danger

### **Hazard statements**

H224 - Extremely flammable liquid and vapor

H320 - Causes eye irritation H302 - Harmful if swallowed

H361 - Suspected of damaging fertility or the unborn child

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H372 - Causes damage to the following organs through prolonged or repeated exposure: central nervous system

### **Precautionary statements-(Prevention)**

- · Obtain special instructions before use
- · Do not handle until all safety precautions have been read and understood

- Use personal protective equipment as required
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Use only outdoors or in a well-ventilated area
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Keep container tightly closed
- · Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- Use only non-sparking tools
- Take precautionary measures against static discharge
- · Keep cool

#### Precautionary statements-(Response)

- IF exposed or concerned: Get medical advice/attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth
- In case of fire: Use CO2, dry chemical, or foam for extinction

### **Precautionary statements-(Storage)**

- Store locked up
- Store in a well-ventilated place. Keep container tightly closed

#### Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

**Others** 

Other hazards Not available

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula C2H5OC2H5

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Diethyl Ether	99.0	74.12	(2)-365,(2)-361	*	60-29-7

Note on ISHL No.: \* in the table means announced chemical substances.

Impurities and/or Additives: [Stabilizer] 2,6-Di-t-butyl-4-methylphenol (BHT) about 3ppm

### **Section 4: FIRST AID MEASURES**

#### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

#### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

#### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

#### **Protection of first-aiders**

Use personal protective equipment as required.

### **Section 5: FIRE FIGHTING MEASURES**

#### Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

## Unsuitable extinguishing media

Do not use straight streams

#### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

### Special extinguishing method

No information available

#### Special protective actions for

#### fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

## Section 6: ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

#### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

#### Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

### Recoverly, neutralization

No information available

#### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

## Section 7: HANDLING AND STORAGE

## <u>Handling</u>

### Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

#### **Precautions**

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

### Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

### **Storage**

Safe storage conditions

Storage conditions Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed.

Safe packaging material Glass, Iron, Can Incompatible substances Strong oxidizing agents

## **Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

#### **Exposure limits**

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Diethyl Ether	400ppm (1200mg/m 3 )	ISHL/ACL: 400 ppm	STEL: 500 ppm
60-29-7	,		TWA: 400 ppm

Personal protective equipment

Respiratory protection gas mask for organic gas (JIS T 8152)
Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

**Form** 

ColorcolorlessTurbidityclearAppearanceliquid

**Odor** characteristic odor

Melting point/freezing point -116 °C
Boiling point, initial boiling point and boiling range 35 °C

Flammability Extremely flammable liquid and vapor

**Evaporation rate:** no data available **Flammability (solid, gas):** no data available

Upper/lower flammability or

explosive limits

Upper:48 vol%Lower:1.7 vol%Flash point-45 °CAuto-ignition temperature:160 °C

Decomposition temperature:no data availablepHno data availableViscosity (coefficient of viscosity)no data availableDynamic viscosityno data available

Solubilities Ethanol , benzene , chloroform : Very soluble. water : soluble .

n-Octanol/water partition coefficient:(log Pow)

Vapour pressure

Specific Gravity / Relative density

0.89

58.6 kPa

0.712 - 0.715 g/mL

Vapour density

2.6 (air=1)

Particle characteristics

no data available

## **Section 10: STABILITY AND REACTIVITY**

#### **Stability**

Reactivity no data available
Chemical stability May be altered by light.

**Hazardous reactions** 

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2)

## **Section 11: TOXICOLOGICAL INFORMATION**

\_\_\_\_\_\_

•					• •
Л	$\sim$ 1	Ita	tΛ	VIC	itv
_	u	ate	w	ΛIL	,ILV

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Diethyl Ether	1,207 mg/kg ( Rat )	> 20 mL/kg (Rabbit)	32000 ppm (Rat) 4 h
		20 mL/kg (Rabbit)	

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Diodry: Edioi			Based on the NITE GHS classification results.
	ciassification results.	ciassification results.	ciassification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Diethyl Ether	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
,	classification results.	classification results.	classification results.

#### Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Diethyl Ether	Based on the NITE GHS classification results.

## Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information
Diethyl Ether	Based on the NITE GHS classification results.

## Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
Diethyl Ether	Based on the NITE GHS classification results.

## Reproductive cell mutagenicity

Chemical Name	germ cell mutagencity source information
Diethyl Ether	Based on the NITE GHS classification results.

## Carcinogenicity

Chemical Name	Carcinogenicity source information
Diethyl Ether	Based on the NITE GHS classification results.
•	•

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
Diethyl Ether	-	Group 3	-	-
60-29-7		,		

### Reproductive toxicity

	topi oddoti vo toxiotty		
Chemical Name		Reproductive toxicity source information	
	Diethyl Ether	Based on the NITE GHS classification results.	

## STOT-single exposure

Chemical Name	STOT -single exposure- source information	
Diethyl Ether	Based on the NITE GHS classification results.	

## STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information			
Diethyl Ether	Based on the NITE GHS classification results.			
Assisting housed				

#### **Aspiration hazard**

Chemical Name	Aspiration Hazard source information
Diethyl Ether	Based on the NITE GHS classification results.

# **Section 12: ECOLOGICAL INFORMATION**

## **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Diethyl Ether	N/A	LC50 : Fathead minnow	LC50 : Daphnia magna
•		2,560 mg/L 96 h	1,378.63 mg/L 48 h

#### Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information	
, , , , ,		Based on the NITE GHS classification results.	

\_\_\_\_\_\_

Persistence and degradability Bioaccumulative potential Mobility in soil

Hazard to the ozone layer

Mobility

No information available No information available No information available No information available

## **Section 13: DISPOSAL CONSIDERATIONS**

#### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## **Section 14: TRANSPORT INFORMATION**

ADR/RID

UN number UN1155
Proper shipping name: Diethyl ether

UN classfication 3

Subsidiary hazard class

Packing group

Marine pollutant Not applicable

**IMDG** 

UN number UN1155
Proper shipping name: Diethyl ether

UN classfication 3

Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN1155
Proper shipping name: Diethyl ether

UN classfication 3

Subsidiary hazard class

Packing group

Environmentally Hazardous

**Substance** 

**Section 15: REGULATORY INFORMATION** 

**International Inventories** 

EINECS/ELINCS Listed
TSCA Listed

Japanese regulations

Fire Service Act Category IV, special inflammable materials, dangerous grade 1

Poisonous and Deleterious Not applicable

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57,

Para.1, Enforcement Order Art.18)

Notifiable Substances (Law Art.57-2, Enforcement Oder Art.18-2 Attached Table

No.9)No.65

Not applicable

Class 2 Organic Solvents (Enforcement Order Attached Table No.6-2, Ordinance on

Prevention of Organic Solvent Poisoning Art.1, Para.1, Item 5)

Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1

Item 4)

Working Environment Evaluation Standards, Administrative Control Levels

Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

and storage of dangerous Transport by Ship and Storage, Attached Table 1)

goods in ship Civil Aeronautics Law

Regulations for the carriage

Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

**Marine Pollution Prevention** 

\_aw

Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Z

Pollutant Release and Transfer Not applicable

Register Law (2023.4.1-)

**Export Trade Control Order Narcotics and Psychotropics** 

Appendix 2 Export Approval Item

Control Law

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2) (~2024.3.31)	Pollutant Release and Transfer Register Law (2023.4.1-)
Diethyl Ether 60-29-7 ( 99.0 )	-	Applicable	-

## **Section 16: OTHER INFORMATION**

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

 $\label{lem:condition} \mbox{Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.}$ 

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

#### **Disclaimer**

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**