

## SAFETY DATA SHEET

According to JIS Z 7253:2019  
**Revision date** 25-Mar-2022  
 Revision Number 1.07

## Section 1: PRODUCT AND COMPANY IDENTIFICATION

<b>Product Name</b>	2-Ethylhexyl Acrylate
<b>Product Code</b>	058-02223,052-02226

<b>Manufacturer</b>	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-5964
<b>Supplier</b>	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029
<b>Emergency telephone number</b>	+81-6-6203-3741 / +81-3-3270-8571
<b>Recommended uses and restrictions on use</b>	For research use only

## Section 2: HAZARDS IDENTIFICATION

## GHS classification

Classification of the substance or mixture

Flammable liquids	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3
Category 3 Narcotic effects	
Specific target organ toxicity (repeated exposure)	Category 2
Category 2 nose [by inhalation]	
Acute aquatic toxicity	Category 2

## Pictograms



Signal word

Warning

## Hazard statements

- H227 - Combustible liquid
- H315 - Causes skin irritation
- H319 - Causes serious eye irritation
- H336 - May cause drowsiness or dizziness
- H317 - May cause an allergic skin reaction
- H401 - Toxic to aquatic life
- H373 - May cause damage to the following organs through prolonged or repeated exposure: nose [by inhalation]

## Precautionary statements-(Prevention)

- Wash face, hands and any exposed skin thoroughly after handling

- Wear protective gloves/protective clothing/eye protection/face protection
- Contaminated work clothing should not be allowed out of the workplace
- Do not breathe dust/fume/gas/mist/vapors/spray
- Use only outdoors or in a well-ventilated area
- Avoid release to the environment
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Keep cool

**Precautionary statements-(Response)**

- Get medical advice/attention if you feel unwell
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF ON SKIN: Wash with plenty of soap and water
- Take off contaminated clothing and wash before reuse
- If skin irritation or rash occurs: Get medical advice/attention
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- In case of fire: Use CO<sub>2</sub>, dry chemical, or foam for extinction

**Precautionary statements-(Storage)**

- Store in a well-ventilated place. Keep container tightly closed
- Store locked up

**Precautionary statements-(Disposal)**

- Dispose of contents/container to an approved waste disposal plant

**Others**

**Other hazards** Not available

### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

**Single Substance or Mixture** Substance

**Formula** CH<sub>2</sub>:CHCOOCH<sub>2</sub>CH(C<sub>2</sub>H<sub>5</sub>)(CH<sub>2</sub>)<sub>3</sub>CH<sub>3</sub>

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
2-Ethylhexyl Acrylate, Monomer	98.0	184.28	(2)-990	公表	103-11-7

**Note on ISHL No.:** \* in the table means announced chemical substances.

**Impurities and/or Additives:** Stabilizer: Hydroquinone monomethyl ether abt. 100ppm

### Section 4: FIRST AID MEASURES

**Inhalation**

Remove to fresh air. If symptoms persist, call a physician.

**Skin contact**

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

**Eye contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

**Ingestion**

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

**Protection of first-aiders**

Use personal protective equipment as required.

### Section 5: FIRE FIGHTING MEASURES

**Suitable extinguishing media**

Water spray (fog), Carbon dioxide (CO<sub>2</sub>), Foam, Extinguishing powder, Sand

**Unsuitable extinguishing media**

No information available

**Specific hazards arising from the chemical product**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

**Special extinguishing method**

No information available

**Special protective actions for**

**fire-fighters**

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

## Section 6: ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

**Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

**Methods and materials for contaminant and methods and materials for cleaning up**

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

**Recovery, neutralization**

No information available

**Secondary disaster prevention measures**

Clean contaminated objects and areas thoroughly observing environmental regulations.

## Section 7: HANDLING AND STORAGE

**Handling**

**Technical measures**

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

**Precautions**

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

**Safety handling precautions**

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

**Storage**

**Safe storage conditions**

**Storage conditions**

Keep container protect from light, store in well-ventilated place at room temperature (preferably cool). Keep container tightly closed.

**Safe packaging material**

Glass

**Incompatible substances**

Strong oxidizing agents

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and hand- and eye-wash facility. And display their position clearly.

**Exposure limits**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

**Personal protective equipment**

<b>Respiratory protection</b>	Protective mask
<b>Hand protection</b>	Protective gloves
<b>Eye protection</b>	protective eyeglasses or chemical safety goggles
<b>Skin and body protection</b>	Long-sleeved work clothes

**General hygiene considerations**

Handle in accordance with good industrial hygiene and safety practice.

**Section 9: PHYSICAL AND CHEMICAL PROPERTIES****Form**

<b>Color</b>	Colorless - slightly yellow
<b>Turbidity</b>	clear
<b>Appearance</b>	liquid
<b>Odor</b>	unpleasant
<b>Melting point/freezing point</b>	-90 °C
<b>Boiling point, initial boiling point and boiling range</b>	215 °C
<b>Flammability</b>	Combustible liquid
<b>Evaporation rate:</b>	no data available
<b>Flammability (solid, gas):</b>	no data available
<b>Upper/lower flammability or explosive limits</b>	
<b>Upper:</b>	6.4vol%
<b>Lower:</b>	0.8vol%
<b>Flash point</b>	89 °C
<b>Auto-ignition temperature:</b>	252 °C
<b>Decomposition temperature:</b>	no data available
<b>pH</b>	no data available
<b>Viscosity (coefficient of viscosity)</b>	no data available
<b>Dynamic viscosity</b>	no data available
<b>Solubilities</b>	Ethanol , acetone : Very soluble.
<b>n-Octanol/water partition coefficient:(log Pow)</b>	3.67
<b>Vapour pressure</b>	19Pa
<b>Specific Gravity / Relative density</b>	0.883 - 0.888 g/mL
<b>Vapour density</b>	6.35
<b>Particle characteristics</b>	no data available

**Section 10: STABILITY AND REACTIVITY****Stability**

<b>Reactivity</b>	no data available
<b>Chemical stability</b>	May be altered by light.
<b>Hazardous reactions</b>	None under normal processing
<b>Conditions to avoid</b>	Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark
<b>Incompatible materials</b>	Strong oxidizing agents
<b>Hazardous decomposition products</b>	Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> )

**Section 11: TOXICOLOGICAL INFORMATION****Acute toxicity**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-Ethylhexyl Acrylate, Monomer	4435 mg/kg ( Rat )	>10,000 mg/kg (Rabbit)	N/A

Chemical Name	Acute toxicity -oral- source	Acute toxicity -dermal- source	Acute toxicity -inhalation gas-
---------------	------------------------------	--------------------------------	---------------------------------

	information	information	source information
2-Ethylhexyl Acrylate, Monomer	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
2-Ethylhexyl Acrylate, Monomer	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

**Skin irritation/corrosion**

Chemical Name	Skin corrosion/irritation source information
2-Ethylhexyl Acrylate, Monomer	Based on the NITE GHS classification results.

**Serious eye damage/ irritation**

Chemical Name	Serious eye damage/irritation source information
2-Ethylhexyl Acrylate, Monomer	Based on the NITE GHS classification results.

**Respiratory or skin sensitization**

Chemical Name	Respiratory or Skin sensitization source information
2-Ethylhexyl Acrylate, Monomer	Based on the NITE GHS classification results.

**Reproductive cell mutagenicity**

Chemical Name	germ cell mutagenicity source information
2-Ethylhexyl Acrylate, Monomer	Based on the NITE GHS classification results.

**Carcinogenicity**

Chemical Name	Carcinogenicity source information
2-Ethylhexyl Acrylate, Monomer	Based on the NITE GHS classification results.

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
2-Ethylhexyl Acrylate, Monomer 103-11-7		Group 2B		

**Reproductive toxicity**

Chemical Name	Reproductive toxicity source information
2-Ethylhexyl Acrylate, Monomer	Based on the NITE GHS classification results.

**STOT-single exposure**

Chemical Name	STOT -single exposure- source information
2-Ethylhexyl Acrylate, Monomer	Based on the NITE GHS classification results.

**STOT-repeated exposure**

Chemical Name	STOT -repeated exposure- source information
2-Ethylhexyl Acrylate, Monomer	Based on the NITE GHS classification results.

**Aspiration hazard**

Chemical Name	Aspiration Hazard source information
2-Ethylhexyl Acrylate, Monomer	Based on the NITE GHS classification results.

## Section 12: ECOLOGICAL INFORMATION

**Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
2-Ethylhexyl Acrylate, Monomer	EC50:Desmodesmus subspicatus 44 mg/L 72 h EC50:Desmodesmus subspicatus 47 mg/L 96 h	LC50:Leuciscus idus melanotus 23 mg/L 48 h	EC50:Daphnia magna 17.45 mg/L 48 h

**Other data**

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
2-Ethylhexyl Acrylate, Monomer	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

**Persistence and degradability** No information available  
**Bioaccumulative potential** No information available

Mobility in soil	No information available
Hazard to the ozone layer	No information available
Mobility	

### Section 13: DISPOSAL CONSIDERATIONS

#### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

### Section 14: TRANSPORT INFORMATION

ADR/RID	Not regulated
UN number	-
Proper shipping name:	
UN classification	
Subsidiary hazard class	
Packing group	
Marine pollutant	Not applicable
IMDG	Not regulated
UN number	-
Proper shipping name:	
UN classification	
Subsidiary hazard class	
Packing group	
Marine pollutant (Sea)	Not applicable
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available
IATA	Not regulated
UN number	-
Proper shipping name:	
UN classification	
Subsidiary hazard class	
Packing group	
Environmentally Hazardous Substance	Not applicable

### Section 15: REGULATORY INFORMATION

#### International Inventories

EINECS/ELINCS	Listed
TSCA	Listed

#### Japanese regulations

Fire Service Act	Category IV, Class III petroleum, dangerous grade 3
Poisonous and Deleterious Substances Control Law	Not applicable
Industrial Safety and Health Act	Not applicable
Regulations for the carriage and storage of dangerous goods in ship	Not applicable
Civil Aeronautics Law	Not applicable
Pollutant Release and Transfer Register Law (~2023.3.31)	Not applicable
Pollutant Release and Transfer Register Law (2023/4/1~)	Class 1

---

Class 1 - No.	564
Export Trade Control Order	Not applicable

**Section 16: OTHER INFORMATION****Key literature references and sources for data etc.**

NITE: National Institute of Technology and Evaluation (JAPAN)  
<http://www.safe.nite.go.jp/japan/db.html>  
IATA dangerous Goods Regulations  
RTECS:Registry of Toxic Effects of Chemical Substances  
Japan Industrial Safety and Health Association GHS Model SDS  
Dictionary of Synthetic Organic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.  
Chemical Dictionary, Kyouritsu Publishing Co., Ltd.  
etc

**Disclaimer**

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z7252(2019). \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**