



# SAFETY DATA SHEET

According to JIS Z 7253:2019 **Revision date** 03-Feb-2023 Revision Number 2.02

# Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Ethyl Benzoate
Product Code	052-03463,056-03466
Manufacturer	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-5964
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029
Emergency telephone number Recommended uses and restrictions on use	+81-6-6203-3741 / +81-3-3270-8571 For research use only

### Section 2: HAZARDS IDENTIFICATION

GHS classification <u>Classification of the substance or mixture</u> Flammable liquids Skin corrosion/irritation Serious eye damage/eye irritation Specific target organ toxicity (single exposure) <u>Category 3</u> Respiratory irritation

Category 4 Category 2 Category 2A Category 3

Pictograms



Warning

#### Hazard statements

- H227 Combustible liquid
- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H335 May cause respiratory irritation

#### **Precautionary statements-(Prevention)**

- Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Use only outdoors or in a well-ventilated area
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Keep cool
- Precautionary statements-(Response)
  - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

#### rinsing

- If eye irritation persists: Get medical advice/attention
- · IF ON SKIN: Wash with plenty of soap and water
- If skin irritation occurs: Get medical advice/attention
- · Take off contaminated clothing and wash before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- In case of fire: Use CO2, dry chemical, or foam for extinction

#### Precautionary statements-(Storage)

• Store in a well-ventilated place. Keep container tightly closed

- · Store locked up
- Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

#### Others Other hazards

Not available

### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula

#### C6H5COOC2H5

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Ethyl benzoate	98.0	150.17	(3)-1356	公表	93-89-0
Note on ISHL No.: * in the table means announced chemical substances.					

Impurities and/or Additives:

Not applicable

### Section 4: FIRST AID MEASURES

#### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

#### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

#### **Protection of first-aiders**

Use personal protective equipment as required.

# Section 5: FIRE FIGHTING MEASURES

#### Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

### Special extinguishing method

No information available

### Special protective actions for

### fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

# Section 6: ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

#### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

# Recoverly, neutralization

No information available

### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

# Section 7: HANDLING AND STORAGE

#### Handling

#### **Technical measures**

Avoid contact with strong oxidizing agents. Use with local exhaust ventilation.

#### Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

#### Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

#### Storage

#### Safe storage conditions

Storage conditions

Incompatible substances

Safe packaging material

Store away from sunlight in well-ventilated place at room temperature (preferably cool). Keep container tightly closed. Glass

Strong oxidizing agents

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

#### **Exposure limits**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

#### Personal protective equipment **Respiratory protection**

Hand protection

Eye protection

Protective mask Protective gloves protective eyeglasses or chemical safety goggles Long-sleeved work clothes Skin and body protection

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form Color

Turbidity

colorless - nearly colorless clear

Appearance Odor	liquid
Melting point/freezing point	-34 °C
Boiling point, initial boiling point and boiling range	213 °C
Flammability	Combustible liquid
Evaporation rate:	no data available
Flammability (solid, gas):	no data available
Upper/lower flammability or	
explosive limits	na data availabla
Upper:	no data available
Lower:	no data available
Flash point	84 °C
Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
рН	no data available
Viscosity (coefficient of viscosity)	no data available
Dynamic viscosity	no data available
Solubilities	Ethanol : soluble . water : very slightly soluble.
n-Octanol/water partition coefficient:(log Pow)	no data available
Vapour pressure	no data available
Specific Gravity / Relative density	1.043-1.051g/mL
Vapour density	5.2 (air = 1)
Particle characteristics	no data available

# Section 10: STABILITY AND REACTIVITY

Stability

 Reactivity
 no data available

 Chemical stability
 Stable under recommended storage conditions.

 Hazardous reactions
 Stable under recommended storage conditions.

 None under normal processing
 Conditions to avoid

 Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

 Incompatible materials

 Strong oxidizing agents

 Hazardous decomposition products

# Carbon monooxide (CO), Carbon dioxide (CO2)

# Section 11: TOXICOLOGICAL INFORMATION

### Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl benzoate	2100 mg/kg(Rat)	N/A	N/A

Skin irritation/corrosion	no data available
Serious eye damage/ irritation	no data available
Respiratory or skin sensitization	no data available
Reproductive cell mutagenicity	no data available
Carcinogenicity	no data available
Reproductive toxicity	no data available
STOT-single exposure	no data available
STOT-repeated exposure	no data available
Aspiration hazard	no data available

# Section 12: ECOLOGICAL INFORMATION

#### Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Ethyl benzoate	N/A	LC50:Pimephales promelas	N/A
-		6.7 mg/L 96 h	

Other data

no data available

Persistence and degradability	No information available
Bioaccumulative potential	No information available
Mobility in soil	No information available
Hazard to the ozone layer	No information available
Mobility	

### Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

# Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

### Section 14: TRANSPORT INFORMATION

ADR/RID UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group Marine pollutant	Not regulated - Not applicable
IMDG UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group Marine pollutant (Sea)	Not regulated - Not applicable
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	
IATA UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group Environmentally Hazardous Substance	Not regulated - Not applicable

### Section 15: REGULATORY INFORMATION

International Inventories EINECS/ELINCS TSCA

Listed Listed

#### Japanese regulations Fire Service Act Poisonous and Deleterious

Category IV, Class III petroleums, dangerous grade 3 Not applicable

**Substances Control Law** Industrial Safety and Health ActNot applicable Regulations for the carriage Not applicable and storage of dangerous goods in ship **Civil Aeronautics Law** Not applicable Pollutant Release and Transfer Not applicable **Register Law** (~2023.3.31) Pollutant Release and Transfer Not applicable Register Law (2023/4/1~) **Export Trade Control Order** Not applicable

# Section 16: OTHER INFORMATION

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc
-----------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

#### Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z7252(2019). \*JIS: Japanese Industrial Standards

End of Safety Data Sheet