



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 13-Sep-2023

Revision Number 5.06

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	2-Ethyl-1-hexanol
Product Code	052-03826

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Flammable liquidsCategory 4Skin corrosion/irritationCategory 2Serious eye damage/eye irritationCategory 2AReproductive ToxicityCategory 2

Specific target organ toxicity (single exposure) Category 2, Category 3

Category 2 respiratory system
Category 3 Narcotic effects

Acute aquatic toxicity Category 3

Pictograms



Signal word

Warning

Hazard statements

- H227 Combustible liquid
- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H361 Suspected of damaging fertility or the unborn child
- H336 May cause drowsiness or dizziness
- H402 Harmful to aquatic life
- H371 May cause damage to the following organs: respiratory system

Precautionary statements-(Prevention)

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product
- · Use only outdoors or in a well-ventilated area

- Avoid release to the environment
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Keep cool

Precautionary statements-(Response)

- IF exposed or concerned: Get medical advice/attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF ON SKIN: Wash with plenty of soap and water
- If skin irritation occurs: Get medical advice/attention
- Take off contaminated clothing and wash before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- In case of fire: Use suitable extinguishing media for extinction

Precautionary statements-(Storage)

- Store in a well-ventilated place. Keep container tightly closed
- Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula CH3(CH2)3CH(C2H5)CH2OH

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
2-Ethyl-1-hexanol	98.0	130.23	(2)-217	*	104-76-7

Note on ISHL No.: * in the table means announced chemical substances.

Impurities and/or Additives: Not applicable

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions Store away from sunlight in well-ventilated place at room temperature (preferably cool).

Keep container tightly closed.

Safe packaging material Glass

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
2-Ethyl-1-hexanol	TWA: 1 ppm OEL	N/A	N/A
104-76-7	TWA: 5.3 mg/m ³ OEL		

Personal protective equipment

Respiratory protection Protective mask

Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

ColorcolorlessTurbidityclearAppearanceliquid

Odor characteristic odor

Melting point/freezing point -76 °C

Boiling point, initial boiling point and boiling range 184 °C

Flammability Combustible liquid Evaporation rate: no data available Flammability (solid, gas): no data available

Upper/lower flammability or

explosive limits

 Upper:
 9.7

 Lower:
 0.9

 Flash point
 73 °C

 Auto-ignition temperature:
 270 °C

 Decomposition temperature:
 no data available

 pH
 no data available

 Viscosity (coefficient of viscosity)
 no data available

 Pyramia viscosity:
 no data available

Dynamic viscosity no data available

Solubilities ethanol, acetone : freely soluble . water : practically insoluble,or

insoluble.

n-Octanol/water partition coefficient:(log Pow) no data available

Vapour pressure 48Pa

Specific Gravity / Relative density $0.830 - 0.836 \text{ g/m L } (20 \,^{\circ}\text{C})$

Vapour density4.5(air=1)Particle characteristicsno data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available

Chemical stability Stable under recommended storage conditions.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2)

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-Ethyl-1-hexanol	2053 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 227 ppm (Rat)6 h
		> 2000 mg/kg (Rabbit)	

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
2-Ethyl-1-hexanol	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS

	classification results.	classification results.	classification results.		
	•	•			
Chemical Name	Acute toxicity -inhalation vapor- source information	source information	Acute toxicity -inhalation mist- source information		
2-Ethyl-1-hexanol	Based on the NITE GHS Classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.		
Skin irritation/corrosion					
Chemic	al Name	Skin corrosion/irritat	tion source information		
2-Ethyl-1	-hexanol	Based on the NITE GHS classif	Based on the NITE GHS classification results.		
Serious eye damage/ irritation		•			
Chemic	al Name	Serious eye damage/irr	itation source information		
2-Ethyl-1	-hexanol	Based on the NITE GHS classif	Based on the NITE GHS classification results.		
Respiratory or skin sensitization	1	·			
Chemical Name		Respiratory or Skin sens	Respiratory or Skin sensitization source information		
2-Ethyl-1-hexanol		Based on the NITE GHS classif	Based on the NITE GHS classification results.		
Reproductive cell mutagenicity					
Chemic	al Name	germ cell mutagenc	ity source information		
2-Ethyl-1-hexanol		Based on the NITE GHS classif	fication results.		
Carcinogenicity		•			
Chemic	al Name	Carcinogenicity	source information		
2-Ethyl-1	2-Ethyl-1-hexanol Based on the NITE GHS classification results.		fication results.		
Reproductive toxicity					
	al Name	Reproductive toxic	ity source information		
2-Ethyl-1-hexanol		Based on the NITE GHS classification results.			
STOT-single exposure		•			
	al Name	STOT -single exposu	ure- source information		
2-Ethyl-1	-hexanol	Based on the NITE GHS classif	fication results.		
STOT-repeated exposure					
	al Name	STOT -repeated expos	sure- source information		

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Aspiration hazard

Chemical Name	Algae/aquatic plants	Fish	Crustacea
2-Ethyl-1-hexanol	ErC50 : Scenedesmus acutus	LC50 : Lepomis macrochirus	EC50 : Daphnia magna
_	var. acutus	10 mg/L 96 h	39 mg/L 48 h
	16.6 mg/L 72 h		

Other data

Othor data			
Ch	nemical Name	Short-term (acute) hazardous to the aquatic environment source	Long-term (chronic) hazardous to the aquatic environment source
		aquatic environment source	aquatic environment source
		information	information
2-E	Ethyl-1-hexanol	Based on the NITE GHS classification	Based on the NITE GHS classification
	-	results	results

Persistence and degradability Bioaccumulative potential Mobility in soil Hazard to the ozone layer Degree of decomposition: 89 % by BOD (METI Existing chemical safety inspections) No information available

Based on the NITE GHS classification results.

Based on the NITE GHS classification results.

Aspiration Hazard source information

No information available No information available

2-Ethyl-1-hexanol

Chemical Name 2-Ethyl-1-hexanol

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID Not regulated

UN number

Proper shipping name: UN classfication Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG Not regulated

UN number -

Proper shipping name: UN classfication Subsidiary hazard class

Dooking group

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA Not regulated

UN number -

Proper shipping name: UN classfication Subsidiary hazard class

Packing group

Environmentally Hazardous Not applicable

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Category IV, Class III petroleums, dangerous grade 3

Poisonous and Deleterious Not applicable

Substances Control Law

Industrial Safety and Health Act Not applicable
Regulations for the carriage Not applicable

and storage of dangerous

goods in ship

Civil Aeronautics Law Not applicable Pollutant Release and Transfer Not applicable

Register Law (2023.4.1-)

Export Trade Control Order Not applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions The following contents were revised. Prodauct and company Identification. Hazards

identification. Fire fighting measures. Exposure controls/personal protection. Physical and chemical properties. Toxicological information. Ecological information. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet