



SAFETY DATA SHEET

According to JIS Z 7253:2019 **Revision date** 10-May-2023 Revision Number 4.03

Section 1: PRODUCT AND COMPANY IDENTIFICATION

| Product Name | 1,8-Cineole |
|----------------------------|--|
| Product Code | 055-03975, 051-03972 |
| Manufacturer | FUJIFILM Wako Pure Chemical Corporation |
| | 1-2 Doshomachi 3-Chome |
| | Chuo-ku, Osaka 540-8605, Japan |
| | Phone: +81-6-6203-3741 |
| | Fax: +81-6-6203-5964 |
| Supplier | FUJIFILM Wako Pure Chemical Corporation |
| | 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan |
| | Phone: +81-6-6203-3741 |
| | Fax: +81-6-6203-2029 |
| Emergency telephone number | +81-6-6203-3741 / +81-3-3270-8571 |
| Recommended uses | For research use only |
| Restrictions on use | Seek expert judgment when using for purposes other than those recommended. |

Section 2: HAZARDS IDENTIFICATION

GHS classification <u>Classification of the substance or mixture</u> Flammable liquids

Category 3

Pictograms

Signal word

Warning

Hazard statements

H226 - Flammable liquid and vapour

Precautionary statements-(Prevention)

- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Keep container tightly closed
- · Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- Use only non-sparking tools
- Take precautionary measures against static discharge
- · Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements-(Response)

- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- In case of fire: Use CO2, dry chemical, or foam for extinction
- Precautionary statements-(Storage)

• Store in a well-ventilated place. Keep container tightly closed

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others Other hazards

Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula

C10H18O

| Chemical Name | Weight-% | Molecular weight | ENCS | ISHL No. | CAS RN |
|---|----------|------------------|---------|-----------|----------|
| Cineole | 85.0 | 154.25 | (5)-684 | 8-(4)-209 | 470-82-6 |
| Note on ISHL No.: * in the table means announced chemical substances. | | | | | |

Impurities and/or Additives: Not applicable

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method

No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated. **Methods and materials for contaminent and methods and materials for cleaning up**

Methods and materials for contaminent and methods and materials for cleaning up Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage Safe stora

Safe storage conditions

| Storage conditions | Keep container protect from light, store in well-ventilated place at room temperature (preferably cool). Keep container tightly closed. |
|-------------------------|---|
| Safe packaging material | Glass |
| Incompatible substances | Strong oxidizing agents |

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

Eve protection

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Personal protective equipment Respiratory protection Hand protection

gas mask for organic gas (JIS T 8152) chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles Long-sleeved work clothes

Skin and body protection General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form Color

| Color | |
|--|--|
| Turbidity | |
| Appearance | |
| Odor | |
| Melting point/freezing point | |
| Boiling point, initial boiling point and boiling range | |
| Flammability | |
| Evaporation rate: | |
| Flammability (solid, gas): | |
| Upper/lower flammability or | |
| explosive limits | |
| Upper: | |
| | |

colorless - slightly pale yellow clear liquid characteristic odor 2 °C 177 °C no data available no data available no data available

no data available

Lower: Flash point Auto-ignition temperature: Decomposition temperature: pH Viscosity (coefficient of viscosity) Dynamic viscosity Solubilities

n-Octanol/water partition coefficient:(log Pow) Vapour pressure Specific Gravity / Relative density Vapour density Particle characteristics no data available 48 °C / 118 °F no data available no data available no data available no data available Ethanol , acetone , chloroform : Very soluble. water : practically insoluble,or insoluble . no data available no data available no data available 0.905 - 0.925 g/mL (20°C) 5.4 (air=1) no data available

Section 10: STABILITY AND REACTIVITY

Stability

 Reactivity
 no data available

 Chemical stability
 May be altered by light.

 Hazardous reactions
 None under normal processing

 Conditions to avoid
 Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

 Incompatible materials
 Strong oxidizing agents

 Hazardous decomposition products
 Carbon monooxide (CO), Carbon dioxide (CO2)

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---------------|--|--------------------------------|---|
| Cineole | 2480 mg/kg (Rat) | N/A | N/A |
| | | | |
| Chemical Name | Acute toxicity -oral- source | Acute toxicity -dermal- source | Acute toxicity -inhalation gas- source information |
| Cineole | Based on the NITE GHS classification results. | | Based on the NITE GHS classification results. |

| Chemical Name | Acute toxicity -inhalation | Acute toxicity -inhalation dust- | Acute toxicity -inhalation mist- |
|---------------|----------------------------|----------------------------------|--|
| | vapor- source information | source information | source information |
| Gilloolo | | | Based on the NITE GHS classification results. |

Skin irritation/corrosion

| Chemical Name | Skin corrosion/irritation source information |
|-----------------------------------|--|
| Cineole | Based on the NITE GHS classification results. |
| Serious eye damage/ irritation | |
| Chemical Name | Serious eye damage/irritation source information |
| Cineole | Based on the NITE GHS classification results. |
| Respiratory or skin sensitization | |
| Chemical Name | Respiratory or Skin sensitization source information |
| Cineole | Based on the NITE GHS classification results. |
| Reproductive cell mutagenicity | |
| Chemical Name | germ cell mutagencity source information |
| Cineole | Based on the NITE GHS classification results. |
| Carcinogenicity | |
| Chemical Name | Carcinogenicity source information |

| Cineole | Based on the NITE GHS classification results. |
|-----------------------|---|
| | |
| Reproductive toxicity | |

| Reproductive toxicity | |
|------------------------|---|
| Chemical Name | Reproductive toxicity source information |
| Cineole | Based on the NITE GHS classification results. |
| STOT-single exposure | |
| Chemical Name | STOT -single exposure- source information |
| Cineole | Based on the NITE GHS classification results. |
| STOT-repeated exposure | |
| Chemical Name | STOT -repeated exposure- source information |
| Cineole | Based on the NITE GHS classification results. |
| Aspiration hazard | |
| Chemical Name | Aspiration Hazard source information |
| Cineole | Based on the NITE GHS classification results. |
| Cineole | Based on the NITE GHS classification results. |

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|---------------|----------------------|--------------------------|-----------|
| Cineole | N/A | LC50:Pimephales promelas | N/A |
| | | 95.4 - 109 mg/L 96 h | |

Other data

| Chemical Name | Short-term (acute) hazardous to the aquatic environment source information | Long-term (chronic) hazardous to the aquatic environment source information |
|---------------|--|---|
| Cineole | | Based on the NITE GHS classification results. |

| Persistence and degradability | No information available |
|-------------------------------|--------------------------|
| Bioaccumulative potential | No information available |
| Mobility in soil | No information available |
| Hazard to the ozone layer | No information available |

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

| ADR/RID | |
|---|---|
| UN number | UN1197 |
| Proper shipping name: | Extracts, flavouring, liquid(1,8-Cineole) |
| UN classfication | 3 |
| Subsidiary hazard class | |
| Packing group | 111 |
| Marine pollutant | Not applicable |
| | |
| IMDG | |
| UN number | UN1197 |
| Proper shipping name: | Extracts, flavouring, liquid(1,8-Cineole) |
| UN classfication | 3 |
| Subsidiary hazard class | |
| | |
| Packing group | III |
| Packing group Marine pollutant (Sea) | III Not applicable |

| Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code IATA | No information available |
|--|--|
| UN number Proper shipping name: UN classfication Subsidiary hazard class | UN1197 Extracts, flavouring, liquid(1,8-Cineole) 3 |
| Packing group Environmentally Hazardous Substance | III Not applicable |
| Section 15: REGULATORY INFORMATION | |
| International Inventories | |
| EINECS/ELINCS | Listed |
| TSCA | Listed |
| Japanese regulations | |
| Fire Service Act | Category IV, Class II petroleums, dangerous grade 3 |
| Poisonous and Deleterious | Not applicable |
| Substances Control Law | |
| Industrial Safety and Health Ac | tDangerous Substances - Flammable Substance (Enforcement Order Attached Table 1 Item 4) |
| Regulations for the carriage | Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding |
| and storage of dangerous | Transport by Ship and Storage, Attached Table 1) |
| goods in ship Civil Aeronautics Law | Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of |
| CIVIL APPOILAULICS LAW | Explosives etc., Attached Table 1) |
| Pollutant Release and Transfer Register Law (2023.4.1-) | |
| Export Trade Control Order | Not applicable |
| Section 16: OTHER INFORMATION | |
| Key literature references and | NITE: National Institute of Technology and Evaluation (JAPAN) |
| sources for data etc. | http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc |

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet