



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 29-Mar-2023

Revision Number 3.1

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	1,2-Dibromoethane Standard Solution (1mg/mL Hexane Solution)
Product Code	054-04121

Manufacturer FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741

Fax: +81-6-6203-5964

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Reference material (as defined in Japanese Industrial Standards (JIS) Q0030)

Restrictions on use Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Flammable liquids
Category 2
Skin corrosion/irritation
Category 2
Serious eye damage/eye irritation
Carcinogenicity
Carcinogenicity
Category 1B
Reproductive Toxicity
Category 2
Specific target organ toxicity (single exposure)
Category 3

Category 3 Respiratory irritation, Narcotic effects

Specific target organ toxicity (repeated exposure) Category 1

Category 1 nervous system

Aspiration hazard Category 1
Acute aquatic toxicity Category 2

Pictograms





Signal word

Danger

Hazard statements

H225 - Highly flammable liquid and vapor

H315 - Causes skin irritation

H319 - Causes serious eve irritation

H350 - May cause cancer

H361 - Suspected of damaging fertility or the unborn child

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H304 - May be fatal if swallowed and enters airways

H401 - Toxic to aquatic life

H372 - Causes damage to the following organs through prolonged or repeated exposure: nervous system

Precautionary statements-(Prevention)

- · Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- · Use personal protective equipment as required
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Do not eat, drink or smoke when using this product
- Use only outdoors or in a well-ventilated area
- · Avoid release to the environment
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- · Keep container tightly closed
- Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- · Use only non-sparking tools
- Take precautionary measures against static discharge
- Keep cool

Precautionary statements-(Response)

- IF exposed or concerned: Get medical advice/attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- If skin irritation occurs: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- · Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- · Do NOT induce vomiting
- In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary statements-(Storage)

- Store locked up
- Store in a well-ventilated place. Keep container tightly closed

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

	Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
	Hexane	99.9	86.18	(2)-6	*	110-54-3
ſ	1,2-Dibromoethane	0.10	187.86	(2)-59	2-(13)-38	106-93-4

* in the table means announced chemical substances.

Impurities and/or Additives: Not applicable

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Note on ISHL No.:

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method

No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. To cut with care and wear protective gloves and protective goggles to ampoule time of the opening (Cutting method to check the label). Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions Keep container protect from light tightly closed. Store in a cool (2-10 °C) place.

Safe packaging material Ampoule

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

	Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
	Hexane	40ppm, 140mg/m³; skin	ISHL/ACL: 40 ppm	TWA: 50 ppm
L	110-54-3			Skin
	1,2-Dibromoethane 106-93-4	N/A	N/A	Skin

Personal protective equipment

Respiratory protectiongas mask for organic gas (JIS T8152)Hand protectionchemical protective gloves (JIS T 8116)Eye protectionprotective eyeglasses or chemical safety goggles

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

ColorcolorlessTurbidityclearAppearanceliquid

Odor characteristic odor

Melting point/freezing point -95 °C

Boiling point, initial boiling point and boiling range 69 °C

Flammability Highly flammable liquid and vapor

Evaporation rate:Flammability (solid, gas):
no data available
no data available

Upper/lower flammability or

explosive limits

Upper: 7.5 % Lower: 1.1 % Flash point -22 °C Auto-ignition temperature: 260 °C

Decomposition temperature:no data availablepHno data availableViscosity (coefficient of viscosity)no data availableDynamic viscosityno data available

Solubilities water: insoluble. Alcohols, hydrocarbon, ether: freely soluble

.

n-Octanol/water partition coefficient:(log Pow)

Vapour pressure

Specific Gravity / Relative density

0.678

Vapour density

Vapour density

Particle characteristics

0.076

2.99 (air = 1)

no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available **Chemical stability** May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Halides

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hexane	15800 mg/kg (Rat)	3297 mg/kg (Rabbit)	48000 ppm (Rat) 4 h
1,2-Dibromoethane	117 mg/kg (Rat)	450 mg/kg (Rabbit)	2.31 mg/L(Rat) 4 h

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Hexane	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.
1,2-Dibromoethane	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
,	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
i ioxano			Based on the NITE GHS
	classification results.	classification results.	classification results.
1,2-Dibromoethane	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information	
Hexane	Based on the NITE GHS classification results.	
1,2-Dibromoethane	Based on the NITE GHS classification results.	

Serious eye damage/ irritation

orread by aumagor manager				
Chemical Name	Serious eye damage/irritation source information			
Hexane	Based on the NITE GHS classification results.			
1,2-Dibromoethane	Based on the NITE GHS classification results.			

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information	
Hexane	Based on the NITE GHS classification results.	
1,2-Dibromoethane	Based on the NITE GHS classification results.	

Reproductive cell mutagenicity

Chemical Name germ cell mutagencity source info	
Hexane	Based on the NITE GHS classification results.
1,2-Dibromoethane	Based on the NITE GHS classification results.

Carcinogenicity

Chemical Name	Carcinogenicity source information	
Hexane	Based on the NITE GHS classification results.	
1,2-Dibromoethane	Based on the NITE GHS classification results.	

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
1,2-Dibromoethane	Reasonably	Group 2A	A3	Group 2A
106-93-4	Anticipated			

Reproductive toxicity

Chemical Name	Reproductive toxicity source information	
Hexane	Based on the NITE GHS classification results.	

Based on the NITE GHS classification results.
STOT -single exposure- source information
Based on the NITE GHS classification results.
Based on the NITE GHS classification results.

STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information	
Hexane	Based on the NITE GHS classification results.	
1,2-Dibromoethane	Based on the NITE GHS classification results.	

Aspiration hazard

Chemical Name	Aspiration Hazard source information	
Hexane	Based on the NITE GHS classification results.	
1,2-Dibromoethane	Based on the NITE GHS classification results.	

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Hexane	N/A	LC50:Pimephales promelas 2.1 - 2.98 mg/L 96 h	LC50 : Daphnia magna 3.88 mg/L 48 h
1,2-Dibromoethane	N/A	N/A	LC50 : Ceriodaphnia dubia 3.61 mg/L 48 h

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
Hexane	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.
1,2-Dibromoethane	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN1208
Proper shipping name: Hexanes
UN classfication 3

Subsidiary hazard class

Packing group II
Marine pollutant Yes

IMDG

UN number UN1208
Proper shipping name: Hexanes
UN classfication 3
Subsidiary hazard class
Packing group II
Marine pollutant (Sea) Yes

Transport in bulk according to No information available

Yes

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN1208
Proper shipping name: Hexanes
UN classfication 3

Subsidiary hazard class
Packing group

Environmentally Hazardous

Substance

Section 15: REGULATORY INFORMATION

International Inventories

EINECS/ELINCS - TSCA -

Japanese regulations

Fire Service Act Category IV, Class I petroleums, dangerous grade 2

Poisonous and Deleterious Not applicable

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57,

Para.1, Enforcement Order Art.18)

Notifiable Substances (Law Art.57-2, Enforcement Oder Art.18-2 Attached Table

No.9)No.520,279

Class 2 Organic Solvents (Enforcement Order Attached Table No.6-2, Ordinance on

Prevention of Organic Solvent Poisoning Art.1, Para.1, Item 5)

Working Environment Evaluation Standards, Administrative Control Levels (Law

Art.65-2, Para.1)

Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1

Item 4)

Substances designated by the Minister of Health, Labor and Welfare as carcinogenic(Ordinance on Industrial Safety and Health Art.577, Para.2) Priority Assessment Chemical Substances (Law Article 2, Para.5)

Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc

Regulations for the carriage and storage of dangerous

goods in ship

Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Transport by Ship and Storage, Attached Table 1)

Civil Aeronautics Law Flammable Liquids (Ordinance Art. 194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

Marine Pollution Prevention Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y

Law Dangerous Substances

Pollutant Release and Transfer Class 1

Register Law (2023.4.1-)

Class 1 - No. 392

Export Trade Control Order Appendix 2 Export Approval Item

Air Pollution Control Law Hazardous Air Pollutants

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2) (~2024.3.31)	Pollutant Release and Transfer Register Law (2023.4.1-)
Hexane 110-54-3 (99.9)	-	Applicable	Applicable
1,2-Dibromoethane 106-93-4 (0.10)	-	Applicable	-

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS

 $\label{eq:continuous} \mbox{Dictionary of Synthetic Oraganic Chemistry} \ , \mbox{SSOCJ}, \mbox{Koudansha Scientific Co.Ltd}.$

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions The following contents were revised. Prodauct and company Identification. Fire fighting

measures. Exposure controls/personal protection. Toxicological information. Ecological

information. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z7252(2019). *JIS: Japanese Industrial Standards

End of Safety Data Sheet