



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 17-Aug-2023

Revision Number 3.05

Section 1: PRODUCT AND COMPANY IDENTIFICATION

| Product Name | Ethanol for Pesticide Residue And Polychlorinated Biphenyl Analysis |
|--------------|---|
| Product Code | 053-07011 |

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on use Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Flammable liquids Serious eye damage/eye irritation

Carcinogenicity
Reproductive Toxicity

Specific target organ toxicity (single exposure)
Category 3 Respiratory irritation, Narcotic effects

Specific target organ toxicity (repeated exposure)

Category 1 liver

Category 2 central nervous system

Category 2B Category 1A Category 1A Category 3

Category 1, Category 2

Pictograms



Hazard statements

H225 - Highly flammable liquid and vapor

H320 - Causes eye irritation

H350 - May cause cancer

H360 - May damage fertility or the unborn child

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H372 - Causes damage to the following organs through prolonged or repeated exposure: liver

H373 - May cause damage to the following organs through prolonged or repeated exposure: central nervous system

Precautionary statements-(Prevention)

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required

- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Use only outdoors or in a well-ventilated area
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- · Keep container tightly closed
- Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- Use only non-sparking tools
- Take precautionary measures against static discharge
- Keep cool

Precautionary statements-(Response)

- IF exposed or concerned: Get medical advice/attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue
- If eye irritation persists: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- In case of fire: Use suitable extinguishing media for extinction

Precautionary statements-(Storage)

- Store in a well-ventilated place. Keep container tightly closed
- Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula C2H5OH

| Chemical Name | Weight-% | Molecular weight | ENCS | ISHL No. | CAS RN |
|---|----------|------------------|---------|----------|---------|
| Ethanol | 99.5 | 46.07 | (2)-202 | * | 64-17-5 |
| Note on ISHL No.: * in the table means announced chemical substances. | | | | | |

Note on ISHL No.:

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Not applicable

Eve contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Impurities and/or Additives:

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method

No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions Storage conditions

Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed.

Safe packaging material

Glass

Incompatible substances

Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

| Chemical Name | JSOH (Japan) | ISHL (Japan) | ACGIH |
|---------------|--------------|--------------|----------------|
| Ethanol | N/A | N/A | STEL: 1000 ppm |
| 64-17-5 | | | |

Personal protective equipment

Respiratory protection
Hand protection
Eye protection
gas mask for organic gas (JIS T 8152)
chemical protective gloves (JIS T 8116)
protective eyeglasses or chemical safety goggles

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

ColorcolorlessTurbidityclearAppearanceliquid

Odor characteristic odor

Melting point/freezing point -130 °C
Boiling point, initial boiling point and boiling range 78 °C

Flammability Highly flammable liquid and vapor

Evaporation rate: no data available Flammability (solid, gas): no data available

Upper/lower flammability or

explosive limits

Upper:19.0 vol%Lower:3.3 vol%Flash point13 °CAuto-ignition temperature:371 °C

Decomposition temperature:no data availablepHno data availableViscosity (coefficient of viscosity)no data availableDynamic viscosityno data available

Solubilities water , Diethyl ether : Very soluble.

n-Octanol/water partition coefficient:(log Pow) -0.32

Vapour pressure 59.3 mmHg (25 °C)
Specific Gravity / Relative density 0.789 - 0.791 g/mL
Vapour density 1.6 (air = 1)
Particle characteristics no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available **Chemical stability** May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2)

Section 11: TOXICOLOGICAL INFORMATION

| • | | | | | • • |
|---|----------|-----|----|-----|------|
| Л | \sim 1 | Ita | tΛ | VIC | itv |
| _ | u | ate | w | ΛIL | ,ILV |

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---------------|--------------------|------------------------|------------------------|
| Ethanol | 6200 mg/kg (Rat) | 20000 mg/kg (Rabbit) | 63000 ppmV (Rat) 4 h |

| Chemical Name | Acute toxicity -oral- source information | Acute toxicity -dermal- source information | Acute toxicity -inhalation gas- source information |
|---------------|--|--|---|
| | | | Based on the NITE GHS classification results. |

| Chemical Name | Acute toxicity -inhalation | Acute toxicity -inhalation dust- | Acute toxicity -inhalation mist- |
|---------------|----------------------------|----------------------------------|----------------------------------|
| | vapor- source information | source information | source information |
| Ethanol | Based on the NITE GHS | Based on the NITE GHS | Based on the NITE GHS |
| | classification results. | classification results. | classification results. |

Skin irritation/corrosion

| Chemical Name | Skin corrosion/irritation source information |
|---------------|---|
| Ethanol | Based on the NITE GHS classification results. |
| | |

Serious eye damage/ irritation

| | |
|---------------|--|
| Chemical Name | Serious eye damage/irritation source information |
| Ethanol | Based on the NITE GHS classification results. |

Respiratory or skin sensitization

| Chemical Name | Respiratory or Skin sensitization source information |
|---------------|--|
| Ethanol | Based on the NITE GHS classification results. |

Reproductive cell mutagenicity

| Chemical Name | germ cell mutagencity source information |
|---------------|---|
| Ethanol | Based on the NITE GHS classification results. |

Carcinogenicity

| Chemical Name | Carcinogenicity source information |
|---------------|---|
| Ethanol | Based on the NITE GHS classification results. |

| Chemical Name | NTP | IARC | ACGIH | JSOH (Japan) |
|---------------|-------|---------|-------|--------------|
| Ethanol | Known | Group 1 | A3 | - |
| 64-17-5 | | • | | |

Reproductive toxicity

| Chemical Name | Reproductive toxicity source information | |
|---------------|---|--|
| Ethanol | Based on the NITE GHS classification results. | |
| | | |

STOT-single exposure

| | or or onigio expectate | | |
|---------------|------------------------|---|--|
| Chemical Name | | STOT -single exposure- source information | |
| | Ethanol | Based on the NITE GHS classification results. | |

STOT-repeated exposure

| Chemical Name | STOT -repeated exposure- source information | |
|---------------|---|--|
| Ethanol | Based on the NITE GHS classification results. | |

Aspiration hazard

| Chemical Name | Aspiration Hazard source information | |
|---------------|---|--|
| Ethanol | Based on the NITE GHS classification results. | |

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|---------------|-----------------------|---------------------------|----------------------|
| Ethanol | EC50 : Chlorella alga | LC50 : Oncorhychus mykiss | EC50 : Daphnia magna |
| | 1000 mg/L 96 h | 11200 ppm 96 h | 5463 mg/L 48 h |

Other data

| Chemical Name | Short-term (acute) hazardous to the aquatic environment source information | Long-term (chronic) hazardous to the aquatic environment source information |
|---------------|--|---|
| | | Based on the NITE GHS classification results. |

Persistence and degradability Degree of decomposition: 89 % by BOD

Bioaccumulative potential

Mobility in soil

No information available Hazard to the ozone layer No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

No information available

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN1170 Ethanol Proper shipping name: **UN classfication** 3

Subsidiary hazard class Packing group

Marine pollutant Not applicable

IMDG

UN number UN1170 Ethanol Proper shipping name: **UN classfication**

Subsidiary hazard class Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN1170 Ethanol solution Proper shipping name:

UN classfication Subsidiary hazard class Packing group Ш

Environmentally Hazardous Not applicable

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

goods in ship

Fire Service Act Category IV, alcohols, dangerous grade 2 water-soluble

Poisonous and Deleterious Not applicable **Substances Control Law**

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57,

Para.1, Enforcement Order Art.18)

Notifiable Substances (Law Art.57-2, Enforcement Oder Art.18-2 Attached Table

No.9)No.61

Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1

Regulations for the carriage and storage of dangerous

Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Transport by Ship and Storage, Attached Table 1)

Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of **Civil Aeronautics Law**

Explosives etc., Attached Table 1)

Marine Pollution Prevention Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Z

Law

Pollutant Release and Transfer Not applicable

Register Law (2023.4.1-)

Export Trade Control Order Not applicable

| Chemical Name | Poisonous and Deleterious Substances Control Law | Industrial Safety and Health Act Substances (Law Art.57-2) | Pollutant Release and Transfer Register Law (2023.4.1-) |
|-----------------------------|---|--|---|
| Ethanol 64-17-5 (99.5) | - | Applicable | - |

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions Disclaimer

The following contents were revised. Physical and chemical properties.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet