

## SAFETY DATA SHEET

According to JIS Z 7253:2019  
**Revision date** 03-Feb-2023  
 Revision Number 2.02

## Section 1: PRODUCT AND COMPANY IDENTIFICATION

<b>Product Name</b>	Ethalfuralin Standard
<b>Product Code</b>	052-07461

<b>Manufacturer</b>	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-5964
<b>Supplier</b>	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029
<b>Emergency telephone number</b>	+81-6-6203-3741 / +81-3-3270-8571
<b>Recommended uses and restrictions on use</b>	For research use only

## Section 2: HAZARDS IDENTIFICATION

## GHS classification

Classification of the substance or mixture

Acute toxicity - Inhalation (Dusts/Mists)

Skin corrosion/irritation

Serious eye damage/eye irritation

Acute aquatic toxicity

Chronic aquatic toxicity

Category 4

Category 2

Category 2A

Category 1

Category 1

## Pictograms



## Signal word

Warning

## Hazard statements

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

## Precautionary statements-(Prevention)

- Avoid breathing dust/fume/gas/mist/vapors/spray
- Use only outdoors or in a well-ventilated area
- Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection
- Avoid release to the environment

## Precautionary statements-(Response)

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing

- If eye irritation persists: Get medical advice/attention
- IF ON SKIN: Wash with plenty of soap and water
- If skin irritation occurs: Get medical advice/attention
- Take off contaminated clothing and wash before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- Collect spillage

**Precautionary statements-(Storage)**

- Not applicable

**Precautionary statements-(Disposal)**

- Dispose of contents/container to an approved waste disposal plant

**Others**

**Other hazards** Not available

### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

**Single Substance or Mixture** Substance

**Formula** C<sub>13</sub>H<sub>14</sub>F<sub>3</sub>N<sub>3</sub>O<sub>4</sub>

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Ethalfuraline	98.0	333.26	N/A	N/A	55283-68-6

**Note on ISHL No.:** \* in the table means announced chemical substances.

**Impurities and/or Additives:** Not applicable

### Section 4: FIRST AID MEASURES

**Inhalation**

Remove to fresh air. If symptoms persist, call a physician.

**Skin contact**

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

**Eye contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

**Ingestion**

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

**Protection of first-aiders**

Use personal protective equipment as required.

### Section 5: FIRE FIGHTING MEASURES

**Suitable extinguishing media**

Water spray (fog), Carbon dioxide (CO<sub>2</sub>), Foam, Extinguishing powder, Sand

**Unsuitable extinguishing media**

No information available

**Specific hazards arising from the chemical product**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

**Special extinguishing method**

No information available

**Special protective actions for fire-fighters**

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

## Section 6: ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

### Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

### Methods and materials for contaminant and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

### Recovery, neutralization

No information available

### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

## Section 7: HANDLING AND STORAGE

### Handling

#### Technical measures

Do not give shock. Avoid contact with strong oxidizing agents. Use with local exhaust ventilation.

#### Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

#### Safety handling precautions

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

### Storage

#### Safe storage conditions

##### Storage conditions

Keep container protect from light tightly closed. Store in a cool (2-10 °C) place.

##### Safe packaging material

Glass

#### Incompatible substances

Strong oxidizing agents

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and hand- and eye-wash facility. And display their position clearly.

### Exposure limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

### Personal protective equipment

#### Respiratory protection

Dust mask

#### Hand protection

Protection gloves

#### Eye protection

protective eyeglasses or chemical safety goggles

#### Skin and body protection

Long-sleeved work clothes

### General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

### Form

#### Color

yellow - yellowish red

#### Appearance

crystalline powder - powder

### Odor

no data available

### Melting point/freezing point

55 - 59 °C

<b>Boiling point, initial boiling point and boiling range</b>	no data available
<b>Flammability</b>	no data available
<b>Evaporation rate:</b>	no data available
<b>Flammability (solid, gas):</b>	no data available
<b>Upper/lower flammability or explosive limits</b>	
<b>Upper:</b>	no data available
<b>Lower:</b>	no data available
<b>Flash point</b>	no data available
<b>Auto-ignition temperature:</b>	no data available
<b>Decomposition temperature:</b>	no data available
<b>pH</b>	no data available
<b>Viscosity (coefficient of viscosity)</b>	no data available
<b>Dynamic viscosity</b>	no data available
<b>Solubilities</b>	Ethanol and acetone : soluble . water : practically insoluble,or insoluble .
<b>n-Octanol/water partition coefficient:(log Pow)</b>	5.11
<b>Vapour pressure</b>	no data available
<b>Specific Gravity / Relative density</b>	no data available
<b>Vapour density</b>	no data available
<b>Particle characteristics</b>	no data available

## Section 10: STABILITY AND REACTIVITY

### Stability

<b>Reactivity</b>	no data available
<b>Chemical stability</b>	May be altered by light.
<b>Hazardous reactions</b>	None under normal processing
<b>Conditions to avoid</b>	Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark, Shock
<b>Incompatible materials</b>	Strong oxidizing agents
<b>Hazardous decomposition products</b>	Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> ), Nitrogen oxides (NO <sub>x</sub> ), Halides

## Section 11: TOXICOLOGICAL INFORMATION

### Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethalfuraline	>5000mg/kg (Rat)	>5000mg/kg (Rat)	4980 mg/m <sup>3</sup> ( Rat ) 4 h

<b>Skin irritation/corrosion</b>	no data available
<b>Serious eye damage/ irritation</b>	no data available
<b>Respiratory or skin sensitization</b>	no data available
<b>Reproductive cell mutagenicity</b>	no data available
<b>Carcinogenicity</b>	no data available
<b>Reproductive toxicity</b>	no data available
<b>STOT-single exposure</b>	no data available
<b>STOT-repeated exposure</b>	no data available
<b>Aspiration hazard</b>	no data available

## Section 12: ECOLOGICAL INFORMATION

### Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Ethalfuraline	EC50=0.009 mg/L 72h	LC50=0.136 mg/L 96h	EC50=0.0237 mg/L 48h

Other data no data available

Persistence and degradability No information available  
 Bioaccumulative potential No information available  
 Mobility in soil No information available  
 Hazard to the ozone layer No information available

### Section 13: DISPOSAL CONSIDERATIONS

#### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

### Section 14: TRANSPORT INFORMATION

#### ADR/RID

UN number UN3077  
 Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Ethalfuraline)  
 UN classification 9  
 Subsidiary hazard class  
 Packing group III  
 Marine pollutant Yes

#### IMDG

UN number UN3077  
 Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Ethalfuraline)  
 UN classification 9  
 Subsidiary hazard class  
 Packing group III  
 Marine pollutant (Sea) Yes  
 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

#### IATA

UN number UN3077  
 Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Ethalfuraline)  
 UN classification 9  
 Subsidiary hazard class  
 Packing group III  
 Environmentally Hazardous Substance Yes

### Section 15: REGULATORY INFORMATION

#### International Inventories

EINECS/ELINCS Listed  
 TSCA Listed

#### Japanese regulations

Fire Service Act Category V, nitro compounds, dangerous grade 2  
 Poisonous and Deleterious Substances Control Law Not applicable  
 Industrial Safety and Health Act Not applicable  
 Regulations for the carriage Noxious Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

<b>and storage of dangerous goods in ship</b>	Transport by Ship and Storage, Attached Table 1)
<b>Civil Aeronautics Law</b>	Misellaneous Dangerous Substances and Articles (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc., Attached Table 1)
<b>Pollutant Release and Transfer Register Law (~2023.3.31)</b>	Not applicable
<b><u>Pollutant Release and Transfer Register Law (2023/4/1~)</u></b>	<u>Not applicable</u>
<b>Export Trade Control Order</b>	Not applicable

## Section 16: OTHER INFORMATION

<b>Key literature references and sources for data etc.</b>	<p>NITE: National Institute of Technology and Evaluation (JAPAN)  <a href="http://www.safe.nite.go.jp/japan/db.html">http://www.safe.nite.go.jp/japan/db.html</a>          IATA dangerous Goods Regulations          RTECS:Registry of Toxic Effects of Chemical Substances          Japan Industrial Safety and Health Association GHS Model SDS          Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.          Chemical Dictionary, Kyouritsu Publishing Co., Ltd.          etc</p>
--	---

### Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z7252(2019). \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**