



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 29-Feb-2024 Revision Number 5.06

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Ethylmagnesium Chloride, Tetrahydrofuran Solution (abt. 1mol/L)				
Product Code	059-08711,051-08715				
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029				
Emergency telephone number Recommended uses Restrictions on use	+81-6-6203-3741 / +81-3-3270-8571 For research use only Seek expert judgment when using for purposes other than those recommended.				

Section 2: HAZARDS IDENTIFICATION

GHS classification
Classification of the substance or mixture
Flammable liquids
Acute toxicity - Oral
Skin corrosion/irritation
Serious eye damage/eye irritation
Carcinogenicity
Reproductive Toxicity
Specific target organ toxicity (single exposure)
Category 1 central nervous system
Category 3 Respiratory irritation, Narcotic effects
Specific target organ toxicity (repeated exposure)
Category 1 central nervous system, respiratory system, liver

Category 2
Category 4
Category 1
Category 1
Category 2
Category 2
Category 1, Category 3

Category 1

Pictograms



Hazard statements

- H225 Highly flammable liquid and vapor
- H314 Causes severe skin burns and eye damage
- H318 Causes serious eye damage
- H302 Harmful if swallowed
- H351 Suspected of causing cancer
- H361 Suspected of damaging fertility or the unborn child
- H335 May cause respiratory irritation
- H336 May cause drowsiness or dizziness
- H370 Causes damage to the following organs: central nervous system

H372 - Causes damage to the following organs through prolonged or repeated exposure: central nervous system, respiratory system, liver

Precautionary statements-(Prevention)

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- · Use personal protective equipment as required
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Use only outdoors or in a well-ventilated area
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- · Keep container tightly closed
- · Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- Use only non-sparking tools
- Take precautionary measures against static discharge

• Keep cool

Precautionary statements-(Response)

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

• Immediately call a POISON CENTER or doctor/physician

- · Wash contaminated clothing before reuse
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

- Do NOT induce vomiting
- In case of fire: Use suitable extinguishing media for extinction

Precautionary statements-(Storage)

- Store in a well-ventilated place. Keep container tightly closed
- · Store locked up
- Precautionary statements-(Disposal)
 - Dispose of contents/container to an approved waste disposal plant

Others

Other hazards

Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Tetrahydrofuran	90	72.11	(5)-53	*	109-99-9
Ethylmagnesium Chloride	10	88.82	(2)-3469	1-(2)-201	2386-64-3

Note on ISHL No.: * in the table means announced chemical substances.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Skin contact Wash off i Eve contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions

Keep container protect from light, store in well-ventilated place at room temperature (preferably cool). Keep container tightly closed. Packed with an inert gas.

Safe packaging material Incompatible substances

Glass Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Tetrahydrofuran 109-99-9	TWA: 50 ppm OEL TWA: 148 mg/m³ OEL Skin ISHL/ACL: 50 ppm	ISHL/ACL: 50 ppm	STEL: 100 ppm TWA: 50 ppm Skin

Personal protective equipment **Respiratory protection**

Hand protection

Eye protection

gas mask for organic gas (JIS T 8152) chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles (JIS T 8147) Long-sleeved work clothes Skin and body protection

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color	pale yellow - blackish brown
Turbidity	clear ~ slightly muddy
Appearance	liquid
Odor	no data available
Melting point/freezing point	no data available
Boiling point, initial boiling point and boiling range	no data available
Flammability	Highly flammable liquid and vapor
Evaporation rate:	no data available
Flammability (solid, gas):	no data available
Upper/lower flammability or explosive limits	
Upper:	no data available
Lower:	no data available
Flash point	no data available
Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
рН	no data available
Viscosity (coefficient of viscosity)	no data available
Dynamic viscosity	no data available
Solubilities	No data available
n-Octanol/water partition coefficient:(log Pow)	no data available
Vapour pressure	no data available
Specific Gravity / Relative density	no data available
Vapour density	no data available
Particle characteristics	no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity Chemical stability

no data available May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Halides, Carbon monooxide (CO), Carbon dioxide (CO2), Metal oxides

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50			
Tetrahydrofuran	2000 mg/kg (Rat)	N/A	18187 ppm(Rat)4 h			

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Tetrahydrofuran	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Tetrahydrofuran		Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name			Skin corrosion/irritation source information		
Tetrahydrofuran		В	Based on the NITE GHS classification results.		
Serious eye damage/ irritation					
Chemical Name			Serious eye dar	nage/irritation so	urce information
Tetrahydrofuran		В	ased on the NITE GH	S classification res	sults.
Respiratory or skin sensitization					
Chemical Name					ource information
Tetrahydrofuran		В	ased on the NITE GH	S classification res	sults.
Reproductive cell mutagenicity					
Chemical Name			germ cell m	utagencity source	e information
Tetrahydrofuran		В	ased on the NITE GH	S classification res	sults.
Carcinogenicity					
Chemical Name			Carcinogenicity source information		
Tetrahydrofuran		В	Based on the NITE GHS classification results.		
Chemical Name	NTP		IARC	ACGIH	JSOH (Japan)
Tetrahydrofuran	-		Group 2B	A3	-
109-99-9					
Reproductive toxicity					
Chemical Name			Reproductive toxicity source information		
Tetrahydrofuran		В	Based on the NITE GHS classification results.		
STOT-single exposure					
Chemical Name			STOT -single exposure- source information		
Tetrahydrofuran		В	Based on the NITE GHS classification results.		
STOT-repeated exposure					
Chemical Name			STOT -repeated exposure- source information		
Tetrahydrofuran		В	Based on the NITE GHS classification results.		
Aspiration hazard					

Aspiration hazard

Chemical Name	Aspiration Hazard source information	
Tetrahydrofuran	Based on the NITE GHS classification results.	

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Tetrahydrofuran	LC50 : Pimephales Promelas	LC50 : Fathead minnow	EC50 : Daphnia magna
	2160 mg/L 96 h	2160 mg/L 96 h	5930 mg/L 48 h

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
		Based on the NITE GHS classification
	results.	results.

Persistence and degradability	No information available
Bioaccumulative potential	No information available
Mobility in soil	No information available
Hazard to the ozone layer	No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group Marine pollutant	UN2056 Tetrahydrofuran 3 II Not applicable
IMDG UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group Marine pollutant (Sea) Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	UN2056 Tetrahydrofuran 3 II Not applicable No information available
IATA UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group	UN2056 Tetrahydrofuran 3 II

Environmentally Hazardous Not applicable Substance

Sec	ction 15: REGULATORY INFORMATION
panese regulations	
Fire Service Act	Category IV, Class I petroleums, dangerous grade 2 water-soluble
Poisonous and Deleterious	Not applicable
Substances Control Law	Not applicable
	Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)
industrial Salety and Health Act	Notifiable Substances (Law Art.57-2)
	Class 2 Organic Solvents (Enforcement Order Attached Table No.6-2, Ordinance on Prevention of Organic Solvent Poisoning Art.1, Para.1, Item 5)
	Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1 Item 4)
	Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2 Para.1)
Industrial Safety and Health Act (2024~)	[2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph
Act on the Evaluation of	Priority Assessment Chemical Substances (Law Article 2, Para.5)
Chemical Substances and	· , · · · · · · · · · · · · · · · · · ·
Regulation of Their	
Manufacture, etc	
Regulations for the carriage and storage of dangerous goods in ship	Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)
Civil Aeronautics Law	Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc., Attached Table 1)
Marine Pollution Prevention	Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Z
Pollutant Release and Transfer Register Law (2023.4.1-)	Class 1
Class 1 - No.	674
Export Trade Control Order	Not applicable

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Tetrahydrofuran 109-99-9 (90)	-	Applicable	Applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc
Record of SDS revisions	The following contents were revised. Regulatory information.

Record of SDS revisions Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe

handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet