



# SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 17-Aug-2023 Revision Number 1.08

## Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	80vol% ethyl alcohol
Product Code	053-09375,059-09377,057-09373,051-09376

FUJIFILM Wako Pure Chemical Corporation Supplier

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

+81-6-6203-3741 / +81-3-3270-8571 **Emergency telephone number** 

Recommended uses For research use only

Restrictions on use Seek expert judgment when using for purposes other than those recommended.

## Section 2: HAZARDS IDENTIFICATION

**GHS** classification

Classification of the substance or mixture

Flammable liquids Serious eye damage/eye irritation

Carcinogenicity **Reproductive Toxicity** 

Specific target organ toxicity (single exposure)

Category 3 Respiratory irritation, Narcotic effects Specific target organ toxicity (repeated exposure)

Category 1 liver

Category 2 central nervous system

Category 2B

Category 1A Category 1A

Category 2

Category 3

Category 1, Category 2

## **Pictograms**







Signal word

Danger

## **Hazard statements**

H225 - Highly flammable liquid and vapor

H320 - Causes eye irritation

H350 - May cause cancer

H360 - May damage fertility or the unborn child

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H372 - Causes damage to the following organs through prolonged or repeated exposure: liver

H373 - May cause damage to the following organs through prolonged or repeated exposure: central nervous system

## **Precautionary statements-(Prevention)**

- · Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- · Use personal protective equipment as required
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not breathe dust/fume/gas/mist/vapors/spray

- Do not eat, drink or smoke when using this product
- · Use only outdoors or in a well-ventilated area
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Do not spray on an open flame or other ignition source
- Pressurized container: Do not pierce or burn, even after use
- Keep container tightly closed
- Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- Use only non-sparking tools
- Take precautionary measures against static discharge
- Keep cool

#### Precautionary statements-(Response)

- IF exposed or concerned: Get medical advice/attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue
- If eye irritation persists: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- In case of fire: Use suitable extinguishing media for extinction

#### **Precautionary statements-(Storage)**

- Store locked up
- · Store in a well-ventilated place. Keep container tightly closed
- Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

#### Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

**Others** 

Other hazards Not available

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Ethanol	80	46.07	(2)-202	*	64-17-5
Water	20	18.02	N/A	N/A	7732-18-5

Note on ISHL No.: \* in the table means announced chemical substances.

Not applicable Impurities and/or Additives:

## Section 4: FIRST AID MEASURES

#### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

## Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

#### **Eve contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

## Protection of first-aiders

Use personal protective equipment as required.

## **Section 5: FIRE FIGHTING MEASURES**

## Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

#### Unsuitable extinguishing media

No information available

## Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

## Special extinguishing method

No information available

#### Special protective actions for

#### fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

## **Section 6: ACCIDENTAL RELEASE MEASURES**

#### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

#### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

#### Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

## Recoverly, neutralization

No information available

## Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

## Section 7: HANDLING AND STORAGE

## **Handling**

#### **Technical measures**

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

#### Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

### Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

## Storage

## Safe storage conditions

Storage conditions Store away from sunlight in well-ventilated place at room temperature (preferably cool).

Safe packaging material
Incompatible substances

Keep container tightly closed.
Polyethylene, Polypropylene
Strong oxidizing agents

#### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

**Exposure limits** 

	Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
ſ	Ethanol	N/A	N/A	STEL: 1000 ppm

64-17-5		

Personal protective equipment

Respiratory protectiongas mask for organic gas (JIS T 8152)Hand protectionchemical protective gloves (JIS T 8116)Eye protectionprotective eyeglasses or chemical safety goggles

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

## **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

**Form** 

ColorcolorlessTurbidityclearAppearanceliquid

**Odor** characteristic odor

Melting point/freezing point -117 °C
Boiling point, initial boiling point and boiling range 78 °C

Flammability Highly flammable liquid and vapor

**Evaporation rate:**Flammability (solid, gas):
no data available
no data available

Upper/lower flammability or

explosive limits

 Upper:
 19.0 vol%

 Lower:
 3.3 vol%

 Flash point
 13 °C

 Auto-ignition temperature:
 371 °C

Decomposition temperature:no data availablepHno data availableViscosity (coefficient of viscosity)no data available

Dynamic viscosity

Solubilities

no data available
water, Diethyl ether: soluble.

Solubilities water n-Octanol/water partition coefficient:(log Pow) -0.32

Vapour pressure 59.3 mmHg ( 25 °C )
Specific Gravity / Relative density 0.860 - 0.873
Vapour density no data available
Particle characteristics no data available

## Section 10: STABILITY AND REACTIVITY

#### Stability

Reactivity no data available

**Chemical stability** Stable under recommended normal conditions.

**Hazardous reactions** 

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

**Hazardous decomposition products** 

Carbon monooxide (CO), Carbon dioxide (CO2)

## **Section 11: TOXICOLOGICAL INFORMATION**

**Acute toxicity** 

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethanol	6200 mg/kg ( Rat )	20000 mg/kg ( Rabbit )	63000 ppmV ( Rat ) 4 h

\_\_\_\_\_\_

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
20101101			Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Ethanol	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

## Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Ethanol	Based on the NITE GHS classification results.

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information	
Ethanol	Based on the NITE GHS classification results.	

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
Ethanol	Based on the NITE GHS classification results.

Reproductive cell mutagenicity

Chemical Name	germ cell mutagencity source information
Ethanol	Based on the NITE GHS classification results.

Carcinogenicity

Chemical Name	Carcinogenicity source information
Ethanol	Based on the NITE GHS classification results.

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
Ethanol	Known	Group 1	A3	-
64-17-5		·		

Reproductive toxicity

Chemical Name Reproductive toxicity source information	
Ethanol	Based on the NITE GHS classification results.

**STOT-single exposure** 

Chemical Name	STOT -single exposure- source information	
Ethanol	Based on the NITE GHS classification results.	

**STOT-repeated exposure** 

Chemical Name	STOT -repeated exposure- source information		
Ethanol	Based on the NITE GHS classification results.		
Aspiration hazard			

Chemical Name Aspiration Hazard source info	
Ethanol	Based on the NITE GHS classification results.

# **Section 12: ECOLOGICAL INFORMATION**

## **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Ethanol	EC50 : Chlorella alga	LC50 : Oncorhychus mykiss	EC50 : Daphnia magna
	1000 mg/L 96 h	11200 ppm 96 h	5463 mg/L 48 h

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
Ethanol	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability Bioaccumulative potential Mobility in soil

No information available No information available No information available

Hazard to the ozone layer No information available

## Section 13: DISPOSAL CONSIDERATIONS

#### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## **Section 14: TRANSPORT INFORMATION**

ADR/RID

UN number UN1170
Proper shipping name: Ethanol
UN classfication 3

Subsidiary hazard class

Packing group

Marine pollutant Not applicable

**IMDG** 

UN number UN1170
Proper shipping name: Ethanol
UN classfication 3

Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

**IATA** 

UN number UN1170
Proper shipping name: Ethanol solution

UN classfication 3

Subsidiary hazard class

Packing group

Environmentally Hazardous Not applicable

Substance

## Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Category IV, alcohols, dangerous grade 2 water-soluble

Poisonous and Deleterious Not applicable

**Substances Control Law** 

Industrial Safety and Health Act Notifiable Substances (Law Art.57-2, Enforcement Oder Art.18-2 Attached Table

NO.9)NO.61

Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57,

Para.1, Enforcement Order Art.18)

Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1

Item 4)

Regulations for the carriage

and storage of dangerous

goods in ship

Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Transport by Ship and Storage, Attached Table 1)

**Civil Aeronautics Law** Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

**Marine Pollution Prevention** 

aw

Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Z

Pollutant Release and Transfer Not applicable

**Register Law** 

(2023.4.1-)

Export Trade Control Order Not applicable

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Ethanol 64-17-5 ( 80 )	-	Applicable	-

## **Section 16: OTHER INFORMATION**

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions Disclaimer

The following contents were revised. Physical and chemical properties.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**