



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 26-Feb-2024

Revision Number 3.08

Category 4

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Formaldehyde Solution
Product Code	069-00417,061-00411,061-00416
Supplier	FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741

Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Flammable liquids

Classification of the substance or mixture

Acute toxicity - Oral Category 4 Acute toxicity - Dermal Category 3 Acute toxicity - Inhalation (Vapors) Category 2 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Respiratory sensitization Category 1 Skin sensitization Category 1 Germ cell mutagenicity Category 2 Carcinogenicity Category 1A **Reproductive Toxicity** Category 1B Specific target organ toxicity (single exposure) Category 1

Category 1 nervous system, respiratory system, central nervous system

Specific target organ toxicity (repeated exposure) Category 1

Category 1 respiratory system, central nervous system, Visual organ

Acute aquatic toxicity
Chronic aquatic toxicity
Category 2
Category 3

Pictograms



Signal word

Danger

Hazard statements

H227 - Combustible liquid

H315 - Causes skin irritation

H319 - Causes serious eve irritation

H302 - Harmful if swallowed

H311 - Toxic in contact with skin

H330 - Fatal if inhaled

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H341 - Suspected of causing genetic defects

H350 - May cause cancer

H360 - May damage fertility or the unborn child

H317 - May cause an allergic skin reaction

H401 - Toxic to aquatic life

H412 - Harmful to aquatic life with long lasting effects

H370 - Causes damage to the following organs: nervous system, respiratory system, central nervous system

H372 - Causes damage to the following organs through prolonged or repeated exposure: respiratory system, central nervous system, Visual organ

Precautionary statements-(Prevention)

- Obtain special instructions before use
- · Do not handle until all safety precautions have been read and understood
- · Use personal protective equipment as required
- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product
- In case of inadequate ventilation wear respiratory protection
- · Contaminated work clothing should not be allowed out of the workplace
- Wear protective gloves
- · Do not breathe dust/fume/gas/mist/vapors/spray
- Avoid release to the environment
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Precautionary statements-(Response)

- IF exposed: Call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue
- If eye irritation persists: Get medical advice/attention
- IF ON SKIN: Wash with plenty of soap and water
- Call a POISON CENTER or doctor/physician if you feel unwell
- · Remove/Take off immediately all contaminated clothing
- · Wash contaminated clothing before reuse
- If skin irritation or rash occurs: Get medical advice/attention
- IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing
- If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth
- · In case of fire: Use suitable extinguishing media for extinction

Precautionary statements-(Storage)

Store locked up

Note on ISHL No.:

Impurities and/or Additives:

· Store in a well-ventilated place. Keep cool

Precautionary statements-(Disposal)

Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Water	<60	18.02	-	N/A	7732-18-5
Formaldehyde	35-38	30.03	(2)-482	*	50-00-0
Methanol	5 - 10	32.04	(2)-201	*	67-56-1

* in the table means announced chemical substances.

Section 4: FIRST AID MEASURES

Stabilizer: Methanol 5-10%

W01W0106-0041 JGHEEN Formaldehyde Solution

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity)

Storage

Safe storage conditions

Storage conditions Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed. Store locked up.

Safe packaging material Polyethylene, Polyethylene terephthalate

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Formaldehyde	Ceiling: 0.2 ppm	ISHL/ACL: 0.1 ppm	STEL: 0.3 ppm
50-00-0	Ceiling: 0.24 mg/m ³		TWA: 0.1 ppm
	TWA: 0.1 ppm OEL		
	TWA: 0.12 mg/m ³ OEL		
	ISHL/ACL: 0.1 ppm		
Methanol	TWA: 200 ppm OEL	200ppm	TWA 200ppm(260mg/m ³)
67-56-1	TWA: 260 mg/m ³ OEL		STEL 250ppm
	Skin		
	ISHL/ACL: 200 ppm		

Personal protective equipment

Respiratory protection gas mask for organic gas (JIS T 8152)
Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to

them.

Turbidity

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

clear

Form

Color Colorless - nearly colorless

Appearance liquid
Odor Pungent odor
Melting point/freezing point no data available
Boiling point, initial boiling point and boiling range
Flammability Combustible liquid
Evaporation rate: no data available
Flammability (solid, gas): no data available

Upper/lower flammability or explosive limits

Upper:
Lower:
no data available
no data available
rlash point
no data available
pecomposition temperature:
no data available
ph
no data available
viscosity (coefficient of viscosity)
no data available

Dynamic viscosity no data available

Solubilities water and Ethanol : Very soluble.

n-Octanol/water partition coefficient:(log Pow)
No data available
no data available
Specific Gravity / Relative density
Napour density
Particle characteristics
No data available
no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available **Chemical stability** May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2)

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Formaldehyde	600 - 800 mg/kg (Rat)	270 mg/kg(Rabbit)	0.578 mg/L (Rat) 4 h
Methanol	1400 mg/kg (Human)	15800 mg/kg (Rabbit)	>31500 ppm (Rat) 4 h
			(vapor)

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
			Based on the NITE GHS classification results.
			Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
			Based on the NITE GHS classification results.
			Based on the NITE GHS classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Formaldehyde	Based on the NITE GHS classification results.
Methanol	Based on the NITE GHS classification results.

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information
Formaldehyde	Based on the NITE GHS classification results.
Methanol	Based on the NITE GHS classification results.

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
Formaldehyde	Based on the NITE GHS classification results.
Methanol	Based on the NITE GHS classification results.

Reproductive cell mutagenicity

|--|

Formaldehyde	Based on the NITE GHS classification results.
Methanol	Based on the NITE GHS classification results.
	-

Carcinogenicity

Chemical Name	Carcinogenicity source information
Formaldehyde	Based on the NITE GHS classification results.
Methanol	Based on the NITE GHS classification results.

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
Formaldehyde	Known	Group 1	A1	Group 2A
50-00-0		•		

Reproductive toxicity

Chemical Name	Reproductive toxicity source information	
Formaldehyde	Based on the NITE GHS classification results.	
Methanol	Based on the NITE GHS classification results.	

STOT-single exposure

_	Chemical Name	STOT -single exposure- source information	
	Formaldehyde	Based on the NITE GHS classification results.	
	Methanol	Based on the NITE GHS classification results.	

STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information	
Formaldehyde	Based on the NITE GHS classification results.	
Methanol	Based on the NITE GHS classification results.	

Aspiration hazard

Chemical Name	Aspiration Hazard source information	
Formaldehyde	Based on the NITE GHS classification results.	
Methanol	Based on the NITE GHS classification results.	

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Formaldehyde	N/A	LC50:Pimephales promelas	LC50 : Cypridopsis sp.
		22.6 - 25.7 mg/L 96 h	0.00094 mg/L 24 h
Methanol	N/A	LC50 : Lepomis macrochirus	LC50 : Artemia
		15400 mg/L 96 h	1340 mg/L 96 h

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the	
	aquatic environment source information	aquatic environment source information	
Formaldehyde	Based on the NITE GHS classification	Based on the NITE GHS classification	
	results.	results.	
Methanol	Based on the NITE GHS classification	Based on the NITE GHS classification	
	results.	results.	

Persistence and degradability Degree of decomposition: 91 % by BOD (METI Existing chemical safety inspections)

Bioaccumulative potential No information available

Bioaccumulative potential Mobility in soil

Mobility in soilNo information availableHazard to the ozone layerNo information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN2209

Proper shipping name: Formaldehyde solution

UN classfication Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG

UN number UN2209

Proper shipping name: Formaldehyde solution

UN classfication

Subsidiary hazard class

Packing group Ш

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN2209

Proper shipping name: Formaldehyde solution

UN classfication

Subsidiary hazard class

Packing group

Environmentally Hazardous Not applicable

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Firefighting Inhibitor **Fire Service Act**

Poisonous and Deleterious Deleterious Substances 3rd. Grade

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2)

Class 2 Organic Solvents (Enforcement Order Attached Table No.6-2, Ordinance on

Prevention of Organic Solvent Poisoning Art.1, Para.1, Item 5)

Group 2 Specified Chemical Substance

Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2,

【2024.4.1~】Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

Para.1)

Industrial Safety and Health Act (

2024~)

Priority Assessment Chemical Substances (Law Article 2, Para.5)

Act on the Evaluation of **Chemical Substances and** Regulation of Their Manufacture, etc

Regulations for the carriage

and storage of dangerous goods in ship

Corrosive Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)

Civil Aeronautics Law

Corrosive Substances (Ordinance Art.194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

Marine Pollution Prevention

Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y

Pollutant Release and Transfer Specified Class 1 No. **Register Law**

(2023.4.1-)

Specified Class 1-No. 411 Water Pollution Control Act Export Trade Control Order Air Pollution Control Law Specified substances(Law Art.2 Para.4, Enforcement Order Art.3-3)

Not applicable

ir Pollution Control Law Specified Substances, Priority Chemical Substances

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Formaldehyde 50-00-0 (35-38)	Applicable	Applicable	Applicable
Methanol 67-56-1 (5 - 10)	-	Applicable	-

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet