



# SAFETY DATA SHEET

According to JIS Z 7253:2019 Issue Date 21-Nov-2025 Revision Number 3.06

# Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Formic Acid (abt.99%)	
Product Code	063-04192,065-04191	
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan	

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

+81-6-6203-3741 / +81-3-3270-8571 **Emergency telephone number** 

Recommended uses For research use only

Seek expert judgment when using for purposes other than those recommended. Restrictions on use

# Section 2: HAZARDS IDENTIFICATION

#### **GHS** classification

Classification of the substance or mixture

Flammable liquids	Category 3
Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Vapors)	Category 4
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 1
Category 1 central nervous system, respiratory system, blood system, kidneys	
Specific target organ toxicity (repeated exposure)	Category 2

Specific target organ toxicity (repeated exposure)

Category 2 respiratory system

Acute aquatic toxicity Category 3

### **Pictograms**



# **Hazard statements**

- H226 Flammable liquid and vapour
- H314 Causes severe skin burns and eye damage
- H318 Causes serious eye damage
- H302 Harmful if swallowed
- H332 Harmful if inhaled
- H402 Harmful to aquatic life
- H370 Causes damage to the following organs: central nervous system, respiratory system, blood system, kidneys
- H373 May cause damage to the following organs through prolonged or repeated exposure: respiratory system

### **Precautionary statements-(Prevention)**

- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product
- · Use only outdoors or in a well-ventilated area

- Do not breathe dust/fume/gas/mist/vapors/spray
- Wear protective gloves/protective clothing/eye protection/face protection
- Avoid release to the environment
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- · Keep container tightly closed
- · Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- · Use only non-sparking tools
- Take precautionary measures against static discharge

# **Precautionary statements-(Response)**

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- · Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth
- · Do NOT induce vomiting
- · In case of fire: Use suitable extinguishing media for extinction

## Precautionary statements-(Storage)

- Store locked up
- Store in a well-ventilated place. Keep cool

### Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

**Others** 

Other hazards Not available

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula HCOOH

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Formic acid	99.5	46.03	(2)-670	*	64-18-6

Note on ISHL No.: \* in the table means announced chemical substances.

## Section 4: FIRST AID MEASURES

## Inhalation

Remove to fresh air. If symptoms persist, call a physician.

#### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

# Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

# Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

#### Protection of first-aiders

Use personal protective equipment as required.

# Section 5: FIRE FIGHTING MEASURES

#### Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

### Unsuitable extinguishing media

No information available

#### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

### Special extinguishing method

No information available

### Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

# Section 6: ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

#### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

### Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

## Recoverly, neutralization

No information available

#### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

## Section 7: HANDLING AND STORAGE

# <u>Handling</u>

## **Technical measures**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.Use with local exhaust ventilation. The contents may spurt out. Wear protective gloves, goggles, protective face, and other respiratory protective equipment as necessary, and carefully open the package in a local exhaust system.

#### **Precautions**

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

#### Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

#### Storage

Safe storage conditions

**Storage conditions** Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed. Store locked up.

Safe packaging material Glass

Incompatible substances Strong oxidizing agents

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

#### **Exposure limits**

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Formic acid	TWA: 5 ppm OEL	N/A	STEL: 10 ppm
64-18-6	TWA: 9.4 mg/m <sup>3</sup> OEL		TWA: 5 ppm

Personal protective equipment

**Respiratory protection** gas mask for organic gas (JIS T 8152) **Hand protection** chemical protective gloves (JIS T 8116)

**Eye protection** protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

# **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

**Form** 

Color
Turbidity
Appearance
Odor
Melting point/freezing point
Boiling point, initial boiling point and boiling range

colorless
clear
liquid
Pungent odor
8.4 °C
Boiling point, initial boiling point and boiling range

Flammability Flammable liquid and vapor

Evaporation rate: no data available Flammability (solid, gas): no data available

Upper/lower flammability or explosive limits

Upper:no data availableLower:no data available

Flash point 45 °C Auto-ignition temperature: 539 °C

Decomposition temperature:no data availablepHStrongly acidicViscosity (coefficient of viscosity)no data availableDynamic viscosityno data available

Solubilities water and Ethanol : Very soluble .

n-Octanol/water partition coefficient:(log Pow) -0.54

Vapour pressureno data availableSpecific Gravity / Relative density1.21 g/mLVapour densityno data availableParticle characteristicsno data available

# **Section 10: STABILITY AND REACTIVITY**

## **Stability**

**Reactivity** no data available **Chemical stability** May be altered by light.

Hazardous reactions

None under normal processing

**Conditions to avoid** 

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials
Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2)

Section	11:	<b>TOXICOLOGICAL</b>	INFORMATION

\*NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip\_search/srhInput

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Formic acid	700 mg/kg ( Rat )	N/A	7.4 mg/L ( Rat )

Chemical Name	Acute toxicity -oral- source		Acute toxicity -inhalation gas-
	information	information	source information
			Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust-	Acute toxicity -inhalation mist-
	vapor- source information	source information	source information
Formic acid	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results	classification results.	classification results.

### Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information	
Formic acid	Based on the NITE GHS classification results.	
Coviers are demonstration		

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information
Formic acid	Based on the NITE GHS classification results.

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
Formic acid	Based on the NITE GHS classification results.
Decree 1 and a constitution of the constitution	

Reproductive cell mutagenicity

Chemical Name	germ cell mutagencity source information
Formic acid	Based on the NITE GHS classification results.

Carcinogenicity

Chemical Name	Carcinogenicity source information	
Formic acid	Based on the NITE GHS classification results.	

Reproductive toxicity

Chemical Name	Reproductive toxicity source information			
Formic acid	Based on the NITE GHS classification results.			
STOT-single exposure				
Chemical Name	STOT -single exposure- source information			

Formic acid

Based on the NITE GHS classification results.

STOT-repeated exposure

Chemical Name
STOT -repeated exposure- source information
Formic acid
Based on the NITE GHS classification results.

**Aspiration hazard** 

Chemical Name	Aspiration Hazard source information	
Formic acid	Based on the NITE GHS classification results.	

# **Section 12: ECOLOGICAL INFORMATION**

## **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Formic acid	ErC50 : Desmodesmus	LC50 : Danio rerio	EC50 : Daphnia magna
	30.2 mg/L 72 h	1560 mg/L 96 h	540 mg/L 48 h

#### Other data

<sup>\*</sup>NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip\_search/srhInput

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the	
	aquatic environment source information	aquatic environment source information	
Formic acid	Based on the NITE GHS classification	Based on the NITE GHS classification	
	results.	results.	

Persistence and degradability Readily biodegradable Degree of decomposition: 110 % by BOD (METI Existing

chemical safety inspections)

**Bioaccumulative potential** 

No information available Mobility in soil No information available No information available Hazard to the ozone layer

# Section 13: DISPOSAL CONSIDERATIONS

### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

# Section 14: TRANSPORT INFORMATION

ADR/RID

UN1779 **UN** number Proper shipping name: Formic acid

**UN classfication** Subsidiary hazard class 3 **Packing group** Ш

Marine pollutant Not applicable

**IMDG** 

**UN** number UN1779 Proper shipping name: Formic acid

**UN classfication** Subsidiary hazard class Packing group Ш

Not applicable Marine pollutant (Sea)

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

**IATA** 

UN1779 **UN** number Proper shipping name: Formic acid

**UN classfication** 8 Subsidiary hazard class 3 **Packing group** 

Not applicable **Environmentally Hazardous** 

**Substance** 

# **Section 15: REGULATORY INFORMATION**

Japanese regulations

Fire Service Act Category IV, Class II petroleums, dangerous grade 3 water-soluble

**Poisonous and Deleterious** Deleterious Substances 3rd. Grade **Substances Control Law** 

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2)

Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1) Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1 Item 4)

W01W0106-0419 JGHEEN Formic Acid (abt.99%) Regulations for the carriage and storage of dangerous

goods in ship Civil Aeronautics Law Corrosive Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Transport by Ship and Storage, Attached Table 1)

Corrosive Substances (Ordinance Art.194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)
Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y

Marine Pollution Prevention

∟aw

Pollutant Release and Transfer Not applicable

Register Law (2023.4.1-)

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Formic acid 64-18-6 ( 99.5 )	Applicable	Applicable	-

## **Section 16: OTHER INFORMATION**

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip\_search/srhInput

IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

**Record of SDS revisions** 

The following contents were revised. Prodauct and company Identification. Regulatory

information.

#### **Disclaimer**

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**