



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 29-Feb-2024

Revision Number 2.03

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Fluoromethyl p-Toluenesulfonate
Product Code	067-06471,063-06473

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture
Skin corrosion/irritation

Serious eye damage/eye irritation

Reproductive Toxicity
Specific target organ toxicity (repeated exposure)

Category 2 central nervous system, kidneys

Category 2 Category 2A Category 1A

Category 2

Pictograms



Signal word

Danger

Hazard statements

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H360 - May damage fertility or the unborn child

H373 - May cause damage to the following organs through prolonged or repeated exposure: central nervous system, kidneys

Precautionary statements-(Prevention)

- · Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary statements-(Response)

- IF exposed or concerned: Get medical advice/attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF ON SKIN: Wash with plenty of soap and water

- If skin irritation occurs: Get medical advice/attention
- Take off contaminated clothing and wash before reuse

Precautionary statements-(Storage)

· Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula C8H9FO3S

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Fluoromethyl	98.0	204.22	N/A	N/A	114435-86-8
p-Toluenesulfonate					
Toluene	0.3	92.14	(3)-2,(3)-60	*	108-88-3

Note on ISHL No.: * in the table means announced chemical substances.

Impurities and/or Additives: Residual components: Toluene 0.3%

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed. Packed with an inert gas. Glass

Safe packaging material

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Toluene	TWA: 50 ppm OEL	ISHL/ACL: 20 ppm	TWA: 20 ppm
108-88-3	TWA: 188 mg/m ³ OEL		
	Skin		
	ISHL/ACL: 20 ppm		

Personal protective equipment

Respiratory protection Protective mask

Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to

them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Colorless - yellow

Turbidity clear Appearance liquid

Odor

Melting point/freezing point

Boiling point, initial boiling point and boiling range
Flammability

Evaporation rate:

Flammability (solid, gas):

no data available
no data available
no data available
no data available

Upper/lower flammability or explosive limits

Upper:no data availableLower:no data available

Flash point 114 °C

Auto-ignition temperature:no data availableDecomposition temperature:no data availablepHno data availableViscosity (coefficient of viscosity)no data availableDynamic viscosityno data available

Solubilities Ethanol , acetone : soluble . water : slightly soluble .

n-Octanol/water partition coefficient:(log Pow)no data availableVapour pressureno data availableSpecific Gravity / Relative densityno data availableVapour densityno data availableParticle characteristicsno data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available
Chemical stability May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Sulfur oxides (SOx), Halides

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Toluene	5000 mg/kg (Rat)	12000 mg/kg (Rat)	7460 ppm (Rat) 4 h (vapor)

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Toluene	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust-	Acute toxicity -inhalation mist-
	vapor- source information	source information	source information

Toluene	Based on the NITE GHS	Based on the NITE GHS	Based on th	e NITE GHS	
roldono	classification results.	classification results.	classification		
	·				
kin irritation/corrosion					
Che	mical Name	Skin corrosion/ir			
	Toluene	Based on the NITE GHS cl	assification resul	ts.	
Serious eye damage/ irritati					
Che	emical Name	Serious eye damag			
	Toluene	Based on the NITE GHS cl	assification resul	ts.	
Respiratory or skin sensitiz					
Che	emical Name	Respiratory or Skin s			
	Toluene	Based on the NITE GHS cl	assification resul	ts.	
Reproductive cell mutageni	•				
Che	emical Name		germ cell mutagencity source information		
	Toluene	Based on the NITE GHS cl	assification resul	ts.	
Carcinogenicity					
Che	emical Name		city source info		
	Toluene	Based on the NITE GHS cl	assification resul	ts.	
Chemical Na	ame NTP	IARC	ACGIH	JSOH (Japan)	
Toluene	-	Group 3		-	
108-88-3	3				
Reproductive toxicity	•	•		•	
Che	emical Name	Reproductive to	oxicity source in	formation	
	Toluene	Based on the NITE GHS cl	assification resul	ts.	
TOT-single exposure					
Che	emical Name	STOT -single ex	oosure- source i	information	
Toluene		Based on the NITE GHS cl	Based on the NITE GHS classification results.		
TOT-repeated exposure					
Che	emical Name	STOT -repeated ex	xposure- source	information	
Toluene		Based on the NITE GHS cl	Based on the NITE GHS classification results.		
Aspiration hazard					

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Toluene	EC50:Pseudokirchneriella subcapitata 433 mg/L 96 h	LC50:Pimephales promelas 15.22 - 19.05 mg/L 96 h	EC50:Ceriodaphnia dubia 3.78 mg/L 48 h

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information
Toluene	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Chemical Name

Toluene

Section 13: DISPOSAL CONSIDERATIONS

Aspiration Hazard source information

Based on the NITE GHS classification results.

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID Not regulated

UN number

Proper shipping name: **UN classfication**

Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG Not regulated

UN number

Proper shipping name: **UN classfication**

Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

Not regulated IATA

UN number

Proper shipping name: **UN classfication** Subsidiary hazard class

Packing group

Environmentally Hazardous Not applicable

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Category IV, Class III petroleums, dangerous grade 3

Poisonous and Deleterious Not applicable

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2)

Industrial Safety and Health Act (2024~)

【2024.4.1~】Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

Act on the Evaluation of

Chemical Substances and Regulation of Their

Priority Assessment Chemical Substances (Law Article 2, Para.5)

Regulations for the carriage

and storage of dangerous

goods in ship

Manufacture, etc

Not applicable

Civil Aeronautics Law Not applicable Pollutant Release and Transfer Not applicable

Register Law (2023.4.1-)

Water Pollution Control Act Specified substances(Law Art.2 Para.4, Enforcement Order Art.3-3)

Export Trade Control Order Not applicable

Air Pollution Control Law Priority Chemical Substances

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Toluene 108-88-3 (0.3)	-	Applicable	-

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet