



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 28-Feb-2024 Revision Number 8.03

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Gallium Standard Solution(Ga 1000)		
Product Code	070-05781		
Supplier	FUJIFILM Wako Pure Chemical Corporation		
	1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan		
	Phone: +81-6-6203-3741 Fax: +81-6-6203-2029		
Emergency telephone number	+81-6-6203-3741 / +81-3-3270-8571		
Recommended uses	For research use only		
Restrictions on use	Seek expert judgment when using for purposes other than those recommended.		

Section 2: HAZARDS IDENTIFICATION

GHS classification <u>Classification of the substance or mixture</u> Corrosive to metals Acute toxicity - Inhalation (Vapors) Skin corrosion/irritation Serious eye damage/eye irritation Specific target organ toxicity (single exposure) Category 2 respiratory system Specific target organ toxicity (repeated exposure) Category 2 respiratory system, teeth

Category 1
Category 4
Category 2
Category 1
Category 2

Category 2

Pictograms



Hazard statements

- H290 May be corrosive to metals
- H315 Causes skin irritation
- H318 Causes serious eye damage
- H332 Harmful if inhaled
- H371 May cause damage to the following organs: respiratory system

H373 - May cause damage to the following organs through prolonged or repeated exposure: respiratory system, teeth

Precautionary statements-(Prevention)

- · Use only outdoors or in a well-ventilated area
- Wear protective gloves/protective clothing/eye protection/face protection
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product
- · Keep only in original container

Precautionary statements-(Response)

- IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- · IF ON SKIN: Wash with plenty of soap and water
- If skin irritation occurs: Get medical advice/attention
- · Take off contaminated clothing and wash before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- · Absorb spillage to prevent material damage
- Precautionary statements-(Storage)

Store locked up

Store in corrosive resistant/ container with a resistant inner liner

Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

Others

Other hazards

Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Water	< 97.0	18.02	-	N/A	7732-18-5
Nitric Acid	3.15	63.01	(1)-394	*	7697-37-2
Gallium	0.10	69.72	-	N/A	7440-55-3

Note on ISHL No.:

* in the table means announced chemical substances.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with alkaline substances. Avoid contact with metal. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions Storage conditions

Safe packaging material Incompatible substances Store away from sunlight in well-ventilated place at room temperature (under 25 °C). Keep container tightly closed. Polyethylene Metals, Strong bases

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Nitric Acid	TWA: 2 ppm OEL	N/A	STEL: 4 ppm
7697-37-2	TWA: 5.2 mg/m ³ OEL		TWA: 2 ppm

Personal protective equipment

Respiratory protection Hand protection Eye protection Skin and body protection

Gas mask for acidic gas (JIS T 8152) chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles (JIS T 8147) Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form	
Color	colorless
Turbidity	clear
Appearance	liquid
Odor	no data available
Melting point/freezing point	no data available
Boiling point, initial boiling point and boiling range	no data available
Flammability	no data available
Evaporation rate:	no data available
Flammability (solid, gas):	no data available
Upper/lower flammability or explosive limits	
Upper:	no data available
Lower:	no data available
Flash point	no data available
Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
рН	acidic
Viscosity (coefficient of viscosity)	no data available
Dynamic viscosity	no data available
Solubilities	No data available
n-Octanol/water partition coefficient:(log Pow)	no data available
Vapour pressure	no data available
Specific Gravity / Relative density	no data available
Vapour density	no data available
Particle characteristics	no data available

Section 10: STABILITY AND REACTIVITY

Stability

 Reactivity
 no data available

 Chemical stability
 Stable under recommended storage conditions.

 Hazardous reactions
 Corrodes metals to generate hydrogen gas.

 Conditions to avoid
 Extremes of temperature and direct sunlight

 Incompatible materials
 Metals, Strong bases

 Hazardous decomposition products
 Nitrogen oxides (NOx), Metal oxides

Section 11: TOXICOLOGICAL INFORMATION

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Nitric Acid	N/A	N/A	334 ppm (Rat) 0.5 h
Chemical Name	Acute toxicity -oral- source	Acute toxicity -dermal- source	Acute toxicity -inhalation source information
Nitric Acid	Based on the NITE GHS	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

	vapor- source information	source information	source information
Nitric Acid	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	Classification results.	classification results.	Classification results.
Skin irritation/corrosion			
	ical Name	Skin corrosion/irr	itation source information
	ric Acid	Based on the NITE GHS cla	ssification results.
Serious eye damage/ irritation	1		
Chem	ical Name		/irritation source information
Nit	ric Acid	Based on the NITE GHS cla	ssification results.
Respiratory or skin sensitizati	ion		
Chem	ical Name		ensitization source information
Nit	ric Acid	Based on the NITE GHS cla	ssification results.
Reproductive cell mutagenicit			
Chem	ical Name		encity source information
Nit	ric Acid	Based on the NITE GHS cla	ssification results.
Carcinogenicity			
Chem	ical Name		ity source information
Nit	ric Acid	Based on the NITE GHS cla	ssification results.
Poproductivo tovicity			
Reproductive toxicity	ical Name	Reproductive to	xicity source information
	ric Acid	Based on the NITE GHS cla	
STOT-single exposure			
	ical Name	STOT -single exp	osure- source information
	ric Acid	Based on the NITE GHS cla	
STOT-repeated exposure		•	
	ical Name	STOT -repeated ex	posure- source information
Nit	ric Acid	Based on the NITE GHS cla	ssification results.
Aspiration hazard			
Chem	ical Name	•	ard source information
Nit	ric Acid	Based on the NITE GHS cla	ssification results.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical N	lame Algae/a	quatic plants	Fish	Crustacea
Nitric Ac	id	N/A	LC50 : Gambusia affinis	N/A
			72 ma/L 96 h	

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information
Nitric Acid	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability Bioaccumulative potential Mobility in soil Hazard to the ozone layer No information available No information available No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations. **Contaminated container and contaminated packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number	UN2031
Proper shipping name:	Nitric acid
UN classfication	8
Subsidiary hazard class	
Packing group	11
Marine pollutant	Not applicable
······ • • • • • • • • • • • • • • • •	
IMDG	
UN number	UN2031
Proper shipping name:	Nitric acid
UN classfication	8
Subsidiary hazard class	
Packing group	11
Marine pollutant (Sea)	Not applicable
Transport in bulk according to	
Annex II of MARPOL 73/78 and	
the IBC Code	
IATA	
UN number	UN2031
Proper shipping name:	Nitric acid
UN classfication	8
	0
Subsidiary hazard class	Ш
Packing group	
Environmentally Hazardous	Not applicable
Substance	

Section 15: REGULATORY INFORMATION

Japanese regulations	
Fire Service Act	Not applicable
Poisonous and Deleterious	Not applicable
Substances Control Law	
Industrial Safety and Health Act	Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)
	Notifiable Substances (Law Art.57-2)
	Group 3 Specified Chemical Substance, (Ordinance on Prevention of Hazards Due to Specified Chemical Substances Art.2 Para.1, Item 6)
Industrial Safety and Health Act (2024~)_	[2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)
Regulations for the carriage	Corrosive Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding
and storage of dangerous	Transport by Ship and Storage, Attached Table 1)
goods in ship	······································
Civil Aeronautics Law	Corrosive Substances (Ordinance Art.194, MITL Nortification for Air Transportation of
Own Actonautics Law	Explosives etc., Attached Table 1)
Marine Pollution Prevention Law	Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y
Pollutant Release and Transfer	Not applicable
Register Law	
(2023.4.1-)	
· · · · ·	Harryful Outrations (I and Art O. Enforcement Orden Art O. Ordinana, Design attempt
Water Pollution Control Act	Harmful Substances (Law Art.2, Enforcement Order Art.2, Ordinace Designating Wastewater Standards Art.1)
Export Trade Control Order	Not applicable

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Nitric Acid 7697-37-2(3.15)	-	Applicable	-

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc
Record of SDS revisions Disclaimer	The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet