



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 26-Feb-2024

Revision Number 6.06

Category 1

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Hydrazine Monohydrate	
Product Code	081-00893,085-00896,085-00891	
Supplier	FUJIFILM Wako Pure Chemical Corporation	

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Category 4 Flammable liquids **Acute toxicity - Oral** Category 3 Category 1 Skin corrosion/irritation Serious eye damage/eye irritation Category 1 Skin sensitization Category 1 Germ cell mutagenicity Category 2 Carcinogenicity Category 1B Specific target organ toxicity (single exposure) Category 1

Category 1 central nervous system, liver, kidneys

Specific target organ toxicity (repeated exposure)

Category 1 liver, nervous system, kidneys

Acute aquatic toxicity
Chronic aquatic toxicity
Category 1
Category 1

Pictograms



Hazard statements

H227 - Combustible liquid

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H301 - Toxic if swallowed

H341 - Suspected of causing genetic defects

H350 - May cause cancer

H317 - May cause an allergic skin reaction

H410 - Very toxic to aquatic life with long lasting effects

H400 - Very toxic to aquatic life

H370 - Causes damage to the following organs: central nervous system, liver, kidneys

H372 - Causes damage to the following organs through prolonged or repeated exposure: liver, nervous system, kidneys

Precautionary statements-(Prevention)

- · Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- · Contaminated work clothing should not be allowed out of the workplace
- · Wear protective gloves
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product
- Avoid release to the environment
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Precautionary statements-(Response)

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- If skin irritation or rash occurs: Get medical advice/attention
- · Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- · Rinse mouth
- Do NOT induce vomiting
- In case of fire: Use suitable extinguishing media for extinction
- Collect spillage

Precautionary statements-(Storage)

- · Store locked up
- · Store in a well-ventilated place. Keep cool

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula H2NNH2·H2O

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Hydrazine Monohydrate	98.0	50.06	(1)-374	*	7803-57-8

Note on ISHL No.:

* in the table means announced chemical substances.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed. Store locked up.

Safe packaging material Glass

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

I	Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
	Hydrazine Monohydrate 7803-57-8	TWA: 0.1 ppm OEL TWA: 0.21 mg/m ³ OEL	N/A	Hydrazine TWA 0.1 ppm (skin)
		Skin		

Chemical Name	Concentration standard value set by the Minister of Health, Labor and Welfare (8hr)	Concentration standard value set by the Minister of Health, Labor and Welfare (Short-Term)
Hydrazine Monohydrate 7803-57-8	0.01 ppm	N/A

Personal protective equipment

Protective mask Respiratory protection

Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Long-sleeved work clothes Skin and body protection

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color colorless **Turbidity** clear liquid **Appearance**

Odor characteristic odor

Melting point/freezing point -51.7 °C 120 °C Boiling point, initial boiling point and boiling range

Flammability Combustible liquid **Evaporation rate:** no data available Flammability (solid, gas): no data available

Upper/lower flammability or explosive limits

no data available Upper: no data available Lower: 96 °C / 205 °F Flash point no data available Auto-ignition temperature: no data available **Decomposition temperature:** no data available

Viscosity (coefficient of viscosity) no data available **Dvnamic viscosity** no data available

Solubilities water, Ethanol and acetone: Very soluble.

no data available n-Octanol/water partition coefficient:(log Pow) Vapour pressure no data available

Specific Gravity / Relative density 1.03 g/mL Vapour density 1.1

Particle characteristics no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available
Chemical stability May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx)

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrazine Monohydrate	169 mg/kg (Rat)	N/A	N/A

Chemical Name	,	Acute toxicity -dermal- source	,
	information	information	source information
Hydrazine Monohydrate	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust-	Acute toxicity -inhalation mist-
	vapor- source information	source information	source information
Hydrazine Monohydrate	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Hydrazine Monohydrate	Based on the NITE GHS classification results.
Serious ave demand/irritation	

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information
Hydrazine Monohydrate	Based on the NITE GHS classification results.

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
Hydrazine Monohydrate	Based on the NITE GHS classification results.
Poproductive cell mutagenicity	

Reproductive cell mutagenicity

Chemical Name	germ cell mutagencity source information
Hydrazine Monohydrate	Based on the NITE GHS classification results.
Carcinogenicity	

Carcinogenicity

Chemical Name	Carcinogenicity source information
Hydrazine Monohydrate	Based on the NITE GHS classification results.

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
Hydrazine Monohydrate				Group 2B
7803-57-8				

Reproductive toxicity

Chemical Name	Reproductive toxicity source information			
Hydrazine Monohydrate	Based on the NITE GHS classification results.			
CTOT single expecure				

STOT-single exposure

Chemical Name	STOT -single exposure- source information	
Hydrazine Monohydrate	Based on the NITE GHS classification results.	

STOT-repeated exposure

Chemical Name		STOT -repeated exposure- source information	
	Hydrazine Monohydrate	Based on the NITE GHS classification results.	

Aspiration hazard

Aophation nazara				
Chemical Name	Aspiration Hazard source information			
Hydrazine Monohydrate	Based on the NITE GHS classification results.			

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Hydrazine Monohydrate	ErC50 : Selenastrum	N/A	N/A
	0.19 mg/L 72 h		

Other data

	Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the	
ŀ				
	Hydrazine Monohydrate	Based on the NITE GHS classification	Based on the NITE GHS classification	
		results.	results.	

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

Not Readily Biodegradable
No information available
No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN2030

Proper shipping name: Hydrazine aqueous solution

UN classfication 8
Subsidiary hazard class 6.1
Packing group II
Marine pollutant Yes

IMDG

UN number UN2030

Proper shipping name: Hydrazine, aqueous solution

UN classfication 8
Subsidiary hazard class 6.1
Packing group II
Marine pollutant (Sea) Yes

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA Cargo Aircraft only

UN number UN2030

Proper shipping name: Hydrazine, aqueous solution

UN classfication 8
Subsidiary hazard class 6.1
Packing group II
Environmentally Hazardous Yes

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Category IV, Class III petroleums, dangerous grade 3 water-soluble

Poisonous and Deleterious Substances Control Law

Deleterious Substances 3rd. Grade

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2)

Substances with Health Hazards Prevention Guideline(Carcinogenicity Substance)

【2024.4.1~】Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

Substances designated by the Minister of Health, Labor and Welfare as carcinogenic(Ordinance on Industrial Safety and Health Art.577, Para.2)

Industrial Safety and Health Act (

2024~)

Act on the Evaluation of **Chemical Substances and** Regulation of Their Manufacture, etc

Priority Assessment Chemical Substances (Law Article 2, Para.5)

Regulations for the carriage

and storage of dangerous

Corrosive Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)

goods in ship **Civil Aeronautics Law**

Corrosive Substances (Ordinance Art.194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

Pollutant Release and Transfer Class 1

Register Law

(2023.4.1-)

333 Class 1 - No.

Water Pollution Control Act

Specified substances(Law Art.2 Para.4, Enforcement Order Art.3-3)

Export Trade Control Order Not applicable

Chemical Name	Poisonous and Deleterious	Industrial Safety and Health Act	Pollutant Release and Transfer
	Substances Control Law	Substances	Register Law
		(Law Art.57-2)	(2023.4.1-)
Hydrazine Monohydrate 7803-57-8 (98.0)	Applicable	Applicable	Applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html

IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances

Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet