

SAFETY DATA SHEET

According to JIS Z 7253:2019
Revision date 28-Apr-2023
 Revision Number 2.06

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	N-(Hydroxymethyl)acrylamide
Product Code	087-01532,081-01535

Manufacturer	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-5964
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029
Emergency telephone number	+81-6-6203-3741 / +81-3-3270-8571
Recommended uses	For research use only
Restrictions on use	Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Acute toxicity - Oral

Category 4

Serious eye damage/eye irritation

Category 2A

Carcinogenicity

Category 1B

Reproductive Toxicity

Category 1B

Specific target organ toxicity (single exposure)

Category 2

Category 2 nervous system

Specific target organ toxicity (repeated exposure)

Category 2

Category 2 nervous system

Pictograms



Signal word

Danger

Hazard statements

H319 - Causes serious eye irritation

H302 - Harmful if swallowed

H350 - May cause cancer

H360 - May damage fertility or the unborn child

H371 - May cause damage to the following organs: nervous system

H373 - May cause damage to the following organs through prolonged or repeated exposure: nervous system

Precautionary statements-(Prevention)

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required

- Do not breathe dust/fume/gas/mist/vapors/spray
- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product

Precautionary statements-(Response)

- IF exposed or concerned: Get medical advice/attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth

Precautionary statements-(Storage)

- Store locked up

Precautionary statements-(Disposal)

- Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
N-(Hydroxymethyl)acrylamide	90.0	101.10	(2)-1022	*	924-42-5
Acrylamide	0.1 - 0.7	71.08	(2)-1014	*	79-06-1
Formaldehyde	0.1 - 0.3	30.03	(2)-482	*	50-00-0

Note on ISHL No.: * in the table means announced chemical substances.

Impurities and/or Additives: Acrylamide, Formaldehyde

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO₂), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminant and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recovery, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions Keep container protect from light tightly closed. Store in a cool (2-10 °C) place.

Safe packaging material Polyethylene

Incompatible substances

Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and hand- and eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Acrylamide 79-06-1	TWA: 0.1 mg/m ³ OEL Skin ISHL/ACL: 0.1 mg/m ³	ISHL/ACL: 0.1 mg/m ³	TWA: 0.03 mg/m ³ inhalable fraction and vapor Skin
Formaldehyde 50-00-0	Ceiling: 0.2 ppm Ceiling: 0.24 mg/m ³ TWA: 0.1 ppm OEL TWA: 0.12 mg/m ³ OEL ISHL/ACL: 0.1 ppm	ISHL/ACL: 0.1 ppm	STEL: 0.3 ppm TWA: 0.1 ppm

Personal protective equipment

Respiratory protection

Dust mask (JIS T 8151)

Hand protection

chemical protective gloves (JIS T 8116)

Eye protection

protective eyeglasses or chemical safety goggles

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color

White - nearly white

Appearance

crystals - crystalline powder

Odor

no data available

Melting point/freezing point

75 °C

Boiling point, initial boiling point and boiling range

277 °C

Flammability

no data available

Evaporation rate:

no data available

Flammability (solid, gas):

no data available

Upper/lower flammability or explosive limits

Upper:

no data available

Lower:

no data available

Flash point

no data available

Auto-ignition temperature:

no data available

Decomposition temperature:

no data available

pH

Nearly neutral (aq.)

Viscosity (coefficient of viscosity)

no data available

Dynamic viscosity

no data available

Solubilities

water , Ethanol : soluble . toluene : practically insoluble, or insoluble .

n-Octanol/water partition coefficient:(log Pow)

no data available

Vapour pressure

no data available

Specific Gravity / Relative density

1.074

Vapour density

no data available

Particle characteristics

no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity

no data available

Chemical stability

May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monoxide (CO), Carbon dioxide (CO₂), Nitrogen oxides (NO_x)

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
N-(Hydroxymethyl)acrylamide	563 mg/kg bw (Rat) 420 mg/kg (mouse)	> 16000 mg/kg bw (Rabbit)	> 0.478 mg/L (Rat) 4 h
Acrylamide	124 mg/kg (Rat)	252 mg/kg (Rat) 941 mg/kg (Rabbit)	N/A
Formaldehyde	600 - 800 mg/kg(Rat)	270 mg/kg(Rabbit)	0.578 mg/L (Rat) 4 h

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information

N-(Hydroxymethyl)acrylamide	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
Acrylamide	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
Formaldehyde	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
N-(Hydroxymethyl)acrylamide	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
Acrylamide	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
Formaldehyde	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
N-(Hydroxymethyl)acrylamide	Based on the NITE GHS classification results.
Acrylamide	Based on the NITE GHS classification results.
Formaldehyde	Based on the NITE GHS classification results.

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information
N-(Hydroxymethyl)acrylamide	Based on the NITE GHS classification results.
Acrylamide	Based on the NITE GHS classification results.
Formaldehyde	Based on the NITE GHS classification results.

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
N-(Hydroxymethyl)acrylamide	Based on the NITE GHS classification results.
Acrylamide	Based on the NITE GHS classification results.
Formaldehyde	Based on the NITE GHS classification results.

Reproductive cell mutagenicity

Chemical Name	germ cell mutagenicity source information
N-(Hydroxymethyl)acrylamide	Based on the NITE GHS classification results.
Acrylamide	Based on the NITE GHS classification results.
Formaldehyde	Based on the NITE GHS classification results.

Carcinogenicity

Chemical Name	Carcinogenicity source information
N-(Hydroxymethyl)acrylamide	Based on the NITE GHS classification results.
Acrylamide	Based on the NITE GHS classification results.
Formaldehyde	Based on the NITE GHS classification results.

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
N-(Hydroxymethyl)acrylamide 924-42-5	-	Group 3	-	-
Acrylamide 79-06-1	Reasonably Anticipated	Group 2A	A3	Group 2A
Formaldehyde 50-00-0	Known	Group 1	A1	Group 2A

Reproductive toxicity

Chemical Name	Reproductive toxicity source information
N-(Hydroxymethyl)acrylamide	Based on the NITE GHS classification results.
Acrylamide	Based on the NITE GHS classification results.
Formaldehyde	Based on the NITE GHS classification results.

STOT-single exposure

Chemical Name	STOT -single exposure- source information
N-(Hydroxymethyl)acrylamide	Based on the NITE GHS classification results.
Acrylamide	Based on the NITE GHS classification results.
Formaldehyde	Based on the NITE GHS classification results.

STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information
N-(Hydroxymethyl)acrylamide	Based on the NITE GHS classification results.

Acrylamide	Based on the NITE GHS classification results.
Formaldehyde	Based on the NITE GHS classification results.

Aspiration hazard

Chemical Name	Aspiration Hazard source information
N-(Hydroxymethyl)acrylamide	Based on the NITE GHS classification results.
Acrylamide	Based on the NITE GHS classification results.
Formaldehyde	Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
N-(Hydroxymethyl)acrylamide	N/A	LC50 : <i>oncorhynchus mykiss</i> 356 mg/L 96 h	N/A
Acrylamide	EC50 : <i>Selenastrum capricornutum</i> 33.8 mg/L 72 h	LC50 : <i>Oncorhynchus mykiss</i> 74 - 150 mg/L 96 h	EC50 : <i>Daphnia magna</i> 98 mg/L 48 h
Formaldehyde	N/A	LC50: <i>Pimephales promelas</i> 22.6 - 25.7 mg/L 96 h	LC50 : <i>Cypridopsis sp.</i> 0.00094 mg/L 24 h

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
N-(Hydroxymethyl)acrylamide	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
Acrylamide	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
Formaldehyde	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Persistence and degradability	No information available
Bioaccumulative potential	No information available
Mobility in soil	No information available
Hazard to the ozone layer	No information available
Mobility	

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID	Not regulated
UN number	-
Proper shipping name:	
UN classification	
Subsidiary hazard class	
Packing group	
Marine pollutant	Not applicable
IMDG	Not regulated
UN number	-
Proper shipping name:	
UN classification	
Subsidiary hazard class	

Packing group	
Marine pollutant (Sea)	Not applicable
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available
IATA	Not regulated
UN number	-
Proper shipping name:	
UN classification	
Subsidiary hazard class	
Packing group	
Environmentally Hazardous Substance	Not applicable

Section 15: REGULATORY INFORMATION

International Inventories

EINECS/ELINCS	-
TSCA	-

Japanese regulations

Fire Service Act	Not applicable
Poisonous and Deleterious Substances Control Law	Not applicable
Industrial Safety and Health Act	Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18) Notifiable Substances (Law Art.57-2, Enforcement Oder Art.18-2 Attached Table No.9)No.1,548 Substances designated by the Minister of Health, Labor and Welfare as carcinogenic(Ordinance on Industrial Safety and Health Art.577, Para.2)
Industrial Safety and Health Act (2024~)	【2024.4.1~】 Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57,Para.1, Enforcement Order Art.18) 【2024.4.1~】 Notifiable Substances (Law Art.57-2, Enforcement Oder Art.18-2 Attached TableNo.9)
Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc	Priority Assessment Chemical Substances (Law Article 2, Para.5)
Regulations for the carriage and storage of dangerous goods in ship	Not applicable
Civil Aeronautics Law	Not applicable
Marine Pollution Prevention Law	Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y
Pollutant Release and Transfer Register Law (2023.4.1-)	Specified Class 1 No.
Specified Class 1-No.	411
Export Trade Control Order	Not applicable

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2) (~2024.3.31)	Pollutant Release and Transfer Register Law (2023.4.1-)
Acrylamide 79-06-1 (0.1 - 0.7)	-	Applicable	-
Formaldehyde 50-00-0 (0.1 - 0.3)	-	Applicable	Applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)
<http://www.safe.nite.go.jp/japan/db.html>
IATA dangerous Goods Regulations
RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS
Dictionary of Synthetic Organic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.
Chemical Dictionary, Kyouritsu Publishing Co., Ltd.
etc

Record of SDS revisions

The following contents were revised. Product and company Identification.
Composition/information on ingredients. Exposure controls/personal protection.
Toxicological information. Ecological information. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z7252(2019). *JIS: Japanese Industrial Standards

End of Safety Data Sheet