



# SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 05-Mar-2024

Revision Number 2.07

## Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	N-(Hydroxymethyl)acrylamide
Product Code	087-01532,081-01535

**Supplier** FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

**Recommended uses** For research use only

**Restrictions on use**Seek expert judgment when using for purposes other than those recommended.

## Section 2: HAZARDS IDENTIFICATION

**GHS** classification

Classification of the substance or mixture

Acute toxicity - OralCategory 4Serious eye damage/eye irritationCategory 2ACarcinogenicityCategory 1BReproductive ToxicityCategory 1BSpecific target organ toxicity (single exposure)Category 2

Category 2 nervous system

Specific target organ toxicity (repeated exposure)

Category 2

Category 2 nervous system

## **Pictograms**



Signal word

Danger

## **Hazard statements**

H319 - Causes serious eye irritation

H302 - Harmful if swallowed

H350 - May cause cancer

H360 - May damage fertility or the unborn child

H371 - May cause damage to the following organs: nervous system

H373 - May cause damage to the following organs through prolonged or repeated exposure: nervous system

## **Precautionary statements-(Prevention)**

- · Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product

## Precautionary statements-(Response)

- IF exposed or concerned: Get medical advice/attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- · Rinse mouth

#### Precautionary statements-(Storage)

· Store locked up

#### **Precautionary statements-(Disposal)**

• Dispose of contents/container to an approved waste disposal plant

Others

Not available Other hazards

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

**Single Substance or Mixture** Substance

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
N-(Hydroxymethyl)acryla	90.0	101.10	(2)-1022	*	924-42-5
mide					
Acrylamide	0.1 - 0.7	71.08	(2)-1014	*	79-06-1
Formaldehyde	0.1 - 0.3	30.03	(2)-482	*	50-00-0
Note on ISHL No.: * in the table means announced chemical substances.					-

Acrylamide, Formaldehyde Impurities and/or Additives:

## **Section 4: FIRST AID MEASURES**

#### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

#### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

## Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

### **Protection of first-aiders**

Use personal protective equipment as required.

# **Section 5: FIRE FIGHTING MEASURES**

### Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

#### Unsuitable extinguishing media

No information available

# Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## Special extinguishing method

No information available

#### Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

## Section 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

## **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

### Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

#### Recoverly, neutralization

No information available

#### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

## Section 7: HANDLING AND STORAGE

#### Handling

#### **Technical measures**

Avoid contact with strong oxidizing agents. Use with local exhaust ventilation.

#### **Precautions**

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

## Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

#### Storage

Safe storage conditions

Storage conditions Keep container protect from light tightly closed. Store in a cool (2-10 °C) place.

Safe packaging material Polyethylene

Incompatible substances Strong oxidizing agents

#### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

### **Exposure limits**

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Acrylamide	TWA: 0.1 mg/m <sup>3</sup> OEL	ISHL/ACL: 0.1 mg/m <sup>3</sup>	TWA: 0.03 mg/m <sup>3</sup> inhalable
79-06-1	Skin		fraction and vapor
	ISHL/ACL: 0.1 mg/m <sup>3</sup>		Skin
Formaldehyde	Ceiling: 0.2 ppm	ISHL/ACL: 0.1 ppm	STEL: 0.3 ppm
50-00-0	Ceiling: 0.24 mg/m <sup>3</sup>		TWA: 0.1 ppm
	TWA: 0.1 ppm OEL		
	TWA: 0.12 mg/m <sup>3</sup> OEL		
	ISHL/ACL: 0.1 ppm		

#### Personal protective equipment

Respiratory protection Dust mask ( JIS T 8151 )

Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

# **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

**Form** 

ColorWhite - nearly whiteAppearancecrystals - crystalline powder

**Odor** no data available

Melting point/freezing point 75 °C Boiling point, initial boiling point and boiling range 277 °C

Flammability no data available
Evaporation rate: no data available
Flammability (solid, gas): no data available

Upper/lower flammability or explosive limits

Upper:
Lower:
no data available
Nearly neutral (aq.)

Viscosity (coefficient of viscosity)no data availableDynamic viscosityno data available

**Solubilities** water , Ethanol : soluble . toluene : practically insoluble,or

insoluble .

n-Octanol/water partition coefficient:(log Pow) no data available Vapour pressure no data available

Specific Gravity / Relative density 1.074

Vapour densityno data availableParticle characteristicsno data available

## **Section 10: STABILITY AND REACTIVITY**

## Stability

**Reactivity** no data available **Chemical stability** May be altered by light.

**Hazardous reactions** 

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

Strong oxidizing agents

**Hazardous decomposition products** 

Carbon monooxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx)

# **Section 11: TOXICOLOGICAL INFORMATION**

Acute toxicity

route textolly			
Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
N-(Hydroxymethyl)acrylamide	563 mg/kg bw ( Rat )	> 16000 mg/kg bw ( Rabbit )	> 0.478 mg/L (Rat) 4 h
	420 mg/kg ( mouse )		-
Acrylamide	124 mg/kg ( Rat )	252 mg/kg ( Rat )	N/A
·		941 mg/kg(Rabbit)	
Formaldehyde	600 - 800 mg/kg ( Rat )	270 mg/kg(Rabbit)	0.578 mg/L (Rat) 4 h

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
N-(Hydroxymethyl)acrylamide			Based on the NITE GHS classification results.
Acrylamide			Based on the NITE GHS classification results.
Formaldehyde			Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
N-(Hydroxymethyl)acrylamide			Based on the NITE GHS classification results.
Acrylamide			Based on the NITE GHS classification results.
Formaldehyde			Based on the NITE GHS classification results.

## Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information	
N-(Hydroxymethyl)acrylamide	Based on the NITE GHS classification results.	
Acrylamide	Based on the NITE GHS classification results.	
Formaldehyde	Based on the NITE GHS classification results.	

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information	
N-(Hydroxymethyl)acrylamide	Based on the NITE GHS classification results.	
Acrylamide	Based on the NITE GHS classification results.	
Formaldehyde	Based on the NITE GHS classification results.	

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information	
N-(Hydroxymethyl)acrylamide	Based on the NITE GHS classification results.	
Acrylamide	Based on the NITE GHS classification results.	
Formaldehyde	Based on the NITE GHS classification results.	

Reproductive cell mutagenicity

Chemical Name	germ cell mutagencity source information
N-(Hydroxymethyl)acrylamide	Based on the NITE GHS classification results.
Acrylamide	Based on the NITE GHS classification results.
Formaldehyde	Based on the NITE GHS classification results.

Carcinogenicity

Chemical Name	Carcinogenicity source information	
N-(Hydroxymethyl)acrylamide	Based on the NITE GHS classification results.	
Acrylamide	Based on the NITE GHS classification results.	
Formaldehyde	Based on the NITE GHS classification results.	

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
N-(Hydroxymethyl)acrylamide 924-42-5	-	Group 2B		-
Acrylamide 79-06-1	Reasonably Anticipated	Group 2A	A2	Group 2A
Formaldehyde 50-00-0	Known	Group 1	A1	Group 2A

Reproductive toxicity

Chemical Name	Reproductive toxicity source information
N-(Hydroxymethyl)acrylamide	Based on the NITE GHS classification results.
Acrylamide	Based on the NITE GHS classification results.
Formaldehyde	Based on the NITE GHS classification results.

STOT-single exposure

Chemical Name	STOT -single exposure- source information
N-(Hydroxymethyl)acrylamide	Based on the NITE GHS classification results.

Acrylamide	Based on the NITE GHS classification results.
Formaldehyde	Based on the NITE GHS classification results.

STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information
N-(Hydroxymethyl)acrylamide	Based on the NITE GHS classification results.
Acrylamide	Based on the NITE GHS classification results.
Formaldehyde	Based on the NITE GHS classification results.

**Aspiration hazard** 

Chemical Name	Aspiration Hazard source information	
N-(Hydroxymethyl)acrylamide	Based on the NITE GHS classification results.	
Acrylamide	Based on the NITE GHS classification results.	
Formaldehyde	Based on the NITE GHS classification results.	

# **Section 12: ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
N-(Hydroxymethyl)acrylamide	N/A	LC50 : oncorhynchus mykiss 356 mg/L 96 h	N/A
Acrylamide	EC50 : Selenastrum capricornutum 33.8 mg/L 72 h	LC50 : Oncorhynchus mykiss 74 - 150 mg/L 96 h	EC50 : Daphnia magna 98 mg/L 48 h
Formaldehyde	N/A	LC50:Pimephales promelas 22.6 - 25.7 mg/L 96 h	LC50 : Cypridopsis sp. 0.00094 mg/L 24 h

#### Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the	
	aquatic environment source information	aquatic environment source information	
N-(Hydroxymethyl)acrylamide	Based on the NITE GHS classification	Based on the NITE GHS classification	
	results.	results.	
Acrylamide	Based on the NITE GHS classification	Based on the NITE GHS classification	
	results.	results.	
Formaldehyde	Based on the NITE GHS classification	Based on the NITE GHS classification	
	results.	results.	

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

# **Section 13: DISPOSAL CONSIDERATIONS**

## Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

# **Section 14: TRANSPORT INFORMATION**

ADR/RID Not regulated

UN number Proper shipping name:

UN classfication Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG Not regulated

UN number -

Proper shipping name: UN classfication Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA Not regulated

UN number -

Proper shipping name: UN classfication Subsidiary hazard class

**Packing group** 

Environmentally Hazardous Not applicable

Substance

# **Section 15: REGULATORY INFORMATION**

Japanese regulations

Fire Service Act
Poisonous and Deleterious
Substances Control Law
Not applicable
Not applicable

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2)

Substances designated by the Minister of Health, Labor and Welfare as carcinogenic(Ordinance on Industrial Safety and Health Art.577, Para.2)

[2024.4.1~] Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Industrial Safety and Health Act (

<u>2024~)</u>

【2024.4.1~】Notifiable Substances (Law Art.57-2) Priority Assessment Chemical Substances (Law Article 2, Para.5)

Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc

Regulations for the carriage and storage of dangerous

Not applicable

and Storage or dar

goods in ship

Civil Aeronautics Law Not applicable

**Marine Pollution Prevention** 

Law

Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y

Pollutant Release and Transfer Specified Class 1 No.

Register Law (2023.4.1-)

Specified Class 1-No.

**Export Trade Control Order** Not applicable

Industrial Safety and Health Law

Law Name	Chemical Name in Regulation	Weight %	
Notifiable Substances (Law Art.57-2)	N-(hydroxymethyl)acrylamide	90.0	2024/4/1

Chemical Name	Poisonous and Deleterious	Industrial Safety and Health Act	Pollutant Release and Transfer
	Substances Control Law	Substances	Register Law
		(Law Art.57-2)	(2023.4.1-)
Acrylamide 79-06-1 ( 0.1 - 0.7 )	-	Applicable	-
Formaldehyde 50-00-0 ( 0.1 - 0.3 )	-	Applicable	Applicable

## **Section 16: OTHER INFORMATION**

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**