



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 26-Feb-2024

Revision Number 3.07

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	25% Hydrogen Bromide-Acetic Acid Solution
Product Code	080-04001,082-04005,088-04002

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Flammable liquids

Acute toxicity - Dermal

Acute toxicity - Inhalation (Vapors)

Skin corrosion/irritation

Serious eye damage/eye irritation

Specific target organ toxicity (single exposure)

Category 1

Category 1

Category 1

Category 1

Category 1 blood, respiratory system

Specific target organ toxicity (repeated exposure) Category 1

Category 1 respiratory system, teeth

Acute aquatic toxicity Category 3

Pictograms



Signal word

Danger

Hazard statements

- H227 Combustible liquid
- H314 Causes severe skin burns and eye damage
- H318 Causes serious eye damage
- H312 Harmful in contact with skin
- H332 Harmful if inhaled
- H402 Harmful to aquatic life
- H370 Causes damage to the following organs: blood, respiratory system
- H372 Causes damage to the following organs through prolonged or repeated exposure: respiratory system, teeth

Precautionary statements-(Prevention)

- Wear protective gloves/protective clothing/eye protection/face protection
- · Use only outdoors or in a well-ventilated area
- Do not breathe dust/fume/gas/mist/vapors/spray

- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product
- · Avoid release to the environment
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Precautionary statements-(Response)

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- Call a POISON CENTER or doctor/physician if you feel unwell
- · Wash contaminated clothing before reuse
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
- In case of fire: Use suitable extinguishing media for extinction

Precautionary statements-(Storage)

- · Store locked up
- · Store in a well-ventilated place. Keep cool

Precautionary statements-(Disposal)

Dispose of contents/container to an approved waste disposal plant

Others

Other hazards

Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Acetic Acid	74.0-76.0	60.05	(2)-688	*	64-19-7
Hydrogen bromide	24.0-26.0	80.91	(1)-105	*	10035-10-6

Note on ISHL No.:

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

^{*} in the table means announced chemical substances.

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions Keep container protect from light tightly closed. Store in a cool (2-10 °C) place. Store

locked up.

Safe packaging material Glass

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Acetic Acid	TWA: 10 ppm OEL	N/A	STEL: 15 ppm
64-19-7	TWA: 25 mg/m ³ OEL		TWA: 10 ppm
Hydrogen bromide 10035-10-6	N/A	N/A	Ceiling: 2 ppm

Personal protective equipment

Respiratory protection Protective mask

Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to

them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color Colorless - pale yellow

Turbidity clear
Appearance liquid
Odor Pungent odor

Melting point/freezing pointno data availableBoiling point, initial boiling point and boiling rangeno data availableFlammabilityCombustible liquidEvaporation rate:no data availableFlammability (solid, gas):no data available

Upper/lower flammability or explosive limits

Upper:no data availableLower:no data available

Flash point 75 °C

Auto-ignition temperature:no data availableDecomposition temperature:no data availablepHStrongly acidicViscosity (coefficient of viscosity)no data available

Dynamic viscosity no data available

Solubilities water , Ethanol : Very soluble.

n-Octanol/water partition coefficient:(log Pow) no data available Vapour pressure no data available

Specific Gravity / Relative density

Vapour density no data available
Particle characteristics no data available

Section 10: STABILITY AND REACTIVITY

13

Stability

Reactivity no data available
Chemical stability May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Halides

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50	
Acetic Acid	3310 mg/kg (Rat)	1060 mg/kg (Rabbit)	N/A	
Hydrogen bromide	N/A	N/A	1430 ppm (Rat) 4 h	

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
, 100110 , 1010			Based on the NITE GHS
	classification results.	classification results.	classification results.
Hydrogen bromide	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Acetic Acid			Based on the NITE GHS
, 100110 , 1010			classification results.
Hydrogen bromide	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Acetic Acid	Based on the NITE GHS classification results.
Hydrogen bromide	Based on the NITE GHS classification results.

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information	
Acetic Acid	Based on the NITE GHS classification results.	
Hydrogen bromide	Based on the NITE GHS classification results.	

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information	
Acetic Acid	Based on the NITE GHS classification results.	
Hydrogen bromide	Based on the NITE GHS classification results.	

Reproductive cell mutagenicity

Chemical Name	germ cell mutagencity source information
Acetic Acid	Based on the NITE GHS classification results.
Hydrogen bromide	Based on the NITE GHS classification results.

Carcinogenicity

Chemical Name	Carcinogenicity source information	
Acetic Acid	Based on the NITE GHS classification results.	
Hydrogen bromide	Based on the NITE GHS classification results.	
	Acetic Acid	

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
Hydrogen bromide	-	Group 1	-	-
10035-10-6		1		

Reproductive toxicity

Chemical Name Reproductive toxicity source information	
Acetic Acid	Based on the NITE GHS classification results.
Hydrogen bromide	Based on the NITE GHS classification results.

STOT-single exposure

Chemical Name	STOT -single exposure- source information	
Acetic Acid	Based on the NITE GHS classification results.	
Hydrogen bromide	Based on the NITE GHS classification results.	

STOT-repeated exposure

Chemical Name	S101 -repeated exposure- source information	
Acetic Acid Based on the NITE GHS classification results.		
Hydrogen bromide	Based on the NITE GHS classification results.	

Aspiration hazard

Chemical Name	Aspiration Hazard source information
Acetic Acid	Based on the NITE GHS classification results.
Hydrogen bromide	Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Acetic Acid	N/A	LC50 : Pimephales promelas	EC50 : Daphnia magna
		79 mg/L 96 h	65000 ug/L 48 h

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the	
	aquatic environment source information	aquatic environment source information	
Acetic Acid	Based on the NITE GHS classification	Based on the NITE GHS classification	
	results.	results.	
Hydrogen bromide	Based on the NITE GHS classification	Based on the NITE GHS classification	
, -	results.	results.	

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN3265

Proper shipping name: Corrosive liquid, acidic, organic, n.o.s. (Mixture of Acetic Acid and Bromide)

UN classfication 8

Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG

UN number UN3265

Proper shipping name: Corrosive liquid, acidic, organic, n.o.s. (Mixture of Acetic Acid and Bromide)

UN classfication 8

Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN3265

Proper shipping name: Corrosive liquid, acidic, organic, n.o.s. (Mixture of Acetic Acid and Bromide)

UN classfication 8

Subsidiary hazard class

Packing group

Environmentally Hazardous Not applicable

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Category IV, Class III petroleums, dangerous grade 3 water-soluble

Poisonous and Deleterious Deleterious Substances 2nd. Grade

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2)

Industrial Safety and Health Act (

2024~)

[2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

Corrosive Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Regulations for the carriage and storage of dangerous Corrosive Substances (Ordinance Art.3, Ministry of Transport by Ship and Storage, Attached Table 1)

goods in ship

Civil Aeronautics Law

Corrosive Substances (Ordinance Art.194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

Marine Pollution Prevention

Law

Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Z

Enforcement ordinance Appendix No. 1 Noxious liquid substance Gatego

Pollutant Release and Transfer Not applicable

Register Law (2023.4.1-)

Export Trade Control Order Not applicable

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Acetic Acid 64-19-7 (74.0-76.0)	-	Applicable	-
Hydrogen bromide 10035-10-6 (24.0-26.0)	Applicable	Applicable	-

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet