SAFETY DATA SHEET

According to JIS Z 7253:2019
Issue Date 02-Jul-2025
Revision Number 2.05

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	1,1,1,3,3,3-Hexafluoro-2-propanol
Product Code	085-06991,087-06995

Supplier FUJIFILM Wako Pure Chemical Corporation
1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan
Phone: +81-6-6203-3741
Fax: +81-6-6203-2029
Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571
Recommended uses For research use only
Restrictions on use Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification
Classification of the substance or mixture

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Reproductive Toxicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 2

Category 2 central nervous system

Pictograms



Signal word Danger

Hazard statements
H314 - Causes severe skin burns and eye damage
H318 - Causes serious eye damage
H361 - Suspected of damaging fertility or the unborn child
H373 - May cause damage to the following organs through prolonged or repeated exposure: central nervous system

Precautionary statements-(Prevention)
- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Do not breathe dust/fume/gas/mist/vapors/spray
- Wash face, hands and any exposed skin thoroughly after handling

Precautionary statements-(Response)
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

• IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

Precautionary statements-(Storage)

• Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula (CF3)2CHOH

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
1,1,1,3,3,3-Hexafluoro-2-propanol	99.5	168.04	(2)-291	*	920-66-1

Note on ISHL No.: * in the table means announced chemical substances.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin,

or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions	Keep container protect from light and tightly closed in well ventilated cool place under 25°C
Safe packaging material	Glass
Incompatible substances	Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and hand- and eye-wash facility. And display their position clearly.

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Personal protective equipment

Respiratory protection	Protective mask
Hand protection	chemical protective gloves (JIS T 8116)
Eye protection	protective eyeglasses or chemical safety goggles (JIS T 8147)
Skin and body protection	Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as ”Chemical Substances Hazardous to Skin, etc.”, use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color	colorless
Turbidity	clear
Appearance	liquid
Odor	characteristic odor

Melting point/freezing point	-4.2 °C
Boiling point, initial boiling point and boiling range	59.1 °C
Flammability	no data available
Evaporation rate:	no data available
Flammability (solid, gas):	no data available
Upper/lower flammability or explosive limits	
Upper：	no data available
Lower：	no data available
Flash point	no data available
Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
pH	no data available
Viscosity (coefficient of viscosity)	no data available
Dynamic viscosity	no data available
Solubilities	water , Ethanol , acetone : Very soluble.
n-Octanol/water partition coefficient:(log Pow)	no data available
Vapour pressure	no data available
Specific Gravity / Relative density	1.617 -1.624 g/mL(20℃)
Vapour density	no data available
Particle characteristics	no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity	no data available
Chemical stability	May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Halides

Section 11: TOXICOLOGICAL INFORMATION

*NITE: National Institute of Technology and Evaluation (JAPAN)
https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
1,1,1,3,3,3-Hexafluoro-2-propanol	N/A	N/A	1974 ppm (Rat) 4 h

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
1,1,1,3,3,3-Hexafluoro-2-propanol	Based on the ECHA (European CHEMICALS AGENCY) classification results.	Based on the ECHA (European CHEMICALS AGENCY) classification results.	Based on the ECHA (European CHEMICALS AGENCY) classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
1,1,1,3,3,3-Hexafluoro-2-propanol	Based on the ECHA (European CHEMICALS AGENCY) classification results.	Based on the ECHA (European CHEMICALS AGENCY) classification results.	Based on the ECHA (European CHEMICALS AGENCY) classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
1,1,1,3,3,3-Hexafluoro-2-propanol	Based on the ECHA (European CHEMICALS AGENCY) classification results.

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information
1,1,1,3,3,3-Hexafluoro-2-propanol	Based on the ECHA (European CHEMICALS AGENCY) classification results.

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
1,1,1,3,3,3-Hexafluoro-2-propanol	Based on the ECHA (European CHEMICALS AGENCY) classification results.

Reproductive cell mutagenicity

Chemical Name	germ cell mutagencity source information
1,1,1,3,3,3-Hexafluoro-2-propanol	Based on the ECHA (European CHEMICALS AGENCY) classification results.

Carcinogenicity

Chemical Name	Carcinogenicity source information
1,1,1,3,3,3-Hexafluoro-2-propanol	Based on the ECHA (European CHEMICALS AGENCY) classification results.

Reproductive toxicity

Chemical Name	Reproductive toxicity source information
1,1,1,3,3,3-Hexafluoro-2-propanol	Based on the ECHA (European CHEMICALS AGENCY) classification results.

STOT-single exposure

Chemical Name	STOT -single exposure- source information
1,1,1,3,3,3-Hexafluoro-2-propanol	Based on the ECHA (European CHEMICALS AGENCY) classification results.

STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information
1,1,1,3,3,3-Hexafluoro-2-propanol	Based on the ECHA (European CHEMICALS AGENCY) classification results.

Aspiration hazard

Chemical Name	Aspiration Hazard source information
1,1,1,3,3,3-Hexafluoro-2-propanol	Based on the ECHA (European CHEMICALS AGENCY) classification results.

Section 12: ECOLOGICAL INFORMATION

*NITE: National Institute of Technology and Evaluation (JAPAN)
https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
1,1,1,3,3,3-Hexafluoro-2-propanol	*N/A*	*LC50 : Pimephales promelas 224 - 266 mg/L 96 h*	*N/A*

Other data no data available

Persistence and degradability No information available
Bioaccumulative potential No information available
Mobility in soil No information available
Hazard to the ozone layer No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues
Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated container and contaminated packaging
Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number	UN3265
Proper shipping name:	Corrosive liquid, acidic, organic, n.o.s. (1,1,1,3,3,3-Hexafluoro-2-propanol)
UN classfication	8
Subsidiary hazard class	
Packing group	I
Marine pollutant	Not applicable

IMDG

UN number	UN3265
Proper shipping name:	Corrosive liquid, acidic, organic, n.o.s. (1,1,1,3,3,3-Hexafluoro-2-propanol)
UN classfication	8
Subsidiary hazard class	
Packing group	I
Marine pollutant (Sea)	Not applicable
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available

IATA

UN number	UN3265
Proper shipping name:	Corrosive liquid, acidic, organic, n.o.s. (1,1,1,3,3,3-Hexafluoro-2-propanol)
UN classfication	8
Subsidiary hazard class	
Packing group	I
Environmentally Hazardous Substance	Not applicable

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act	Not applicable
Poisonous and Deleterious Substances Control Law	Not applicable
Industrial Safety and Health Act	Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)
Regulations for the carriage and storage of dangerous goods in ship	Corrosive Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)
Civil Aeronautics Law	Corrosive Substances (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc., Attached Table 1)
Pollutant Release and Transfer Register Law (2023.4.1-)	Not applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc
Record of SDS revisions	The following contents were revised. Hazards identification. Toxicological information. Transport information. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our

knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet