



# SAFETY DATA SHEET

According to JIS Z 7253:2019 **Revision date** 26-Feb-2024 Revision Number 3.05

# Section 1: PRODUCT AND COMPANY IDENTIFICATION

| Product Name                                   | 10% Hydrochloric Acid   |  |  |
|--|---|--|--|
| Product Code                                   | 085-07535   |  |  |
| Supplier                                       | FUJIFILM Wako Pure Chemical Corporation<br>1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan<br>Phone: +81-6-6203-3741 |  |  |
| Emergency telephone number<br>Recommended uses | Fax: +81-6-6203-2029<br>+81-6-6203-3741 / +81-3-3270-8571<br>For research use only  |  |  |
| Restrictions on use                            | Seek expert judgment when using for purposes other than those recommended.  |  |  |

### Section 2: HAZARDS IDENTIFICATION

GHS classification <u>Classification of the substance or mixture</u> Corrosive to metals Acute toxicity - Oral Acute toxicity - Inhalation (Vapors) Skin corrosion/irritation Serious eye damage/eye irritation Respiratory sensitization Specific target organ toxicity (single exposure) Category 1 respiratory system Specific target organ toxicity (repeated exposure) Category 1 respiratory system, teeth Acute aquatic toxicity

Category 1 Category 4 Category 4 Category 1 Category 1 Category 1 Category 1

Category 2



### Hazard statements

- H290 May be corrosive to metals
- H314 Causes severe skin burns and eye damage
- H318 Causes serious eye damage
- H302 Harmful if swallowed
- H332 Harmful if inhaled
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
- H401 Toxic to aquatic life
- H370 Causes damage to the following organs: respiratory system
- H372 Causes damage to the following organs through prolonged or repeated exposure: respiratory system, teeth

### **Precautionary statements-(Prevention)**

• Wash face, hands and any exposed skin thoroughly after handling

- · Do not eat, drink or smoke when using this product
- Use only outdoors or in a well-ventilated area
- Do not breathe dust/fume/gas/mist/vapors/spray
- Wear protective gloves/protective clothing/eye protection/face protection
- · In case of inadequate ventilation wear respiratory protection
- Avoid release to the environment
- · Keep only in original container

### **Precautionary statements-(Response)**

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- Immediately call a POISON CENTER or doctor/physician
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth
- Do NOT induce vomiting
- Absorb spillage to prevent material damage

### Precautionary statements-(Storage)

- Store locked up
- Store in corrosive resistant/ container with a resistant inner liner
- Precautionary statements-(Disposal)
  - · Dispose of contents/container to an approved waste disposal plant

### Others

Other hazards

Not available

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

| Chemical Name     | Weight-%  | Molecular weight | ENCS    | ISHL No. | CAS RN    |
|-------------------|-----------|------------------|---------|----------|-----------|
| Water             | 90.5-90.0 | 18.02            | -       | N/A      | 7732-18-5 |
| Hydrogen Chloride | 9.5-10.0  | 36.46            | (1)-215 | *        | 7647-01-0 |

Note on ISHL No.:

\* in the table means announced chemical substances.

# Section 4: FIRST AID MEASURES

### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

### **Protection of first-aiders**

Use personal protective equipment as required.

# Section 5: FIRE FIGHTING MEASURES

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment **Unsuitable extinguishing media** 

No information available

### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

### Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

# Section 6: ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

# Recoverly, neutralization

## No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

# Section 7: HANDLING AND STORAGE

### Handling

### **Technical measures**

Avoid contact with alkaline substances. Avoid contact with metal. Use with local exhaust ventilation.

### Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

### Safety handling precautions

Safe packaging material Incompatible substances

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

### Storage

Safe storage conditions Storage conditions

Store away from sunlight in well-ventilated place at room temperature (preferably cool). Keep container tightly closed. Polyethylene Metals, Bases

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

### Exposure limits

| Chemical Name     | JSOH (Japan)                   | ISHL (Japan) | ACGIH          |
|-------------------|--------------------------------|--------------|----------------|
| Hydrogen Chloride | Ceiling: 2 ppm                 | N/A          | Ceiling: 2 ppm |
| 7647-01-0         | Ceiling: 3.0 mg/m <sup>3</sup> |              |                |

# Personal protective equipment<br/>Respiratory protection<br/>Hand protection<br/>Eye protection<br/>Skin and body protectionGas mask for acidic gas (JIS T 8152)<br/>chemical protective gloves (JIS T 8116)<br/>protective eyeglasses or chemical safety goggles (JIS T 8147)<br/>Long-sleeved work clothesGeneral hygiene considerationsLong-sleeved work clothes

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

| Color  | colorless  |
|--|------------|
| Turbidity  | clear      |
| Appearance   | liquid     |
| Odor   | Pungent o  |
| Melting point/freezing point                           | no data av |
| Boiling point, initial boiling point and boiling range | no data av |
| Flammability   | no data av |
| Evaporation rate:                                      | no data av |
| Flammability (solid, gas):                             | no data av |
| Upper/lower flammability or explosive limits           |            |
| Upper:   | no data av |
| Lower:   | no data av |
| Flash point  | no data av |
| Auto-ignition temperature:                             | no data av |
| Decomposition temperature:                             | no data av |
| рН   | no data av |
| Viscosity (coefficient of viscosity)                   | no data a  |
| Dynamic viscosity                                      | no data av |
| Solubilities   | water, Et  |
| n-Octanol/water partition coefficient:(log Pow)        | no data av |
| Vapour pressure  | no data av |
| Specific Gravity / Relative density                    | 1.05 g/mL  |
| Vapour density   | no data av |
| Particle characteristics                               | no data av |
|  |            |

### ungent odor o data available ater, Ethanol: freely soluble. o data available o data available .05 g/mL o data available o data available

# Section 10: STABILITY AND REACTIVITY

### Stability

 Reactivity
 no data available

 Chemical stability
 Stable under recommended storage conditions.

 Hazardous reactions
 Corrodes metals to generate hydrogen gas.

 Conditions to avoid
 Extremes of temperature and direct sunlight

 Incompatible materials
 Metals, Bases

 Hazardous decomposition products
 Hydrogen chloride (HCl) gas

# Section 11: TOXICOLOGICAL INFORMATION

### Acute toxicity

| Chemical Name                   | Oral LD50   | Dermal LD50  | Int   | alation LC50                                |  |
|---------------------------------|---|--|---|---|--|
| Hydrogen Chloride               | 238 - 277 mg/kg ( Rat )                                 | >5010 mg/kg ( Rabbit )                               |   | ppm (Rat) 4 h                               |  |
| . If all offer official         |   |  |   | pp(   |  |
| Chemical Name                   | Acute toxicity -oral- source<br>information             | Acute toxicity -dermal- sour<br>information          | ce Acute to   | xicity -inhalation gas-<br>urce information |  |
| Hydrogen Chloride               | Based on the NITE GHS classification results.           | Based on the NITE GHS classification results.        | Based on  | the NITE GHS<br>tion results.               |  |
| Chemical Name                   | Acute toxicity -inhalation<br>vapor- source information | Acute toxicity -inhalation du source information     | Acute toxicity -inhalation dust- Acute toxicity -inhalation mis source information source information |   |  |
| Hydrogen Chloride               | Based on the NITE GHS classification results.           | Based on the NITE GHS classification results.        |   | the NITE GHS tion results.                  |  |
| Skin irritation/corrosion       |   |  |   |   |  |
|                                 | ical Name   | Skin corrosion/irr                                   |   |   |  |
|                                 | en Chloride   | Based on the NITE GHS cla                            | ssification res   | sults.                                      |  |
| Serious eye damage/ irritation  |   |  |   |   |  |
|                                 | ical Name   | Serious eye damage                                   |   |   |  |
| Hydrog                          | Based on the NITE GHS cla                               | ssification res                                      | sults.  |   |  |
| Respiratory or skin sensitizati |   |  |   |   |  |
| Chemical Name                   |   | Respiratory or Skin sensitization source information |   |   |  |
| Hydrog                          | Based on the NITE GHS cla                               | Based on the NITE GHS classification results.        |   |   |  |
| Reproductive cell mutagenicit   |   |  |   |   |  |
| Chemical Name                   |   | germ cell mutage                                     |   |   |  |
| Hydrogen Chloride               |   | Based on the NITE GHS cla                            | ssification res   | sults.                                      |  |
| Carcinogenicity                 |   |  |   |   |  |
|                                 | ical Name   |  | Carcinogenicity source information  |   |  |
| Hydrog                          | en Chloride   | Based on the NITE GHS classification results.        |   |   |  |
| Chemical Nam                    | ne NTP  | IARC   | ACGIH   | JSOH (Japan)                                |  |
| Hydrogen Chlori<br>7647-01-0    |   | Group 3  | N/A   | N/A   |  |
| Reproductive toxicity           | •   | · · ·  |   | •   |  |
|                                 | ical Name   | Reproductive toxicity source information             |   |   |  |
| Hydrog                          | en Chloride   | Based on the NITE GHS classification results.        |   |   |  |
| STOT-single exposure            |   |  |   |   |  |
|                                 | Chemical Name   |  | STOT -single exposure- source information   |   |  |
| Hydrogen Chloride               |   | Based on the NITE GHS classification results.        |   |   |  |
| STOT-repeated exposure          |   |  |   |   |  |
| Chemical Name                   |   | STOT -repeated exposure- source information          |   |   |  |
|                                 | en Chloride   | Based on the NITE GHS classification results.        |   |   |  |
| Aspiration hazard               |   |  |   |   |  |
|                                 | ical Name   | Aspiration Haz                                       | ard source i  | nformation                                  |  |
|                                 |   |  |   |   |  |

# Section 12: ECOLOGICAL INFORMATION

Based on the NITE GHS classification results.

# Ecotoxicity

Hydrogen Chloride

| Chemical Name     | Algae/aquatic plants | Fish | Crustacea             |
|-------------------|----------------------|------|-----------------------|
| Hydrogen Chloride | N/A                  | N/A  | EC50 : Daphinia magna |
|                   |                      |      | 0.492 mg/L 48 h       |

### Other data

| Chemical Name     | Short-term (acute) hazardous to the    | Long-term (chronic) hazardous to the   |  |
|-------------------|--|--|--|
|                   | aquatic environment source information | aquatic environment source information |  |
| Hydrogen Chloride | Based on the NITE GHS classification   | Based on the NITE GHS classification   |  |
|                   | results.                               | results.                               |  |

Persistence and degradability Bioaccumulative potential Mobility in soil Hazard to the ozone layer No information available No information available No information available No information available

# Section 13: DISPOSAL CONSIDERATIONS

### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations. **Contaminated container and contaminated packaging** 

Disposal should be in accordance with applicable regional, national and local laws and regulations.

# Section 14: TRANSPORT INFORMATION

### ADR/RID

|     | UN number<br>Proper shipping name:<br>UN classfication<br>Subsidiary hazard class | UN1789<br>hydrochloric acid<br>8 |
|-----|---|----------------------------------|
|     | Packing group<br>Marine pollutant   | III<br>Not applicable            |
| ІМС | )G  |                                  |
|     | UN number   | UN1789                           |
|     | Proper shipping name:   | hydrochloric acid                |
|     | UN classfication  | 8                                |
|     | Subsidiary hazard class<br>Packing group  | Ш                                |
|     | Marine pollutant (Sea)  | Not applicable                   |
|     | Transport in bulk according to  | No information available         |
|     | Annex II of MARPOL 73/78 and  |                                  |
|     | the IBC Code  |                                  |
| IAT |   |                                  |
|     | UN number   | UN1789                           |
|     | Proper shipping name:   | hydrochloric acid                |
|     | UN classfication  | 8                                |
|     | Subsidiary hazard class   | Ш                                |
|     | Packing group   |                                  |
|     | Environmentally Hazardous<br>Substance  | Not applicable                   |

# Section 15: REGULATORY INFORMATION

| Japanese regulations                         |  |
|--|--|
| Fire Service Act                             | Not applicable   |
| Poisonous and Deleterious                    | Not applicable   |
| Substances Control Law                       |  |
| Industrial Safety and Health Act             | t Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)<br>Notifiable Substances (Law Art.57-2)   |
|  | Group 3 Specified Chemical Substance, (Ordinance on Prevention of Hazards Due to   |
|  | Specified Chemical Substances Art.2 Para.1, Item 6)  |
| Industrial Safety and Health Act (<br>2024~) | [2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)                           |
| Regulations for the carriage                 | Corrosive Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding                                    |
| and storage of dangerous<br>goods in ship    | Transport by Ship and Storage, Attached Table 1)   |
| Civil Aeronautics Law                        | Corrosive Substances (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc., Attached Table 1) |

| Marine Pollution Prevention Law                           | Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Z            |
|---|---|
| Pollutant Release and Transfer                            | Not applicable  |
| Register Law<br>(2023.4.1-)                               |   |
| Water Pollution Control Act<br>Export Trade Control Order | Specified substances(Law Art.2 Para.4, Enforcement Order Art.3-3)<br>Not applicable |
| Air Pollution Control Law                                 | Specified Substances, Hazardous Air Pollutants                                      |

| Chemical Name                            | Poisonous and Deleterious<br>Substances Control Law | Industrial Safety and Health Act<br>Substances<br>(Law Art.57-2) | Pollutant Release and Transfer<br>Register Law<br>(2023.4.1-) |
|--|---|--|---|
| Hydrogen Chloride<br>7647-01-0(9.5-10.0) | -   | Applicable   | -   |

# **Section 16: OTHER INFORMATION**

Key literature references and NITE: National Institute of Technology and Evaluation (JAPAN) sources for data etc. http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS: Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc

### **Record of SDS revisions** Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**