



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 05-Oct-2023

Revision Number 3.05

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Isophorone	
Product Code	091-01793,095-01796	
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741	
Emergency telephone number	Fax: +81-6-6203-2029 +81-6-6203-3741 / +81-3-3270-8571	

Restrictions on use Seek expert judgment when using for purposes other than those recommended.

For research use only

Section 2: HAZARDS IDENTIFICATION

GHS classification

Recommended uses

Classification of the substance or mixture

Flammable liquids

Acute toxicity - Oral

Acute toxicity - Dermal

Serious eye damage/eye irritation

Category 4

Carcinogenicity

Category 2

Specific target organ toxicity (single exposure)

Category 2

Category 3

Category 3 Respiratory irritation, Narcotic effects

Pictograms





Signal word

Warning

Hazard statements

H227 - Combustible liquid

H319 - Causes serious eye irritation

H302 - Harmful if swallowed

H312 - Harmful in contact with skin

H351 - Suspected of causing cancer

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

Precautionary statements-(Prevention)

- · Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Do not eat, drink or smoke when using this product
- · Wash face, hands and any exposed skin thoroughly after handling
- Avoid breathing dust/fume/gas/mist/vapors/spray
- · Use only outdoors or in a well-ventilated area
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep cool

Precautionary statements-(Response)

- IF exposed or concerned: Get medical advice/attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF ON SKIN: Wash with plenty of soap and water
- · Call a POISON CENTER or doctor/physician if you feel unwell
- · Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- · Rinse mouth
- In case of fire: Use suitable extinguishing media for extinction

Precautionary statements-(Storage)

- Store in a well-ventilated place. Keep container tightly closed
- Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula C9H14O

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Isophorone	97.0	138.21	(3)-2381,(3)-2389	*	78-59-1

Note on ISHL No.: * in the table means announced chemical substances.

Impurities and/or Additives: Not applicable

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed.

Safe packaging material

Glass

Incompatible substances

Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Isophorone 78-59-1	N/A	N/A	Ceiling: 5 ppm

Chemical Name	Concentration standard value set by the Minister of Health, Labor and Welfare (8hr)	Concentration standard value set by the Minister of Health, Labor and Welfare (Short-Term)
Isophorone 78-59-1	N/A	5 ppm

Personal protective equipment

Respiratory protection Protective mask

Hand protection chemical protective gloves (JIS T 8116) **Eye protection** protective eyeglasses or chemical safety goggles

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color Colorless - pale yellow

Turbidity clear Appearance liquid

Odor characteristic odor

Melting point/freezing point -8 °C

Boiling point, initial boiling point and boiling range
Flammability
Evaporation rate:
Flammability (solid, gas):

213 - 214 °C
Combustible liquid
no data available
no data available

Upper/lower flammability or

explosive limits

Upper: 3.8
Lower: 0.8
Flash point 90 °C
Auto-ignition temperature: 462 °C

Decomposition temperature:no data availablepHno data availableViscosity (coefficient of viscosity)no data availableDynamic viscosityno data available

Solubilities Ethanol and acetone: Very soluble, water: practically

insoluble, or insoluble.

n-Octanol/water partition coefficient:(log Pow) no data available Vapour pressure no data available

Specific Gravity / Relative density 0.918 - 0.923 g/mL (20°C)

Vapour density 4.8(air=1)
Particle characteristics no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available **Chemical stability** May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2)

Section 11: TOXICOLOGICAL INFORMATION

-					• •
Л	\sim 1	Ita	. +^	VI	citv
_	U	มเธ	· LU	יואי	CILV

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Isophorone	1843 mg / kg (Rat)	1265 mg / kg (Rabbit)	7 mg/L (Rat)4 h

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Isophorone	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
·	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	- Acute toxicity -inhalation mist- source information	
Isophorone	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS	
·	classification results.	classification results.	classification results.	

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information	
Isophorone	Based on the NITE GHS classification results.	

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information
Isophorone	Based on the NITE GHS classification results.

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
Isophorone	Based on the NITE GHS classification results.

Reproductive cell mutagenicity

Chemical Name	germ cell mutagencity source information
Isophorone	Based on the NITE GHS classification results.

Carcinogenicity

Chemical Name	Carcinogenicity source information	
Isophorone	Based on the NITE GHS classification results.	

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
Isophorone			A3	
78-59-1				

Reproductive toxicity

Chemical Name	Reproductive toxicity source information
Isophorone	Based on the NITE GHS classification results.

STOT-single exposure

Chemical Name	STOT -single exposure- source information	
Isophorone	Based on the NITE GHS classification results.	

STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information	
Isophorone	Based on the NITE GHS classification results.	

Aspiration hazard

	Chemical Name	Aspiration Hazard source information	
Isophorone		Based on the NITE GHS classification results.	

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Isophorone	EC50 : Pseudokirchneriella	LC50 : Oryzias latipes	EC50 : Daphnia magna
	subcapitata	>100 mg/L 96 h	117 mg/L 48 h
	230 mg/L 72 h		

Other data

Othor data					
Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the			
	aquatic environment source	aquatic environment source			
	information	information			

Isophorone Based on the NITE GHS classification Based on the NITE GHS classification results results.

Persistence and degradability Degree of decomposition: 2 % by BOD (METI Existing chemical safety inspections)

Bioaccumulative potential

No information available Mobility in soil No information available Hazard to the ozone layer

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

No information available

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID Not regulated

UN number

Proper shipping name: **UN classfication** Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG Not regulated

UN number

Proper shipping name: **UN classfication** Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA Not regulated

UN number

Proper shipping name: **UN classfication** Subsidiary hazard class

Packing group

Environmentally Hazardous

Substance

Not applicable

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Category IV, Class III petroleums, dangerous grade 3

Poisonous and Deleterious Not applicable **Substances Control Law**

Industrial Safety and Health Act Notifiable Substances (Law Art.57-2, Enforcement Oder Art.18-2 Attached Table

No.9)No.49

Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57,

Para.1, Enforcement Order Art.18)

Act on the Evaluation of **Chemical Substances and** Regulation of Their

Priority Assessment Chemical Substances (Law Article 2, Para.5)

Manufacture, etc. Regulations for the carriage

Not applicable

and storage of dangerous

goods in ship

Civil Aeronautics Law Not applicable

Marine Pollution Prevention Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y

Law

Pollutant Release and Transfer Not applicable

Register Law (2023.4.1-)

Export Trade Control Order Not applicable

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Isophorone 78-59-1 (97.0)	-	Applicable	•

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet