



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 28-Feb-2024 Revision Number 3.06

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Iron Standard Stock Solution (Fe 10000)
Product Code	091-06391
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029
Emergency telephone number Recommended uses Restrictions on use	+81-6-6203-3741 / +81-3-3270-8571 For research use only Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification <u>Classification of the substance or mixture</u> Corrosive to metals Acute toxicity - Oral Acute toxicity - Inhalation (Vapors) Skin corrosion/irritation Serious eye damage/eye irritation Respiratory sensitization Specific target organ toxicity (single exposure) Category 1 respiratory system Specific target organ toxicity (repeated exposure) Category 1 teeth, respiratory system Acute aquatic toxicity

Category 1 Category 4 Category 4 Category 1 Category 1 Category 1 Category 1

Category 2

-



Hazard statements

- H290 May be corrosive to metals
- H314 Causes severe skin burns and eye damage
- H318 Causes serious eye damage
- H302 Harmful if swallowed
- H332 Harmful if inhaled
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
- H401 Toxic to aquatic life
- H370 Causes damage to the following organs: respiratory system
- H372 Causes damage to the following organs through prolonged or repeated exposure: teeth, respiratory system

Precautionary statements-(Prevention)

• Use only outdoors or in a well-ventilated area

- Wear protective gloves/protective clothing/eye protection/face protection
- · In case of inadequate ventilation wear respiratory protection
- Do not breathe dust/fume/gas/mist/vapors/spray
- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Avoid release to the environment
- · Keep only in original container

Precautionary statements-(Response)

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- Immediately call a POISON CENTER or doctor/physician
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- Wash contaminated clothing before reuse
- · Call a POISON CENTER or doctor/physician if you feel unwell
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth
- Do NOT induce vomiting
- Absorb spillage to prevent material damage

Precautionary statements-(Storage)

- Store locked up
- Store in corrosive resistant/ container with a resistant inner liner
- Precautionary statements-(Disposal)
 - · Dispose of contents/container to an approved waste disposal plant

Others

Other hazards

Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Hydrogen Chloride	15	36.46	(1)-215	*	7647-01-0
Iron(III) chloride	2.90	162.21	(1)-213	*	7705-08-0

Note on ISHL No.:

* in the table means announced chemical substances.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment **Unsuitable extinguishing media**

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with alkaline substances. Avoid contact with metal. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions	
Storage conditions	Store away from sunlight in well-ventilated place at room temperature (under 25 °C).
	Keep container tightly closed. Store locked up.
Safe packaging material	Polyethylene
Incompatible substances	Strong bases, Metals

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Hydrogen Chloride	Ceiling: 2 ppm	N/A	Ceiling: 2 ppm
7647-01-0	Ceiling: 3.0 mg/m ³		

Iron(III) chloride	N/A	N/A	TWA: 1 mg/m ³ Fe
7705-08-0			-

Personal protective equipment

Respiratory pro	tection
Hand protection	n
Eye protection	
Skin and body	protection

Gas mask for acidic gas (JIS T 8152) chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles (JIS T 8147) Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Form	
Color	yellow - reddish yellow
Turbidity	clear
Appearance	liquid
Odor	no data available
Melting point/freezing point	no data available
Boiling point, initial boiling point and boiling range	no data available
Flammability	no data available
Evaporation rate:	no data available
Flammability (solid, gas):	no data available
Upper/lower flammability or explosive limits	
Upper:	no data available
Lower:	no data available
Flash point	no data available
Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
рН	Strongly acidic
Viscosity (coefficient of viscosity)	no data available
Dynamic viscosity	no data available
Solubilities	water : miscible .
n-Octanol/water partition coefficient:(log Pow)	no data available
Vapour pressure	no data available
Specific Gravity / Relative density	no data available
Vapour density	no data available
Particle characteristics	no data available

Section 10: STABILITY AND REACTIVITY

Stability

 Reactivity
 no data available

 Chemical stability
 Stable under recommended storage conditions.

 Hazardous reactions
 Reacts with acids to generate hydrogen gas.

 Conditions to avoid
 Extremes of temperature and direct sunlight

 Incompatible materials
 Strong bases, Metals

 Hazardous decomposition products
 Hydrogen chloride (HCI) gas, Metal oxides

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrogen Chloride	238 - 277 mg/kg (Rat)	>5010 mg/kg(Rabbit)	1411 ppm (Rat) 4 h
Iron(III) chloride	1872 mg/kg(Rat)	N/A	N/A

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
riyarogon omonao			Based on the NITE GHS classification results.
			Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust-	Acute toxicity -inhalation mist-
	vapor- source information	source information	source information
Hydrogen Chloride	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	Classification results.
Iron(III) chloride	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Hydrogen Chloride	Based on the NITE GHS classification results.
Iron(III) chloride	Based on the NITE GHS classification results.
Serious eye damage/ irritation	
Chemical Name	Serious eye damage/irritation source information
Hydrogen Chloride	Based on the NITE GHS classification results.
Iron(III) chloride	Based on the NITE GHS classification results.
Respiratory or skin sensitization	
Chemical Name	Respiratory or Skin sensitization source information
Hydrogen Chloride	Based on the NITE GHS classification results.
Iron(III) chloride	Based on the NITE GHS classification results.
Reproductive cell mutagenicity	
Chemical Name	germ cell mutagencity source information
Hydrogen Chloride	Based on the NITE GHS classification results.
Iron(III) chloride	Based on the NITE GHS classification results.
Carcinogenicity	
Chemical Name	Carcinogenicity source information
Hydrogen Chloride	Based on the NITE GHS classification results.
Iron(III) chloride	Based on the NITE GHS classification results.

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)	
Hydrogen Chloride	N/A	Group 3		N/A	
7647-01-0					
Reproductive toxicity					
Chemical Name		Reproducti	ve toxicity source	information	
Hydrogen Chloride		Based on the NITE GH	IS classification res	sults.	
Iron(III) chloride		Based on the NITE GH	IS classification res	sults.	
STOT-single exposure					
Chemical Name		STOT -single exposure- source information			
Hydrogen Chloride		Based on the NITE GHS classification results.			
Iron(III) chloride		Based on the NITE GHS classification results.			
STOT-repeated exposure					
Chemical Name		STOT -repeate	STOT -repeated exposure- source information		
Hydrogen Chloride		Based on the NITE GHS classification results.			
Iron(III) chloride		Based on the NITE GHS classification results.			
Aspiration hazard		·			
Chemical Name		Aspiration Hazard source information		nformation	
Hydrogen Chloride		Based on the NITE GHS classification results.			
Iron(III) chloride		Based on the NITE GHS classification results.			

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Hydrogen Chloride	N/A	N/A	EC50 : Daphinia magna 0.492 mg/L 48 h
Iron(III) chloride	N/A	LC50:Lepomis macrochirus 20.26 mg/L 96 h	EC50:Daphnia magna 37.5 mg/L 48 h

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information
Hydrogen Chloride	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.
Iron(III) chloride	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability	No
Bioaccumulative potential	No
Mobility in soil	No
Hazard to the ozone layer	No

No information available No information available No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group Marine pollutant	UN1789 Hydrochloric acid 8 II Not applicable
IMDG	
UN number	UN1789
Proper shipping name:	Hydrochloric acid
UN classfication	8
Subsidiary hazard class	
Packing group	II
Marine pollutant (Sea)	Not applicable
Transport in bulk according to	No information available
Annex II of MARPOL 73/78 and	
the IBC Code	
UN number	UN1789
Proper shipping name:	Hydrochloric acid
UN classfication	8
Subsidiary hazard class	•
Packing group	II
Environmentally Hazardous	Not applicable

Substance

Section 15: REGULATORY INFORMATION		
Japanese regulations		
Fire Service Act	Not applicable	
Poisonous and Deleterious	Deleterious Substances 2nd. Grade	
Substances Control Law		
Industrial Safety and Health Act	t Group 3 Specified Chemical Substance, (Ordinance on Prevention of Hazards Due to Specified Chemical Substances Art.2 Para.1, Item 6) Notifiable Substances (Law Art.57-2)	
	Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)	
Industrial Safety and Health Act (2024~)	[2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)	
Regulations for the carriage and storage of dangerous goods in ship	Corrosive Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)	
Civil Aeronautics Law	Corrosive Substances (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc., Attached Table 1)	
Marine Pollution Prevention Law Pollutant Release and Transfer Register Law	Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Z Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y	
(2023.4.1-) Water Pollution Control Act Export Trade Control Order Narcotics and Psychotropics Control Law	Specified substances(Law Art.2 Para.4, Enforcement Order Art.3-3) Appendix 2 Export Approval Item	
Air Pollution Control Law	Hazardous Air Pollutants, Specified Substances	

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Hydrogen Chloride 7647-01-0(15)	Applicable	Applicable	-
Iron(III) chloride 7705-08-0 (2.90)	-	Applicable	-

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc
Record of SDS revisions	The following contents were revised. Regulatory information.

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet