



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 29-Feb-2024 Revision Number 1.07

Section 1: PRODUCT AND COMPANY IDENTIFICATION

| Product Name | IsopropyImagnesium Chloride, Tetrahydrofuran Solution (abt. 1mol/L) |
|---|---|
| Product Code | 090-07081,092-07085 |
| Supplier | FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029 |
| Emergency telephone number Recommended uses Restrictions on use | +81-6-6203-3741 / +81-3-3270-8571 For research use only Seek expert judgment when using for purposes other than those recommended. |

Section 2: HAZARDS IDENTIFICATION

GHS classification <u>Classification of the substance or mixture</u> Flammable liquids Acute toxicity - Oral Acute toxicity - Inhalation (Vapors) Skin corrosion/irritation Serious eye damage/eye irritation Carcinogenicity Reproductive Toxicity Specific target organ toxicity (single exposure) Category 1 central nervous system Category 3 Respiratory irritation, Narcotic effects Specific target organ toxicity (repeated exposure) Category 1 central nervous system, respiratory system, liver Pictograms

Category 2 Category 4 Category 4 Category 1 Category 1 Category 2 Category 2, Category 3

Category 1

Signal word

Danger

Hazard statements

- H225 Highly flammable liquid and vapor
- H314 Causes severe skin burns and eye damage
- H318 Causes serious eye damage
- H302 Harmful if swallowed
- H332 Harmful if inhaled
- H351 Suspected of causing cancer
- H361 Suspected of damaging fertility or the unborn child
- H335 May cause respiratory irritation
- H336 May cause drowsiness or dizziness

H370 - Causes damage to the following organs: central nervous system

H372 - Causes damage to the following organs through prolonged or repeated exposure: central nervous system, respiratory system, liver

Precautionary statements-(Prevention)

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product
- · Use only outdoors or in a well-ventilated area
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Keep container tightly closed
- · Ground/bond container and receiving equipment
- · Use explosion-proof electrical/ ventilating / lighting / equipment
- Use only non-sparking tools
- Take precautionary measures against static discharge
- Keep cool

Precautionary statements-(Response)

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- Immediately call a POISON CENTER or doctor/physician
- · Wash contaminated clothing before reuse
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth
- Do NOT induce vomiting
- · In case of fire: Use suitable extinguishing media for extinction
- Precautionary statements-(Storage)
 - Store in a well-ventilated place. Keep container tightly closed
 - Store locked up
- Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

Others Other hazards

Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Formula

C3H7CIMg

| Chemical Name | Weight-% | Molecular weight | ENCS | ISHL No. | CAS RN |
|--------------------------------|----------|------------------|----------|----------|-----------|
| Tetrahydrofuran | 88.40 | 72.11 | (5)-53 | * | 109-99-9 |
| Isopropylmagnesium Chloride | 11.60 | 102.85 | (2)-3469 | 公表 | 1068-55-9 |

Note on ISHL No.:

* in the table means announced chemical substances.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician. Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Vapors may form explosive mixture with air Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

<u>Storage</u> Safe storage conditions Storage conditions

Safe packaging material Incompatible substances

Keep container protect from light, store in well-ventilated place at room temperature (preferably cool). Keep container tightly closed. Packed with an inert gas. Glass Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

| - 1 | | | | |
|-----|-----------------|--------------------------------|------------------|---------------|
| | Chemical Name | JSOH (Japan) | ISHL (Japan) | ACGIH |
| | Tetrahydrofuran | TWA: 50 ppm OEL | ISHL/ACL: 50 ppm | STEL: 100 ppm |
| | 109-99-9 | TWA: 148 mg/m ³ OEL | | TWA: 50 ppm |
| | | Skin | | Skin |
| | | ISHL/ACL: 50 ppm | | |

Personal protective equipment Respiratory protection

Hand protection

Eye protection

gas mask for organic gas (JIS T 8152) chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles (JIS T 8147) Long-sleeved work clothes

Skin and body protection

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

| Color | pale yello |
|--|------------|
| Appearance | liquid |
| Odor | no data a |
| Melting point/freezing point | no data a |
| Boiling point, initial boiling point and boiling range | no data a |
| Flammability | Highly fla |
| Evaporation rate: | no data a |
| Flammability (solid, gas): | no data a |
| Upper/lower flammability or explosive limits | |
| Upper: | no data a |
| Lower: | no data a |
| Flash point | no data a |
| Auto-ignition temperature: | no data a |
| Decomposition temperature: | no data a |
| рН | no data a |
| Viscosity (coefficient of viscosity) | no data a |
| Dynamic viscosity | no data a |
| Solubilities | No data a |
| n-Octanol/water partition coefficient:(log Pow) | no data a |
| Vapour pressure | no data a |
| Specific Gravity / Relative density | 0.886-0.9 |
| Vapour density | no data a |
| Particle characteristics | no data a |
| | |

bale yellow - blackish brown iquid no data available no data available no data available Highly flammable liquid and vapor no data available no data available

no data available no data available no data available no data available no data available no data available no data available no data available no data available no data available no data available no data available no data available no data available no data available no data available no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available Chemical stability May be altered by light. Hazardous reactions None under normal processing Conditions to avoid Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark Incompatible materials Strong oxidizing agents Hazardous decomposition products Carbon monooxide (CO), Carbon dioxide (CO2), Halides, Metal oxides

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|-----------------|--------------------|-------------|-------------------|
| Tetrahydrofuran | 2000 mg/kg (Rat) | N/A | 18187 ppm(Rat)4 h |

| Chemical Name | Acute toxicity -oral- source information | Acute toxicity -dermal- source information | Acute toxicity -inhalation gas- source information |
|----------------|---|--|---|
| rotanyaronanan | | | Based on the NITE GHS classification results. |

| Chemical Name | Acute toxicity -inhalation vapor- source information | Acute toxicity -inhalation dust- source information | Acute toxicity -inhalation mist- source information |
|-----------------|---|--|--|
| Tetrahydrofuran | Based on the NITE GHS | Based on the NITE GHS | Based on the NITE GHS |
| | classification results. | classification results. | classification results. |

Skin irritation/corrosion

| Chemical Name | | Skin corrosion/irritation source information | | | |
|-----------------------------------|-----------------|--|---|--------------------|--|
| Tetrahydrofuran | Tetrahydrofuran | | Based on the NITE GHS classification results. | | |
| Serious eye damage/ irritation | | | | | |
| Chemical Name | | Serious eye da | mage/irritation so | ource information | |
| Tetrahydrofuran | | Based on the NITE G | IS classification re- | sults. | |
| Respiratory or skin sensitization | | | | | |
| Chemical Name | | Respiratory or S | kin sensitization s | source information | |
| Tetrahydrofuran | | Based on the NITE G | IS classification re | sults. | |
| Reproductive cell mutagenicity | | | | | |
| Chemical Name | | | germ cell mutagencity source information | | |
| Tetrahydrofuran | Tetrahydrofuran | | Based on the NITE GHS classification results. | | |
| Carcinogenicity | | · | | | |
| Chemical Name | | Carcino | genicity source in | formation | |
| Tetrahydrofuran | | Based on the NITE G | HS classification re | sults. | |
| · · · · · | | | | | |
| Chemical Name NTP | | IARC | ACGIH | JSOH (Japan) | |
| Tetrahydrofuran | - | Group 2B | A3 | - | |
| 109-99-9 | | | | | |
| Reproductive toxicity | | | | | |
| Chemical Name | | Reproduct | ive toxicity source | e information | |

Based on the NITE GHS classification results.

STOT-repeated exposure

| Chemical Name | STOT -repeated exposure- source information |
|-------------------|---|
| Tetrahydrofuran | Based on the NITE GHS classification results. |
| Aspiration hazard | |
| Chemical Name | Aspiration Hazard source information |
| Tetrahydrofuran | Based on the NITE GHS classification results. |

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|-----------------|----------------------------|-----------------------|----------------------|
| Tetrahydrofuran | LC50 : Pimephales Promelas | LC50 : Fathead minnow | EC50 : Daphnia magna |
| | 2160 mg/L 96 h | 2160 mg/L 96 h | 5930 mg/L 48 h |

Other data

| Chemical Name | Short-term (acute) hazardous to the | Long-term (chronic) hazardous to the |
|-----------------|--|--|
| | aquatic environment source information | aquatic environment source information |
| Tetrahydrofuran | Based on the NITE GHS classification | Based on the NITE GHS classification |
| | results. | results. |

No information available No information available No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations. **Contaminated container and contaminated packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

| ADR/RID |) |
|---------|---|
|---------|---|

| UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group Marine pollutant | UN2924 Flammable liquid, corrosive, n.o.s. (Tetrahydrofuran) 3 8 II Not applicable |
|--|---|
| IMDG | |
| UN number | UN2924 |
| Proper shipping name: | Flammable liquid, corrosive, n.o.s. (Tetrahydrofuran) |
| UN classfication | 3 |
| Subsidiary hazard class | 8 |
| Packing group | II |
| Marine pollutant (Sea) | Not applicable |
| Transport in bulk according to | No information available |
| Annex II of MARPOL 73/78 and the IBC Code IATA | |
| | |

| UN number | UN2924 |
|---------------------------|---|
| Proper shipping name: | Flammable liquid, corrosive, n.o.s. (Tetrahydrofuran) |
| UN classfication | 3 |
| Subsidiary hazard class | 8 |
| Packing group | II |
| Environmentally Hazardous | Not applicable |
| Substance | |

Section 15: REGULATORY INFORMATION

| Japanese regulations Fire Service Act | Category IV, Class I petroleums, dangerous grade 2 water-soluble |
|--|--|
| Poisonous and Deleterious | Not applicable |
| Substances Control Law | |
| Industrial Safety and Health Act | t Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57) |
| | Notifiable Substances (Law Art.57-2) |
| | Class 2 Organic Solvents (Enforcement Order Attached Table No.6-2, Ordinance on |
| | Prevention of Organic Solvent Poisoning Art.1, Para.1, Item 5) |
| | Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1 Item 4) |
| | Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2, |
| | Para.1) |
| Industrial Safety and Health Act (| [2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1) |
| 2024~) Act on the Evaluation of | Driarity Assessment Chamical Substances (Law Article 2, Dars 5) |
| Chemical Substances and | Priority Assessment Chemical Substances (Law Article 2, Para.5) |
| Regulation of Their | |
| Manufacture, etc | |
| Regulations for the carriage | Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding |
| and storage of dangerous | Transport by Ship and Storage, Attached Table 1) |
| goods in ship | |
| Civil Aeronautics Law | Flammable Liquids (Ordinance Art. 194, MITL Nortification for Air Transportation of |
| | Explosives etc., Attached Table 1) |
| Marine Pollution Prevention | Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Z |
| Law | |
| Pollutant Release and Transfer | Class 1 |
| Register Law | |
| (2023.4.1-) Class 1 - No. | 674 |
| Export Trade Control Order | Not applicable |
| | |

| Chemical Name | Poisonous and Deleterious Substances Control Law | Industrial Safety and Health Act Substances (Law Art.57-2) | Pollutant Release and Transfer Register Law (2023.4.1-) |
|---------------------------------------|---|--|---|
| Tetrahydrofuran 109-99-9 (88.40) | - | Applicable | Applicable |

| | Section 16: OTHER INFORMATION |
|---|---|
| Key literature references and sources for data etc. | NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc |

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet