



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 29-Feb-2024 Revision Number 4.06

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Isopropylmagnesium Chloride-Zinc(?) Ate Complex, Tetrahydrofuran Solution (abt. 0.3mol/L)
Product Code	097-07091

FUJIFILM Wako Pure Chemical Corporation Supplier

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

+81-6-6203-3741 / +81-3-3270-8571 **Emergency telephone number**

Recommended uses For research use only

Restrictions on use Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Flammable liquids Category 2 Acute toxicity - Oral Acute toxicity - Inhalation (Vapors) Category 4 Category 4 Skin corrosion/irritation Category 1 Category 1 Serious eye damage/eye irritation Category 2 Carcinogenicity

Reproductive Toxicity Category 2 Specific target organ toxicity (single exposure) Category 1, Category 3

Category 1 central nervous system

Category 3 Respiratory irritation, Narcotic effects

Specific target organ toxicity (repeated exposure) Category 1

Category 1 central nervous system, respiratory system, liver





Hazard statements

H225 - Highly flammable liquid and vapor

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H302 - Harmful if swallowed H332 - Harmful if inhaled

H351 - Suspected of causing cancer

H361 - Suspected of damaging fertility or the unborn child

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H370 - Causes damage to the following organs: central nervous system

H372 - Causes damage to the following organs through prolonged or repeated exposure: central nervous system, respiratory system, liver

Precautionary statements-(Prevention)

- · Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- · Use personal protective equipment as required
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- · Use only outdoors or in a well-ventilated area
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- · Keep container tightly closed
- · Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- · Use only non-sparking tools
- Take precautionary measures against static discharge
- Keep cool

Precautionary statements-(Response)

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- · Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth
- Do NOT induce vomiting
- In case of fire: Use suitable extinguishing media for extinction

Precautionary statements-(Storage)

- · Store locked up
- Store in a well-ventilated place. Keep container tightly closed

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Tetrahydrofuran	91.40	72.11	(5)-53	*	109-99-9
Isopropylmagnesium Chloride-Zinc(II)ate	8.60	254.40	N/A	N/A	N/A-09-0709-1
complex					

Note on ISHL No.: * in the table means announced chemical substances.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

Do not use straight streams

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

<u>Storage</u>

Safe storage conditions

Storage conditions Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed. Packed with an inert gas.

Safe packaging material Glass

Incompatible substances Strong oxidizing agents, Water

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name		JSOH (Japan)	ISHL (Japan)	ACGIH
Tetrahydrofuran		TWA: 50 ppm OEL	ISHL/ACL: 50 ppm	STEL: 100 ppm
109-99-9		TWA: 148 mg/m ³ OEL		TWA: 50 ppm
		Skin		Skin
		ISHL/ACL: 50 ppm		

Personal protective equipment

Respiratory protection gas mask for organic gas (JIS T 8152) **Hand protection** chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Data except for the appearance is described as a solvent.

Form

Color pale yellow - blackish brown

Appearance liquid

Odor no data available

Melting point/freezing point -108.5 °C

Boiling point, initial boiling point and boiling range 66 °C

Flammability Highly flammable liquid and vapor

Evaporation rate:no data available
Flammability (solid, gas):
no data available

Upper/lower flammability or explosive limits

Upper: 11.8
Lower: 2.0
Flash point -19 °C
Auto-ignition temperature: 321 °C

Decomposition temperature:no data availablepHno data availableViscosity (coefficient of viscosity)no data availableDynamic viscosityno data available

SolubilitiesNo data availablen-Octanol/water partition coefficient:(log Pow)0.46Vapour pressure21.6

Specific Gravity / Relative density 0.8892

Vapour density no data available

Particle characteristics

no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available
Chemical stability May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark, Moisture

Incompatible materials

Strong oxidizing agents, Water

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Halides, Metal oxides

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

	Oral LD50 Dermal LD50 2000 mg/kg (Rat) N/A		
Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Tetrahvdrofuran	2000 mg/kg (Rat)	N/A	18187 ppm (Rat) 4 h

Chemical Name	nemical Name		Acute toxicity -inhalation gas-
	information	information	source information
Tetrahydrofuran	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
_	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	- Acute toxicity -inhalation mist- source information	
Tetrahydrofuran	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS	
•	classification results.	classification results.	classification results.	

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information	
Tetrahydrofuran	Based on the NITE GHS classification results.	

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information		
Tetrahydrofuran	Based on the NITE GHS classification results.		

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information		
Tetrahydrofuran	Based on the NITE GHS classification results.		

Reproductive cell mutagenicity

Chemical Name	germ cell mutagencity source information
Tetrahydrofuran E	Based on the NITE GHS classification results.
Carcinogenicity	

Chemical Name	Carcinogenicity source information	
Tetrahydrofuran	Based on the NITE GHS classification results.	

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
Tetrahydrofuran	-	Group 2B	A3	-
109-99-9				

Reproductive toxicity

Chemical Name	Reproductive toxicity source information	
Tetrahydrofuran	Based on the NITE GHS classification results.	

STOT-single exposure

Chemical Name STOT -single exposure- source information

Tetrahydrofuran	Based on the NITE GHS classification results.			
STOT-repeated exposure				
Chemical Name	Chemical Name STOT -repeated exposure- source information			
Tetrahydrofuran	Based on the NITE GHS classification results.			
Aspiration hazard				
Chemical Name	Aspiration Hazard source information			
Tetrahydrofuran	Based on the NITE GHS classification results.			

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	nemical Name Algae/aquatic plants Fis		Crustacea	
Tetrahydrofuran LC50 : Pimephales Promela		LC50 : Fathead minnow EC50 : Daph	EC50 : Daphnia magna	
·	2160 mg/L 96 h	2160 mg/L 96 h	5930 mg/L 48 h	

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the	
	aquatic environment source information	aquatic environment source information	
Tetrahydrofuran	Based on the NITE GHS classification	Based on the NITE GHS classification	
	results.	results.	

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN2924

Proper shipping name: Flammable liquid, corrosive, n.o.s. (Tetrahydrofuran / Isopropylmagnesium

Chloride-Zinc(II)ate complex)

UN classfication 3
Subsidiary hazard class 8
Packing group ||

Marine pollutant Not applicable

IMDG

UN number UN2924

Proper shipping name: Flammable liquid, corrosive, n.o.s. (Tetrahydrofuran / Isopropylmagnesium

Chloride-Zinc(II)ate complex)

UN classfication 3 Subsidiary hazard class 8 Packing group II

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN2924

Proper shipping name: Flammable liquid, corrosive, n.o.s. (Tetrahydrofuran / Isopropylmagnesium

Chloride-Zinc(II)ate complex)

UN classfication 3 Subsidiary hazard class 8 Packing group II

Environmentally Hazardous Not applicable

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Category IV, Class I petroleums, dangerous grade 2

Poisonous and Deleterious Not applicable

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2)

Class 2 Organic Solvents (Enforcement Order Attached Table No.6-2, Ordinance on

Prevention of Organic Solvent Poisoning Art.1, Para.1, Item 5)

Priority Assessment Chemical Substances (Law Article 2, Para.5)

Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2,

[2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

Para.1)

Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1

Item 4)

Industrial Safety and Health Act (

2024~)

Act on the Evaluation of Chemical Substances and

Regulation of Their

Manufacture, etc Regulations for the carriage

and storage of dangerous

goods in ship

Civil Aeronautics Law

Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)

Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

Pollutant Release and Transfer Class 1

Register Law

(2023.4.1-)

Class 1 - No. 1, 674

Export Trade Control Order Not applicable

Air Pollution Control Law Hazardous Air Pollutants

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Tetrahydrofuran 109-99-9 (91.40)	-	Applicable	Applicable
Isopropylmagnesium Chloride-Zinc(II)ate complex N/A-09-0709-1 (8.60)	-	-	Applicable

Section 16: OTHER INFORMATION

Key literature references and

sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html

IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet