



# SAFETY DATA SHEET

According to JIS Z 7253:2019 **Revision date** 29-Feb-2024 Revision Number 1.05

# Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	N-Isopropylaniline Standard
Product Code	094-07241
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029
Emergency telephone number Recommended uses Restrictions on use	+81-6-6203-3741 / +81-3-3270-8571 For research use only Seek expert judgment when using for purposes other than those recommended.

# Section 2: HAZARDS IDENTIFICATION

GHS classification <u>Classification of the substance or mixture</u> Flammable liquids Acute toxicity - Oral Acute toxicity - Inhalation (Vapors) Serious eye damage/eye irritation Reproductive Toxicity Specific target organ toxicity (single exposure) Category 3 Respiratory irritation Specific target organ toxicity (repeated exposure) Category 2 blood

Category 4 Category 4 Category 2B Category 2 Category 3

Category 2

Pictograms



Signal word

Warning

#### Hazard statements

- H227 Combustible liquid
- H320 Causes eye irritation
- H302 Harmful if swallowed
- H332 Harmful if inhaled
- H361 Suspected of damaging fertility or the unborn child
- H335 May cause respiratory irritation
- H373 May cause damage to the following organs through prolonged or repeated exposure: blood

### Precautionary statements-(Prevention)

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- · Use personal protective equipment as required
- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product

- · Use only outdoors or in a well-ventilated area
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Keep cool

#### **Precautionary statements-(Response)**

- IF exposed or concerned: Get medical advice/attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth
- · In case of fire: Use suitable extinguishing media for extinction
- Precautionary statements-(Storage)
  - · Store locked up

• Store in a well-ventilated place. Keep container tightly closed

#### Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

#### Others

Other hazards

Not available

### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture

Substance

C9H13N

#### Formula

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
N-Isopropylaniline	99.0	135.21	(3)-118,(3)-206	公表	768-52-5
Note on ISHL No.: * in the table means announced chemical substances.					

# Section 4: FIRST AID MEASURES

#### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

#### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

#### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

#### Protection of first-aiders

Use personal protective equipment as required.

### Section 5: FIRE FIGHTING MEASURES

#### Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

### Unsuitable extinguishing media

# No information available

### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

#### Special extinguishing method

#### No information available

#### Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

### Section 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

#### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

#### Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

### Recoverly, neutralization

No information available

#### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

### Section 7: HANDLING AND STORAGE

#### Handling

#### **Technical measures**

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

#### Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

#### Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

#### Storage

Safe storage conditions	
Storage conditions	Keep container protect from light tightly closed. Store in a cool (2-10 °C) place. Packed with an inert gas. Store locked up.
Safe packaging material	Glass
Incompatible substances	Strong oxidizing agents

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

#### Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
N-Isopropylaniline	N/A	N/A	TWA: 2 ppm
768-52-5			Skin

#### Personal protective equipment

#### Respiratory protection Hand protection Eye protection Skin and body protection

Protective mask chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles (JIS T 8147) Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form Color Turbidity Appearance Odor Melting point/freezing point Boiling point, initial boiling point and boiling range Flammability **Evaporation rate:** Flammability (solid, gas): Upper/lower flammability or explosive limits Upper: Lower: Flash point Auto-ignition temperature: **Decomposition temperature:** pН Viscosity (coefficient of viscosity) **Dynamic viscosity Solubilities** n-Octanol/water partition coefficient:(log Pow)

Pale yellow - brown clear liquid no data available no data available 213 °C Combustible liquid no data available no data available no data available no data available 78 °C no data available acetone, Ethanol: soluble. water: practically insoluble, or insoluble. no data available no data available 0.942 no data available no data available

# Section 10: STABILITY AND REACTIVITY

#### Stability

Vapour pressure

Vapour density Particle characteristics

Specific Gravity / Relative density

 Reactivity
 no data available

 Chemical stability
 May be altered by light.

 Hazardous reactions
 None under normal processing

 Conditions to avoid
 Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

 Incompatible materials
 Strong oxidizing agents

 Hazardous decomposition products
 Carbon monooxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx)

# Section 11: TOXICOLOGICAL INFORMATION

#### Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
N-Isopropylaniline	560 mg/kg (Rat)	3550 mg/kg (Rabbit)	1.2 mg/L (Rat)4h

Chemical Name	Acute toxicity -oral- source	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
N-Isopropylaniline	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.
Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust-	Acute toxicity -inhalation mist-
			· · ·
	vapor- source information	source information	source information
N-Isopropylaniline			source information Based on the NITE GHS

#### Skin irritation/corrosion

	Chemical Name	Skin corrosion/irritation source information
	N-Isopropylaniline	Based on the NITE GHS classification results.
Serious eye dama	ge/ irritation	· · ·
	Chemical Name	Serious eye damage/irritation source information
	N-Isopropylaniline	Based on the NITE GHS classification results.
Respiratory or ski	n sensitization	
	Chemical Name	Respiratory or Skin sensitization source information
	N-Isopropylaniline	Based on the NITE GHS classification results.
Reproductive cell	mutagenicity	·
	Chemical Name	germ cell mutagencity source information
	N-Isopropylaniline	Based on the NITE GHS classification results.
Carcinogenicity		·
	Chemical Name	Carcinogenicity source information
	N-Isopropylaniline	Based on the NITE GHS classification results.

Chemical Name	Reproductive toxicity source information
N-Isopropylaniline	Based on the NITE GHS classification results.
STOT-single exposure	
Chemical Name	STOT -single exposure- source information
N-Isopropylaniline	Based on the NITE GHS classification results.
STOT-repeated exposure	
Chemical Name	STOT -repeated exposure- source information
N-Isopropylaniline	Based on the NITE GHS classification results.
Aspiration hazard	
Chemical Name	Aspiration Hazard source information
N-Isopropylaniline	Based on the NITE GHS classification results.

# Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

No information available

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information
N-Isopropylaniline	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability Bioaccumulative potential Mobility in soil Hazard to the ozone layer No information available No information available No information available No information available

# Section 13: DISPOSAL CONSIDERATIONS

#### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations. Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

# Section 14: TRANSPORT INFORMATION

ADR/RID UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group	Not regulated -
Marine pollutant	Not applicable
IMDG UN number Proper shipping name: UN classfication Subsidiary hazard class	Not regulated -
Packing group Marine pollutant (Sea) Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable No information available
IATA UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group	Not regulated -
Environmentally Hazardous Substance	Not applicable

# Section 15: REGULATORY INFORMATION

Japanese regulations Fire Service Act Poisonous and Deleterious Substances Control Law Industrial Safety and Health Act	Category IV, Class III petroleums, dangerous grade 3 Deleterious Substances 3rd. Grade Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57) Notifiable Substances (Law Art.57-2)
Industrial Safety and Health Act (	[2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)
<u>2024~)</u> Regulations for the carriage and storage of dangerous goods in ship	Not applicable
Civil Aeronautics Law	Not applicable
Pollutant Release and Transfer	Not applicable
Register Law (2023.4.1-)	
Export Trade Control Order	Not applicable

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
N-Isopropylaniline 768-52-5(99.0)	Applicable	Applicable	-

# **Section 16: OTHER INFORMATION**

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc
Record of SDS revisions	The following contents were revised. Regulatory information.

# Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

End of Safety Data Sheet