

## SAFETY DATA SHEET

According to JIS Z 7253:2019  
**Revision date** 28-Sep-2023  
 Revision Number 2.04

## Section 1: PRODUCT AND COMPANY IDENTIFICATION

<b>Product Name</b>	Lead(II) Oxide
<b>Product Code</b>	124-00678,120-00675,126-00672

<b>Supplier</b>	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029
<b>Emergency telephone number</b>	+81-6-6203-3741 / +81-3-3270-8571
<b>Recommended uses</b>	For research use only
<b>Restrictions on use</b>	Seek expert judgment when using for purposes other than those recommended.

## Section 2: HAZARDS IDENTIFICATION

**GHS classification****Classification of the substance or mixture****Germ cell mutagenicity**

Category 2

**Carcinogenicity**

Category 2

**Reproductive Toxicity**

Category 1A

**Specific target organ toxicity (single exposure)**

Category 1

**Category 1** central nervous system, kidneys**Specific target organ toxicity (repeated exposure)**

Category 1

**Category 1** blood system, nervous system, cardiovascular system, kidneys**Pictograms****Signal word**

Danger

**Hazard statements**

H341 - Suspected of causing genetic defects

H351 - Suspected of causing cancer

H360 - May damage fertility or the unborn child

H370 - Causes damage to the following organs: central nervous system, kidneys

H372 - Causes damage to the following organs through prolonged or repeated exposure: blood system, nervous system, cardiovascular system, kidneys

**Precautionary statements-(Prevention)**

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Do not breathe dust/fume/gas/mist/vapors/spray
- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product

**Precautionary statements-(Response)**

- IF exposed: Call a POISON CENTER or doctor/physician

**Precautionary statements-(Storage)**

- Store locked up

**Precautionary statements-(Disposal)**

- Dispose of contents/container to an approved waste disposal plant

**Others****Other hazards** Not available**Section 3: COMPOSITION/INFORMATION ON INGREDIENTS****Single Substance or Mixture** Substance**Formula** PbO

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Lead(II) oxide	99.5	223.20	(1)-527	*	1317-36-8

**Note on ISHL No.:** \* in the table means announced chemical substances.**Impurities and/or Additives:** Not applicable**Section 4: FIRST AID MEASURES****Inhalation**

Remove to fresh air. If symptoms persist, call a physician.

**Skin contact**

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

**Eye contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

**Ingestion**

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

**Protection of first-aiders**

Use personal protective equipment as required.

**Section 5: FIRE FIGHTING MEASURES****Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

**Unsuitable extinguishing media**

No information available

**Specific hazards arising from the chemical product**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

**Special extinguishing method**

No information available

**Special protective actions for fire-fighters**

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

**Section 6: ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures**

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

**Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

**Methods and materials for contaminant and methods and materials for cleaning up**

Sweep up and gather scattered particles, and collect it in an empty airtight container.

**Recovery, neutralization**

No information available

**Secondary disaster prevention measures**

Clean contaminated objects and areas thoroughly observing environmental regulations.

**Section 7: HANDLING AND STORAGE****Handling****Technical measures**

Avoid contact with organic substance Use with local exhaust ventilation.

**Precautions**

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

**Safety handling precautions**

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

**Storage****Safe storage conditions****Storage conditions**

Store away from sunlight in well-ventilated place at room temperature (preferably cool).  
Keep container tightly closed. Store locked up.

**Safe packaging material**

Glass, Polyethylene

**Incompatible substances**

Organic substance, Combustible materials

**Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and hand- and eye-wash facility. And display their position clearly.

**Exposure limits**

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Lead(II) oxide 1317-36-8	TWA: 0.03 mg/m <sup>3</sup> OEL ISHL/ACL: 0.05 mg/m <sup>3</sup>	ISHL/ACL: 0.05 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup> Pb

**Personal protective equipment****Respiratory protection**

Dust mask ( JIS T 8151 )

**Hand protection**

chemical protective gloves ( JIS T 8116 )

**Eye protection**

protective eyeglasses or chemical safety goggles

**Skin and body protection**

Long-sleeved work clothes

**General hygiene considerations**

Handle in accordance with good industrial hygiene and safety practice.

**Section 9: PHYSICAL AND CHEMICAL PROPERTIES****Form****Color**

yellow - reddish yellow

**Appearance**

powder

**Odor**

Odorless

**Melting point/freezing point**

888 °C

**Boiling point, initial boiling point and boiling range**

1470 °C

**Flammability**

no data available

**Evaporation rate:**

no data available

**Flammability (solid, gas):**

no data available

**Upper/lower flammability or**

<b>explosive limits</b>	
Upper:	no data available
Lower:	no data available
<b>Flash point</b>	no data available
<b>Auto-ignition temperature:</b>	no data available
<b>Decomposition temperature:</b>	no data available
<b>pH</b>	no data available
<b>Viscosity (coefficient of viscosity)</b>	no data available
<b>Dynamic viscosity</b>	no data available
<b>Solubilities</b>	water , Ethanol : practically insoluble,or insoluble . nitric acid , acetic acid , sodium hydroxide (aq.) : soluble .
<b>n-Octanol/water partition coefficient:(log Pow)</b>	no data available
<b>Vapour pressure</b>	no data available
<b>Specific Gravity / Relative density</b>	9.53
<b>Vapour density</b>	no data available
<b>Particle characteristics</b>	no data available

## Section 10: STABILITY AND REACTIVITY

### Stability

<b>Reactivity</b>	no data available
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Hazardous reactions</b>	None under normal processing
<b>Conditions to avoid</b>	Extremes of temperature and direct sunlight
<b>Incompatible materials</b>	Organic substance, Combustible materials
<b>Hazardous decomposition products</b>	Metal oxides

## Section 11: TOXICOLOGICAL INFORMATION

### Acute toxicity

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas-source information
Lead(II) oxide	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust-source information	Acute toxicity -inhalation mist-source information
Lead(II) oxide	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

### Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Lead(II) oxide	Based on the NITE GHS classification results.

### Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information
Lead(II) oxide	Based on the NITE GHS classification results.

### Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
Lead(II) oxide	Based on the NITE GHS classification results.

### Reproductive cell mutagenicity

Chemical Name	germ cell mutagenicity source information
Lead(II) oxide	Based on the NITE GHS classification results.

### Carcinogenicity

Chemical Name	Carcinogenicity source information

Lead(II) oxide	Based on the NITE GHS classification results.
----------------	---

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
Lead(II) oxide 1317-36-8	Reasonably Anticipated	Group 2A	A3	Group 2B

**Reproductive toxicity**

Chemical Name	Reproductive toxicity source information
Lead(II) oxide	Based on the NITE GHS classification results.

**STOT-single exposure**

Chemical Name	STOT -single exposure- source information
Lead(II) oxide	Based on the NITE GHS classification results.

**STOT-repeated exposure**

Chemical Name	STOT -repeated exposure- source information
Lead(II) oxide	Based on the NITE GHS classification results.

**Aspiration hazard**

Chemical Name	Aspiration Hazard source information
Lead(II) oxide	Based on the NITE GHS classification results.

## Section 12: ECOLOGICAL INFORMATION

**Ecotoxicity** No information available

**Other data**

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
Lead(II) oxide	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

**Persistence and degradability** No information available

**Bioaccumulative potential** No information available

**Mobility in soil** No information available

**Hazard to the ozone layer** No information available

## Section 13: DISPOSAL CONSIDERATIONS

**Waste from residues**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated container and contaminated packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## Section 14: TRANSPORT INFORMATION

**ADR/RID** Not regulated  
**UN number** -  
**Proper shipping name:**  
**UN classification**  
**Subsidiary hazard class**  
**Packing group**  
**Marine pollutant** Not applicable

**IMDG** Not regulated  
**UN number** -  
**Proper shipping name:**  
**UN classification**  
**Subsidiary hazard class**  
**Packing group**  
**Marine pollutant (Sea)** Not applicable

<b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	No information available
<b>IATA</b>	Not regulated
<b>UN number</b>	-
<b>Proper shipping name:</b>	
<b>UN classification</b>	
<b>Subsidiary hazard class</b>	
<b>Packing group</b>	
<b>Environmentally Hazardous Substance</b>	Not applicable

## Section 15: REGULATORY INFORMATION

### Japanese regulations

<b>Fire Service Act</b>	Firefighting Inhibitor
<b>Poisonous and Deleterious Substances Control Law</b>	Deleterious Substances 3rd. Grade
<b>Industrial Safety and Health Act</b>	Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18) Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2 Attached Table No.9)No.411 Lead Compounds (Enforcement Order Attached Table 4, Ordinance on Prevention of Lead Poisoning Art.1-4, MHLW Notification No.91 of 1972) Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2, Para.1)
<b>Regulations for the carriage and storage of dangerous goods in ship</b>	Not applicable
<b>Civil Aeronautics Law</b>	Not applicable
<b>Pollutant Release and Transfer Register Law (2023.4.1-)</b>	Specified Class 1 No.
<b>Specified Class 1-No.</b>	697
<b>Water Pollution Control Act</b>	Harmful Substances (Law Art.2, Enforcement Order Art.2, Ordinance Designating Wastewater Standards Art.1)
<b>Export Trade Control Order</b>	Not applicable
<b>Soil Contamination Control Law</b>	Designated Hazardous Substances

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Lead(II) oxide 1317-36-8 ( 99.5 )	Applicable	Applicable	Applicable

## Section 16: OTHER INFORMATION

### **Key literature references and sources for data etc.**

NITE: National Institute of Technology and Evaluation (JAPAN)  
<http://www.safe.nite.go.jp/japan/db.html>  
 IATA dangerous Goods Regulations  
 RTECS:Registry of Toxic Effects of Chemical Substances  
 Japan Industrial Safety and Health Association GHS Model SDS  
 Dictionary of Synthetic Organic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.  
 Chemical Dictionary, Kyouritsu Publishing Co., Ltd.  
 etc

### **Disclaimer**

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material

designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**