



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 28-Sep-2023

Revision Number 5.03

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Lead Sulfide(II)	
Product Code 126-00775,122-00772		
Cumpliar	FILLIEU M Waka Dura Chamical Corneration	

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

CarcinogenicityCategory 2Reproductive ToxicityCategory 1ASpecific target organ toxicity (single exposure)Category 1

Category 1 blood system, kidneys, nervous system

Specific target organ toxicity (repeated exposure)

Category 1

Category 1 blood system, kidneys, nervous system

Acute aquatic toxicity

Category 1

Chronic aquatic toxicity

Category 1

Category 1

Pictograms





Signal word

Danger

Hazard statements

- H351 Suspected of causing cancer
- H360 May damage fertility or the unborn child
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects
- H370 Causes damage to the following organs: blood system, kidneys, nervous system
- H372 Causes damage to the following organs through prolonged or repeated exposure: blood system, kidneys, nervous system

Precautionary statements-(Prevention)

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Do not breathe dust/fume/gas/mist/vapors/spray
- Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product
- Avoid release to the environment

Precautionary statements-(Response)

• IF exposed: Call a POISON CENTER or doctor/physician

Collect spillage

Precautionary statements-(Storage)

Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula PbS

	Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
ſ	Lead(II) sulfide	85.0	239.27	(1)-566	*	1314-87-0

Note on ISHL No.: * in the table means announced chemical substances.

Impurities and/or Additives: Not applicable

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people

involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoids contact with acids. Avoid contact with strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions Store away from sunlight in well-ventilated place at room temperature (preferably cool).

Keep container tightly closed. Store locked up.

Safe packaging material Glass

Incompatible substances Acids, Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Lead(II) sulfide	TWA: 0.03 mg/m ³ OEL	ISHL/ACL: 0.05 mg/m ³	TWA: 0.05 mg/m ³ Pb
1314-87-0	ISHL/ACL: 0.05 mg/m ³	-	-

Personal protective equipment

Respiratory protection Dust mask (JIS T 8151)

Hand protection chemical protective gloves (JIS T 8116) **Eye protection** protective eyeglasses or chemical safety goggles

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color grayish brown - black

Appearance powder

Odor no data available

Melting point/freezing point1110 °CBoiling point, initial boiling point and boiling range1281 °C

Flammability no data available **Evaporation rate:** no data available Flammability (solid, gas): no data available

Upper/lower flammability or

explosive limits

no data available Upper: no data available Lower: Flash point no data available **Auto-ignition temperature:** no data available **Decomposition temperature:** no data available no data available pН Viscosity (coefficient of viscosity) no data available **Dynamic viscosity** no data available

Solubilities water, Ethanol: insoluble. acid, nitric acid, hydrochloric acid:

soluble.

n-Octanol/water partition coefficient:(log Pow) no data available Vapour pressure no data available

Specific Gravity / Relative density 7.5

Vapour density no data available **Particle characteristics** no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available

Chemical stability Stable under recommended storage conditions.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

Acids, Strong oxidizing agents

Hazardous decomposition products

Sulfur oxides (SOx), Metal oxides

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
=======================================	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
			Based on the NITE GHS classification results.

Skin irritation/correction

Skill illitation/corrosion				
Chemical Name	Skin corrosion/irritation source information			
Lead(II) sulfide	Based on the NITE GHS classification results.			

Serious eye damage/ irritation Chemical Name

	, ,	
Lead(II) sulfide	Based on the NITE GHS classification results.	
Respiratory or skin sensitization		
Chemical Name	Respiratory or Skin sensitization source information	

Serious eve damage/irritation source information

Based on the NITE GHS classification results.

Lead(II) sulfide

Reproductive cell mutagenicity		
Chemical Name	germ cell mutagencity source information	

Lead(II) sulfide	Based on the NITE GHS classification results.
Carcinogenicity	
Chemical Name	Carcinogenicity source information

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
Lead(II) sulfide	Reasonably	Group 2A	A3	Group 2B
1314-87-0	Anticipated	_		

Reproductive toxicity

Reproductive toxicity source information **Chemical Name** Based on the NITE GHS classification results. Lead(II) sulfide

STOT-single exposure

Chemical Name	STOT -single exposure- source information
Lead(II) sulfide	Based on the NITE GHS classification results.

STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information
Lead(II) sulfide	Based on the NITE GHS classification results.

Aspiration hazard

Chemical Name	Aspiration Hazard source information
Lead(II) sulfide	Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Lead(II) sulfide	N/A	N/A	LC50 : Daphnia magna
			138 µg/L 48 h

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
Lead(II) sulfide	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

No information available Persistence and degradability **Bioaccumulative potential** No information available Mobility in soil No information available Hazard to the ozone layer No information available

Other Data Very toxic to aquatic life with long lasting effects

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Lead(II) sulfide)

UN classfication

Subsidiary hazard class Packing group

Marine pollutant Yes

IMDG

UN number UN3077

Environmentally hazardous substance, solid, n.o.s. (Lead(II) sulfide) Proper shipping name:

UN classfication

Subsidiary hazard class

Packing group Ш Marine pollutant (Sea) Yes

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN3077 **UN** number

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Lead(II) sulfide)

UN classfication

Subsidiary hazard class

Packing group Ш **Environmentally Hazardous** Yes

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Not applicable

Poisonous and Deleterious Deleterious Substances 3rd. Grade

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57,

Transport by Ship and Storage, Attached Table 1)

Para.1, Enforcement Order Art.18)

Notifiable Substances (Law Art.57-2, Enforcement Oder Art.18-2 Attached Table

No.9)No.411

Working Environment Evaluation Standards, Administrative Control Levels (Law

Art.65-2. Para.1)

Regulations for the carriage

and storage of dangerous

goods in ship

Civil Aeronautics Law

Misellaneous Dangerous Substances and Articles (Ordinance Art.194, MITL Nortification

Noxious Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

for Air Transportation of Explosives etc., Attached Table 1)

Pollutant Release and Transfer Specified Class 1 No.

Register Law (2023.4.1-)

Specified Class 1-No.

Water Pollution Control Act Harmful Substances (Law Art.2, Enforcement Order Art.2, Ordinace Designating

Wastewater Standards Art.1) Not applicable

Export Trade Control Order

Soil Contamination Control

Law

Designated Hazardous Substances

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Lead(II) sulfide 1314-87-0 (85.0)	Applicable	Applicable	Applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet